




SHIP EQUIPMENT

It produces stainless steel products, marine hardware, construction hardware, which are widely used in marine transportation, electric ship and many other fields, and provides OEM and ODM services.

Alastin Marine

Website: <https://www.alastinmarine.com>

E-mail: andyzhang@alastin-marine.com

Mob: +86-15806581717

Contacts: Andy Zhang

Address: Qingdao City, Shandong Province, China

青岛阿拉斯丁户外用品有限公司

QINGDAO ALASTIN OUTDOOR PRODUCTS CO., LTD.

COMPANY PROFILE

Our company mainly produces stainless steel products, marine hardware, construction hardware, products are widely used in marine transportation, electric ships and many other fields, and provides OEM and ODM services. Our company has CNC machine tools, salt spray test instruments, spectrometers and other professional equipment, providing sound material certificates for our products. With excellent service and product quality, we cover more than 100 countries in the world and are exported to the United States, the United Kingdom, Germany, France, Canada, Australia, the Netherlands, Taiwan, Japan, South Korea and other Europe and the United States and Southeast Asia. Our customers enjoy a high reputation.

Since its establishment, we have always adhered to the corporate philosophy of "quality first, integrity management", and for the purpose of "win-win", committed to scientific and technological innovation, building corporate brands, and meeting customer needs. Through more than 10 years of product integration, we have established a competitive product chain and become one of the top marine hardware suppliers. We adhere to the principle of customer first, strive to achieve customer success, and ultimately achieve win-win cooperation. We warmly welcome our customers to cooperate with us!



目录

BOAT ANCHORS 船锚	P01
ANCHOR CONNECTOR 锚链接器	P05
ANCHOR ROLLER 锚支架	P07
CHAIN STOPPER 止链器	P09
BOAT BOLLARD& FAIRLEAD 船用缆桩&导缆器	P11
BOAT CLEAT 船用索栓	P17
BIMINI TOP FITTINGS 遮阳篷配件	P23
TOP SLIDE/JAW SLIDE 滑道/滑套	P25
DECK HINGE 甲板合页	P27
PIPE STANCHION 管子配件	P33
RAIL CONNECTOR 管连接器	P38
CASTING HINGE 铸造合页	P43
PULL RINGS 地板拉环	P59
FOLDING STEP 马蹬	P63
LOCK&LATCH 地板锁	P65
THRU-TULL&TANK VENT 出水孔&透气孔	P69
DECK PLATE 甲板盖	P73

PRODUCT CATALOG

DECK FILLER 加油口	P73
FISHING ROD HOLDER 鱼竿座	P78
RV ACCESSORIES 房车配件	P85
ANTENNA BASE 天线座	P91
STEERING WHEEL 方向盘	P93
MARINE LADDER 船用梯子	P97
HANDRAILS 扶手	P107
HATCHES 舷窗	P112
CARGO HOOK 吊货钩	P121
SAFETY EQUIPMENT 安全设备	P137
YACHT SEAT 座椅	P141
KAYAK ACCESSORIES 皮艇配件	P143
PROPELLER 螺旋桨	P145
ENGINE ACCESSORIES 引擎配件	P150
LED NAVIGATION LIGHT LED导航灯	P153
BRASS PARTS 黄铜配件	P177



BOAT ANCHOR & MARINE HARDWARE

AISI316 STAINLESS STEEL BRUCE ANCHOR
316不锈钢布鲁斯锚



Code	A mm	B mm	C mm	D mm	Weight kg
ALS6001	280	102	180	130	1 kg
ALS6002	350	127	220	175	2 kg
ALS60025	400	150	230	140	2.5KG
ALS6003	400	145	250	200	3 kg
ALS6005	470	165	310	270	5 kg
ALS6075	540	190	350	290	7.5 kg
ALS6010	595	210	385	320	10 kg
ALS6015	680	255	440	360	15 kg
ALS6020	750	300	520	390	20 kg
ALS6025	810	310	590	410	25 kg
ALS6030	860	320	590	460	30 kg
ALS6035	935	370	660	460	35 kg
ALS6040	965	370	660	460	40 kg
ALS6050	1010	375	700	500	50 kg
ALS6080	1050	460	700	547	80 kg

AISI316 STAINLESS STEEL PLOUGH ANCHOR
316不锈钢犁型锚




Code	A mm	B mm	C mm	D mm	Weight kg
ALS6105	510	340	260	220	5 kg
ALS6107	560	380	270	230	7 kg
ALS6109	600	375	280	250	9 kg
ALS6110	620	400	290	270	10 kg
ALS6112	660	430	340	300	12 kg
ALS6115	730	490	360	330	15 kg
ALS6116	735	490	360	240	16 kg
ALS6120	740	550	370	360	20 kg
ALS6122	750	550	370	390	22 kg
ALS6127	780	600	460	360	27 kg
ALS6134	800	630	480	360	34 kg
ALS6135	820	640	490	380	35 kg
ALS6140	810	653	645	425	40 kg
ALS6150	965	745	540	500	50 kg


Code	A mm	B mm	C mm	Weight kg
ALS6204	550	230	210	4 kg
ALS6205	555	250	220	5 kg
ALS6275	625	300	270	7.5 kg
ALS6208	580	290	270	8 kg
ALS6210	665	310	300	10 kg
ALS6215	755	350	330	15 kg
ALS6020	830	370	390	20 kg
ALS6230	970	400	450	30 kg
ALS6240	1100	430	490	40 kg
ALS6250	1170	450	520	50 kg
ALS6263	1270	520	565	63 kg
ALS6280	1350	600	605	80 kg
ALS62100	1500	750	700	100 kg

Support private customization

AISI316 STAINLESS STEEL DELTA ANCHOR
316不锈钢三角锚



AISI316 STAINLESS STEEL GRAPNEL ANCHOR
316不锈钢伞锚/折叠锚




Code	A mm	B mm	C mm	Weight kg
ALS63007	200	90	47	0.7 kg
ALS63015	302	135	54	1.5 kg
ALS63025	355	156	59	2.5 kg
ALS63032	395	174	73	3.2 kg
ALS6304	460	200	76	4 kg
ALS6305	470	210	80	5 kg
ALS6306	523	222	85	6 kg
ALS6307	530	230	90	7 kg
ALS6308	600	240	90	8 kg
ALS6310	655	260	102	10 kg
ALS6312	840	326	102	12 kg

AISI316 STAINLESS STEEL DANFORTH ANCHOR
316不锈钢丹弗斯锚

Code	A mm	B mm	C mm	Weight kg
ALS64005	455	550	265	5kg
ALS64075	500	650	340	7.5kg
ALS64010	520	720	358	10kg
ALS64012	580	835	370	12kg
ALS6415	620	865	400	15kg
ALS6420	650	875	445	20kg
ALS6430	760	990	590	30kg
ALS6440	830	1100	610	40kg
ALS6450	885	1150	625	50kg
ALS6470	1000	1300	690	70kg
ALS64100	1100	1400	890	100kg

Support private customization





AISI316 STAINLESS STEEL POOL ANCHOR
316不锈钢波尔锚



Code	A mm	B mm	C mm	D mm	Weight kg
ALS6512	425	315	275	240	12 kg
ALS6520	455	385	300	325	20 kg
ALS6525	480	410	320	340	25 kg
ALS6530	505	430	335	365	30 kg
ALS6535	530	460	350	390	35 kg
ALS6545	575	490	375	415	45 kg
ALS6560	665	555	425	470	60 kg
ALS65100	775	655	505	555	100 kg
ALS65120	825	700	540	595	120 kg
ALS65140	870	735	570	625	140 kg
ALS65160	905	765	590	650	160 kg
Support private customization					

HOT DIP GALVANIZED BRUCE ANCHOR
热镀锌布鲁斯锚



Code	Weight kg	Code	Weight kg
ALS7001	1 kg	ALS7150	15 kg
ALS7002	2 kg	ALS7200	20 kg
ALS7035	3.5 kg	ALS7250	25 kg
ALS7005	5 kg	ALS7300	30 kg
ALS7075	7.5 kg	ALS7500	50 kg
ALS7100	10 kg	ALS7800	80 kg
ALS7112	12kg	ALS1000	100kg

HOT DIP GALVANIZED PLOUGH ANCHOR
热镀锌犁型锚



Code	Weight kg	Code	Weight kg
ALS7105	5 kg	ALS7120	20 kg
ALS7107	7 kg	ALS7122	22 kg
ALS7109	9 kg	ALS7124	24 kg
ALS7112	12 kg	ALS7127	27 kg
ALS7115	15 kg	ALS7135	35 kg

HOT DIP GALVANIZED DELTA ANCHOR
热镀锌三角锚



Code	Weight kg	Code	Weight kg
ALS7204	4 kg	ALS7220	20 kg
ALS7205	5 kg	ALS7225	25 kg
ALS7275	7.5 kg	ALS7230	30 kg
ALS7208	8 kg	ALS7232	32 kg
ALS7210	10 kg	ALS7240	40 kg
ALS7216	16 kg	ALS7250	50 kg
Support private customization			



HOT DIP GALVANIZED DANFORTH ANCHOR
热镀锌丹弗斯锚



Code	Weight kg	Code	Weight kg
ALS7302	2 kg	ALS7315	15 kg
ALS73025	2.5 kg	ALS7320	20 kg
ALS7303	3 kg	ALS7325	25 kg
ALS7304	4 kg	ALS7330	30 kg
ALS7305	5 kg	ALS7340	40 kg
ALS7306	6 kg	ALS7350	50 kg
ALS7308	8 kg	ALS7370	70 kg
ALS7310	10 kg	ALS7380	80 kg
ALS7312	12 kg	ALS73100	100 kg
Support private customization			

HOT DIP GALVANIZED "A" TYPE GRAPNEL ANCHOR
A型热镀锌伞锚



Code	Weight kg	Code	Weight kg
ALS74015	1.5 kg	ALS7404	4 kg
ALS74025	2.5 kg	ALS7406	6 kg
ALS74032	3.2 kg	ALS7408	8 kg

HOT DIP GALVANIZED "B" TYPE GRAPNEL ANCHOR
B型热镀锌伞锚




Code	Weight kg	Code	Weight kg
ALS76007	0.7kg	ALS76075	7.5 kg
ALS76014	1.4kg	ALS76100	10 kg
ALS76023	2.3kg	ALS76120	12 kg
ALS76035	3.5kg	ALS76150	15 kg
ALS76055	5.5kg		

BLACK PAINTED HALL ANCHOR
黑漆霍尔锚



Code	A mm	L mm	L1 mm	R1 mm	B mm	B1 mm	NOMINAL WEIGHT(kg)
ALS75300	1190	844	595	130	328	388	300 kg
ALS75350	1250	890	625	137	344	408	350 kg
ALS75400	1310	930	650	143	360	428	400 kg
ALS75450	1360	970	675	149	376	444	450 kg
ALS75500	1410	1000	700	154	390	460	500 kg
ALS75600	1500	1060	745	164	414	490	600 kg
ALS75700	1580	1120	785	172	436	516	700 kg
ALS75800	1650	1170	820	180	456	540	800 kg
ALS75900	1720	1220	855	188	474	560	900 kg
ALS51000	1780	1260	885	194	490	580	1000 kg
ALS51250	1910	1360	955	109	526	624	1250 kg
ALS51500	2030	1450	1015	222	560	664	1500 kg
ALS52250	2330	1650	1160	254	642	760	2250 kg
ALS752500	2410	1710	1200	263	666	788	2500 kg
ALS753000	2560	1820	1275	280	708	836	3000 kg
ALS753500	2700	1920	1345	294	746	880	3500 kg
ALS754000	2820	2000	1400	308	780	920	4000 kg
ALS754500	2940	2080	1455	320	808	956	4500 kg
ALS755000	3050	2150	1510	332	836	992	5000 kg






ANCHOR CONNECTOR

AISI316 STAINLESS STEEL ANCHOR CONNECTOR
316不锈钢一体锚链连接器



Code	A mm	B mm	C mm	Chain Size(mm)
ALS801A-0608	91	10.5	15.5	6-8
ALS801B-1012	117	13	19	8-10


AISI316 STAINLESS STEEL ANCHOR DOUBLE CONNECTOR
316不锈钢两段锚链连接器



Code	A mm	B mm	C mm	Chain Size(mm)
ALS802A-0608	88	11.5	16.5	6-8
ALS802B-1012	116	14	19	8-10
ALS802C-1416	139	19	32	14-16


AISI316 STAINLESS STEEL HEAVY ANCHOR DOUBLE CONNECTOR
316不锈钢重型两段锚链连接器

Code	A mm	B mm	C mm	Chain Size(mm)
ALS803A-0608	120	10.5	15.5	6-8
ALS803B-1012	170	14	18	8-12



AISI316 STAINLESS STEEL ANCHOR DOUBLE CONNECTOR
316不锈钢三段锚链连接器

Code	A mm	B mm	C mm	Chain Size(mm)
ALS804A-0608	120	16	9	6-8
ALS804B-1012	151	18	13	8-12



AISI316 STAINLESS STEEL ANCHOR CONNECTOR
316不锈钢长锚链连接器

Code	A mm	B mm	C mm	Chain Size(mm)
ALS805A-0608	240	10	20	6-8
ALS805B-1012	290	14	27.5	8-12






ANCHOR ROLLER

AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢锚支架



Code	Length mm	Width mm	Anchor Size Kg
ALS4242	420	76	7.5-15.5
ALS4256	600	76	10-20
ALS4275	750	90	15-30
ALS4295	950	95	30-50


AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢锚支架



Code	A	B	C	D	E	F	G	Chain (mm)	Anchor Size (kg)
ALS901A	380	260	65	46	295	28	8.6	6-8	5-10
ALS901B	480	310	77	60	300	36	15	8-10	10-20
ALS901C	540	330	72	68	355	45	16	10-12	20-30


AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢白色单轮锚支架

Code	A mm	B mm	C mm	D mm	Emm
ALS902A	155	71	70	49	8



AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢黑色单轮锚支架

Code	A mm	B mm	C mm	D mm	Emm
ALS903A	155	51	70	49	8



AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢白色单轮锚支架

Code	A mm	B mm	C mm	Size
ALS1766A	170	66	52	170x66



AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢锚支架

Code	Length mm	Width mm	Height mm
ALS904A	200	64	70
ALS904B	230	64	68
ALS904C	250	64	70



AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢锚支架

Code	Length mm	Width mm
ALS905A	390	46
ALS906B	455	87



CHAIN STOPPER

AISI316 STAINLESS STEEL ANCHOR CHAIN&STOPPER
316不锈钢止链器



Code	L mm	W mm
ALS3013	125	84

AISI316 STAINLESS STEEL CAM CLEAT
316不锈钢夹绳器



Code	L mm	W mm
ALS3015	69	17
ALS3016	81	18

AISI316 STAINLESS STEEL CHAIN LOCK STOPPER
316不锈钢止链器



Code	L mm	W mm
ALS3017	121	66

AISI316 STAINLESS STEEL ROPE CLAMP CAM CLEAT
316不锈钢带导向孔快速夹绳器



Code	Amm	Bmm	Cmm	Dmm	Emm
ALSH004	68	18.5	7	M5	15.5

AISI316 STAINLESS STEEL ANCHOR CHAIN STOPPER
316山型止链器



Code	Amm	Bmm	Cmm	Size
ALS0680A	59.5	53.5	48	6-8
ALS0680B	80.2	70	62	10-12



Code	Dia mm	L.w	o.w	Breaking load kn.
ALS9103	3	16	11	4.1
ALS9104	4	16	13.7	8
ALS9105	5	18.5	17	12.5
ALS9106	6	18.5	20.2	16
ALS9107	7	22	23.8	25
ALS9108	8	24	27.2	32
ALS9109	9	27	30.6	40
ALS91010	10	30	34	50
ALS91011	11	31	37.4	63
ALS91012	12	34	40.8	66
ALS91013	13	36	44.2	80
ALS91014	14	41	47.5	100
ALS91016	16	45	54.5	125

DIN766 LINK CHAINS
DIN766链环



Code	Dia mm	L.w	o.w	Breaking load kn.
ALS9204	3	32	16	6
ALS9205	4	35	20	10
ALS9206	5	42	24	14
ALS9207	6	49	24	18
ALS9208	7	52	32	25
ALS9209	8	59	36	32
ALS92010	9	65	40	40
ALS92011	10	72	44	47.5
ALS92012	11	78	48	56.5
ALS92013	12	82	52	63

DIN763 LINK CHAINS
DIN763链环



Code	Dia mm	L.w	o.w	Breaking load kn.
ALS9304	4	19	16	5
ALS9305	5	21	20	7.75
ALS9306	6	24	24	11.5
ALS9307	7	28	28	15
ALS9308	8	32	32	20
ALS9309	9	36	36	15
ALS9310	10	40	40	31
ALS9311	11	44	44	38
ALS9312	12	48	48	45

DIN5685 SHORT LINK CHAIN
DIN5685短链



Code	Dia mm	L.w	o.w	Breaking load kn.
ALS9404	4	32	16	5.5
ALS9405	5	35	20	8.5
ALS9406	6	42	24	13.5
ALS9407	7	49	28	17
ALS9408	8	52	32	23
ALS9409	9	59	36	28.5
ALS9410	10	65	40	34.5
ALS9411	11	72	44	41
ALS9412	12	78	48	49
ALS9413	13	82	52	53

DIN5685 LONG LINK CHAIN
DIN5685长链





BOAT BOLLARD&FAIRLEAD


AISI316 STAINLESS STEEL DOUBLE CROSS BOLLARD
316不锈钢双十字缆桩



Code	A mm	B mm	C mm	Size
ALS951A	190	310	130	6"
ALS951B	190	370	150	8"
ALS951C	260	500	180	10"

Support private customization

AISI316 STAINLESS STEEL SINGLE BOLLARD
316不锈钢单十字缆桩



Code	A mm	B mm	C mm	Size
ALS950A	100	100	42	6"
ALS950B	135	135	50	8"
ALS950C	190	150	80	10"
ALS950D	240	190	80	12"

Support private customization

AISI316 STAINLESS STEEL SINGLE BOLLARD
316不锈钢单十字缆桩




Code	A mm	B mm	C mm
ALS9401	62	62	81

AISI316 STAINLESS STEEL DOUBLE CROSS BOLLARD
316不锈钢双十字缆桩



Code	A mm	B mm	C mm
ALS9402	166	63	88

AISI316 STAINLESS STEEL SINGLE BOLLARD
316不锈钢心形缆桩



Code	A mm	B mm	C mm
ALS9403	98	86	94

AISI316 STAINLESS STEEL BOLLARD
316不锈钢筒子缆桩



Code	A mm	B mm	C mm	D mm
ALS952A	100	80	90	50
ALS952B	120	90	120	60

AISI316 STAINLESS CASTING BOLLARD
316不锈钢重型筒子缆桩



Code	A mm	B mm	C mm	D mm
ALS953A	125	97	122	60
ALS953B	154	121	152	76



AISI316 STAINLESS STEEL BOLLARD
316不锈钢板凳缆桩



Code	A mm	B mm	C mm	Size
ALS953A	152	60	62	6"
ALS953B	203	70	77	8"
ALS953C	255	80	91	10"
ALS953D	310	90	109	12"

AISI316 STAINLESS STEEL BOLLARD
316不锈钢雁型缆桩



Code	A mm
ALS954A	300

AISI316 STAINLESS STEEL BOLLARD CLEAT
316不锈钢空心缆桩



Code	A mm	B mm	C mm	D mm	Size
ALS3006	150	118	19	53	6"
ALS3008	215	137	34	56	8"
ALS3010	265	150	40	68	10"
ALS3012	310	175	50	78	12"

AISI316 STAINLESS STEEL DOCK BOLLARD
316不锈钢方孔码头缆桩



Code	A mm	B mm	C mm	D mm	Size
ALS955A	265	100	200	65	10"
ALS955B	305	120	225	81	12"

AISI316 STAINLESS STEEL DOCK BOLLARD SCREW
316不锈钢方孔码头缆桩定制螺丝



Code	A mm	B mm	C mm	D mm
ALS955-A-Screw	68	25.8	14	50
ALS955-B-Screw	68	25.8	14	50

AISI316 STAINLESS STEEL DOCK BOLLARD
316不锈钢斜型码头缆桩



Code	A mm	B mm	C mm	D mm
ALS956A	302	102	229	70



AISI316 STAINLESS STEEL FAIRLEAD ROLLER
316不锈钢导缆轮缆桩




Code	A mm	B mm	C mm	D mm	Emm
ALS960A	200	41	57	35	43
ALS960B	250	45	80	49	44

AISI316 STAINLESS STEEL FAIRLEAD ROLLER
双轮导缆孔




Code	L mm	W mm
ALS961A	340	160

AISI316 STAINLESS STEEL HAWSE PIPE
316不锈钢椭圆导缆孔



Code	L1 mm	L2 mm	L3 mm	W1 mm	W2 mm	W3 mm	H1 mm	H2 mm
ALS962A	103	95	138	47	38	67	23	28
ALS962B	188	175	237	88	75	136	24.6	30.6

AISI316 STAINLESS STEEL HAWSE PIPE
316不锈钢方孔导缆器



Code	L1 mm	L2 mm	L3 mm	W1 mm	W2 mm	W3 mm	H1 mm	H2 mm
ALS963A	128	120	151	58	50	81	30.7	37.2



AISI316 STAINLESS STEEL BOW CHOCK HEAVY
316不锈钢重型导缆器



Code	Pair	A mm	B mm	C mm	Dmm
ALS964A	Left	280	80	85	100
	Right	280	80	85	100

AISI316 STAINLESS STEEL BOW CHOCK
316不锈钢直导缆器



Code	A mm	B mm	C mm	Size
ALS965A	100	19	27	4inch
ALS965B	125	21	32	5inch
ALS965C	152	22	32	6inch
ALS965D	203	36	38	8inch
ALS965E	254	45	40	10inch

AISI316 STAINLESS STEEL BOW CHOCK
316不锈钢斜平导缆器



Code	A mm	B mm	C mm	Size
ALS966A	125	19	23.5	5 inch
ALS966B	152	24	26.3	6inch

A pair, Left&Right

AISI316 STAINLESS STEEL BOW CHOCK
316不锈钢斜凹导缆器



Code	A mm	B mm	C mm	Size
ALS967A	152	34	34	6inch
ALS967B	205	38	45	8inch
ALS967C	254	48	52	10inch

A pair, Left&Right

AISI316 STAINLESS STEEL BOW CHOCK
316不锈钢斜尖导缆器



Code	L mm	W mm	Screw	Size
ALS968A	118	22	8	4-1/2inch
ALS968B	152	35	8	6inch


A pair, Left&Right

AISI316 STAINLESS STEEL ALSIANGLE BOW CHOCK
316不锈钢蜗螺导缆器



Code	L mm	W mm
ALS969A	107	65

AISI316 STAINLESS STEEL HAWSEPIPE
316不锈钢三角导缆器



Code	Amm	B mm	Cmm	Dmm	Emm
ALS980A	268	172	160	95	34

AISI316 STAINLESS STEEL ALSIANGLE BOW CHOCK
316不锈钢导缆器



Code	SIZE
ALS970A	63mm*25mm



BOAT CLEAT

AISI316 STAINLESS STEEL HOLLOW BASE CLEAT
316不锈钢羊角索栓



Code	A mm	B mm	C mm	Size
ALS1004	101	36	25	4inch
ALS1005	127	39	30	5inch
ALS1006	150	46	30	6inch
ALS1008	203	53	40	8inch
ALS1010	255	64	45	10inch
ALS1012	302	70	53	12inch
ALS1015	378	78	64	15inch

AISI316 STAINLESS STEEL HEAVY DUTY CLEAT
316不锈钢重型羊角索栓




Code	A mm	B mm	C mm	Size
ALS1104	100	36	27	4inch
ALS1105	125	38	29	5inch
ALS1106	152	44	30	6inch
ALS1108	203	54	38	8inch
ALS1110	254	65	44	10inch
ALS1112	304	70	53	12inch

AISI316 STAINLESS STEEL SILHOUETTE CLEAT
316不锈钢扁型索栓



Code	A mm	B mm	C mm	Size
ALS1204	100	36	25	4inch
ALS1205	125	46	25	5inch
ALS1206	152	56	28	6inch
ALS1208	203	62	31	8inch
ALS1210	254	64	40	10inch
ALS1212	302	75	50	12inch

AISI316 STAINLESS STEEL MAST CLEAT
316不锈钢连体索栓



Code	A mm	B mm	C mm	Size
ALS1304	100	13	30.2	4inch
ALS1305	125	17	35.5	5inch
ALS1306	152	19	39.5	6inch
ALS1308	203	23	45.5	8inch
ALS1310	252	24	47.6	10inch

AISI316 STAINLESS STEEL HUMPBACKED CLEAT
316不锈钢驼型索栓



Code	A mm	B mm	C mm	D mm	Size
ALS1406	150	63	18	45	6inch
ALS1408	200	84	22.5	45	8inch
ALS1410	250	106	28.3	45	10inch

AISI316 STAINLESS STEEL HUMPBACKED CLEAT
316不锈钢重型索栓



Code	A mm	B mm	C mm	D mm	Size
ALS1506	150	46	16	47	6inch
ALS1508	200	58	20	47	8inch
ALS1510	250	75	24.5	47	10inch

AISI316 STAINLESS STEEL BOLLARD
316不锈钢把手索栓



Code	L mm	W mm	H1 mm	H2 mm
ALS1705	125	26	44	45
ALS1706	150	45	56	45

AISI316 STAINLESS STEEL CLEAT
316不锈钢把手索栓



Code	L1 mm	H mm	Size
ALS908	205	35	8inch
ALS910	250	45	10inch
ALS912	304	47	12inch
ALS915	385	55	15inch

AISI316 STAINLESS STEEL CLEAT "K"
316不锈钢K型索栓



Code	Lmm	Hmm
ALS2108A	215	43

AISI316 STAINLESS STEEL RING CLEAT COMBI
316不锈钢牛型索栓



Code	Lmm	Dmm	Hmm
ALS2201A	175	62	68

AISI316 STAINLESS STEEL CLEAT
316不锈钢鸭嘴型索栓



Code	Lmm	Dmm
ALS2301A	153	46

AISI316 STAINLESS STEEL S STYLE CLEAT
316不锈钢S型索栓



Code	A mm	B mm	C mm	Dmm	Emm
ALSH007S	260	70	40.5	114.5	M12

AISI316 STAINLESS STEEL TIE DOWN CLEAT
316不锈钢绳栓



Code	A mm	B mm	C mm	Size
ALS013A	67	10	10	2inch
ALS013B	112	13	20	4inch
ALS013C	151	18	25	6inch

AISI316 STAINLESS STEEL CLEAT
316不锈钢索栓



Code	A mm	B mm
ALS2920	260	58
ALS2922	300	65

AISI316 STAINLESS STEEL CLEAT
316不锈钢船用把手



Code	Lmm	Dmm
ALS2401A	143	43



AISI316 STAINLESS STEEL FLIP UP CLEAT
316不锈钢提拉索栓



Code	A mm	B mm	C mm	Size
ALS2045	118	42	28	4.5inch
ALS2406	152	51	30	6inch
ALS2408	200	66	35	8inch

AISI316 STAINLESS STEEL FOLDING CLEAT
316不锈钢折叠索栓



Code	Amm	Bmm	Size
ALS2505	127	43	5inch
ALS2506	155	52	6inch
ALS2508	203	73	8inch

AISI316 STAINLESS STEEL FOLDING CLEAT WITH THREAD
316不锈钢带螺丝提拉索栓




Code	L mm	Wmm	Hmm	Size
ALS2605	126	44	110	5inch
ALS2606	155	54	135	6inch
ALS2608	210	73	150	8inch

AISI316 STAINLESS STEEL FIUSH POP UP CLEAT
316不锈钢隐形索栓



Code	A mm	B mm	C mm	Emm	Size
ALS2705	125	44	23	22	5inch
ALS2706	152	45	20.5	22	6inch

AISI316 STAINLESS STEEL HEAVY POP UP CLEAT
316不锈钢隐形索栓



Code	A mm	B mm	C mm	Emm	Size
ALS2705B	125	44	23	22	5inch
ALS2706B	152	45	20.5	22	6inch

AISI316 STAINLESS STEEL FIUSH CLEAT
316不锈钢抽拉索栓




Code	A mm	B mm	C mm	Size
ALS2805	129	32	65	5inch
ALS2806	160	35	70	6 inch
ALS2808	210	45	96	8 inch
ALS2810	260	57	121	10 inch
ALS2812	310	69	125	12 inch





BIMINI TOP FITTINGS

AISI316 STAINLESS STEEL TOP CAP
316不锈钢单顶丝滑帽




Code	A mm	B mm	C mm	D mm	Size
ALS4019	19.6	55	6.5	3.1	3/4"
ALS4022	22.6	55	6.9	3.4	7/8"
ALS4025	25.6	58	6.9	3.4	1"
ALS4030	30.5	65	7.6	3.4	1-1/5"
ALS4032	32.5	61	7.3	3.6	1-1/4"

AISI316 STAINLESS STEEL TOP CAP
316不锈钢三角双顶丝滑帽




Code	A mm	B mm	C mm	Size
ALS4122	58	22.5	6.9	7/8"
ALS4125	58	25.6	7	1"
ALS4130	71	30.5	7	1-1/5"
ALS4132	71	32.5	7	1-1/4"

AISI316 STAINLESS STEEL TOP CAP
316不锈钢单顶丝滑帽



Code	A mm	B mm	C mm	Size
ALS4222	22.5	57	6.9	7/8"
ALS4225	25.6	57	7	1"
ALS4230	30.5	71	7	1-1/5"

AISI316 STAINLESS STEEL TOP CAP
316不锈钢双顶丝圆滑帽




Code	A mm	B mm	C mm	Size
ALS4322	22.5	60	7	7/8"
ALS4325	25.5	60	7	1"

AISI316 STAINLESS STEEL TOP CAP
316不锈钢单弯滑帽



Code	Size
ALS4422	7/8inch
ALS4425	1inch

AISI316 STAINLESS STEEL TOP CAP INSERT
316不锈钢堵头



Code	Amm	Bmm	Cmm
ALS4519	48	21.3	18.8
ALS4522	48	21.6	19.2
ALS4523	49	24.7	22.2

AISI316 STAINLESS STEEL TOP CAP
316不锈钢球形滑帽



Code	D mm
ALS4622	7/8inch
ALS4625	1inch

AISI316 STAINLESS STEEL TOP CAP
316不锈钢球形滑帽



Code	Amm	Bmm	Cmm	Dmm
ALS4922	22.2	14	27	1/4-28

TOP SLIDE JAW SLIDE

AISI316 STAINLESS STEEL TOP SLIDE
316不锈钢单顶丝滑套



Code	A mm	B mm	Size
ALS4719	19.5	6.5	3/4"
ALS4722	22.6	6.1	7/8"
ALS4725	25.6	6.9	1"
ALS4730	30.6	7.6	1-1/5"
ALS4732	32.6	7.3	1-1/4"

AISI316 STAINLESS STEEL TOP SLIDE
316不锈钢不带棱角双顶丝滑套



Code	A mm	B mm	C mm	D mm	Size
ALS4822	22.5	60	30	7.5	7/8"
ALS4825	25.6	62	31	8	1"

AISI316 STAINLESS STEEL TOP SLIDE
316不锈钢带棱角双顶丝滑套



Code	A mm	B mm	C mm	D mm	Size
ALS4922	22.6	60	30	7.5	7/8"
ALS4925	25.7	62	31	7.6	1"

AISI316 STAINLESS BIMINI TOP HANDRAIL
316不锈钢滑套



Code	Diameter
ALS4927-22	22mm
ALS4927-25	25mm

AISI316 STAINLESS BIMINI TOP HANDRAIL
316不锈钢滑套




Code	A mm	B mm	C mm	D mm
ALS4928-22	49.5	28	27.6	7/8"

AISI316 STAINLESS STEEL BRACKET
316不锈钢底座




Code	A mm	B mm	C mm	D mm	E mm
ALS5928A	59.7	28.5	30.9	5	5.5

AISI316 STAINLESS STEEL TOP SLIDE
316不锈钢螺栓管夹




Code	A mm	B mm	C mm	Size
ALS5022	22.5	64	27	7/8"
ALS5025	25.5	70	28	1"
ALS5030	30.5	78	29	1-1/5"
ALS5032	32.5	78	29	1-1/4"
ALS5028	38.6	80	30	1-1/2"
ALS5050	50.6	80	30	2"

AISI316 STAINLESS STEEL TOP SLIDE WITH PIN
316不锈钢销子管夹




Code	A mm	B mm	C mm	Size
ALS5122	22.5	57	27	7/8"
ALS5125	25.5	70	28	1"
ALS5130	30.5	78	29	1-1/5"
ALS5132	32.5	78	29	1-1/4"

AISI316 STAINLESS STEEL TOP SLIDE
316不锈钢重型螺栓管夹



Code	A mm	B mm	C mm	Size
ALS5222	22.5	71	30	7/8"
ALS5225	25.5	75	31	1"
ALS5230	30.5	84	32	1-1/5"

AISI316 STAINLESS STEEL TOP SLIDE
316不锈钢球形把手螺栓管夹



Code	A mm	B mm	C mm	D mm	Size
ALS5322	22.5	65	23	4.7	7/8"
ALS5325	25.5	67	25	4.9	1"
ALS5330	30.5	68	28	4.9	1-1/5"

DECK HINGE

316 STAINLESS STEEL DECK HINGE 90°
316不锈钢山型座



Code	Lmm	W mm
ALS5401	61	18.7

316 STAINLESS STEEL DECK HINGE 90°-REMOVABLE
316不锈钢销子小山型座



Code	Lmm	Dmm
ALS5402	61	18.7

316 STAINLESS STEEL DECK HINGE 90°-REMOVABLE
316不锈钢带环90° 销子山型座



Code	Lmm	W mm
ALS5403	61	18.5

316 STAINLESS STEEL CONCAVE BASE DECK HINGE
316不锈钢弧型小山型座



Code	Lmm	Wmm	For pipe mm
ALS5404A	61	18.5	22.5
ALS5404B	61	18.5	25.5

316 STAINLESS STEEL CONCAVE BASE DECK HINGE - REMOVABLE PIN
316不锈钢弧型带销山型座



Code	Lmm	Wmm	For pipe mm
ALS5410A	61	18.5	22.5
ALS5410B	61	18.5	25.5

316 STAINLESS STEEL DECK HINGE 60°
316不锈钢斜螺栓山型座



Code	L mm	W mm
ALS5411	56	18.5

316 STAINLESS STEEL DECK HINGE 60°-REMOVABLE PIN
316不锈钢斜销子山型座




Code	L mm	W mm
ALS5412	61	18.5

316 STAINLESS STEEL DECK HINGE 90°
316不锈钢金字塔山型座



Code	A mm	B mm	C mm
ALS5413A	50.8	22.3	25
ALS5413B	50.8	32.5	28

AISI316 STAINLESS STEEL DECK HINGE 90°
316不锈钢重型山型座



Code	A mm	B mm
ALS5414A	53	26

AISI316 STAINLESS STEEL DECK HINGE 90°
316不锈钢大小山型座



Code	L mm	W mm
ALS5415A	94.2	27.5

AISI316 STAINLESS STEEL DECK SWIVEL HINGE MOUNT 360°
316不锈钢360° 旋转山型座



Code	A mm	B mm	C mm
ALS5416A	81	32	33.5
ALS5416B	90	30	34

AISI316 STAINLESS STEEL DECK SWIVEL HINGE MOUNT 360°WITHING
316不锈钢360° 带环山型座



Code	L mm	D mm
ALS5417A	81	32
ALS5417B	90	30

AISI316 STAINLESS STEEL DECK SWIVEL HINGE MOUNT
316不锈钢180° 旋转山型座



Code	Lmm	W mm
ALS5418A	70	25

316 STAINLESS STEEL CONCAVE BASE DECK HINGE
316不锈钢180° 旋转销子山型座



Code	Lmm	Wmm
ALS5419A	70	25

316 STAINLESS STEEL 180° ROTARY RING MOUNTAIN SEAT
316不锈钢180° 旋转带圆环山型座



Code	Lmm	Wmm
ALS5420A	70	25


316 STAINLESS STEEL REMOVABLE MOUNTAIN SEAT
316不锈钢可拆卸山型座



Code	Lmm	Wmm
ALS5430A	70	25


AISI316 STAINLESS STEEL HANDRAIL STANCHION (FORWARD 60°)
316不锈钢前船支架

Code	D	L	W	H	Size
ALS5500A	22.5	28	40	45.1	7/8"
ALS5500B	25.5	29	41	56	1"




AISI316 STAINLESS STEEL HANDRAIL STANCHION (CENTER 60°)
316不锈钢中船支架

Code	D	L	W	H	Size
ALS5501A	22.5	28	40	45	7/8"
ALS5501B	25.5	30	41	65	1"




AISI316 STAINLESS STEEL HANDRAIL STANCHION (END 60°)
316不锈钢末尾船支架

Code	D	L	W	H	Size
ALS5502A	22.5	28	40	45	7/8"
ALS5502B	25.5	30	41	65	1"



AISI316 STAINLESS STEEL HANDRAIL STANCHION (CENTER 60°)
316不锈钢前/后船支架

Code	D	L	W	H	Size
ALS5504A	22.5	30	36	66.2	7/8"
ALS5504B	25.5	31	35	69.2	1"



AISI316 STAINLESS STEEL HANDRAIL STANCHION (CENTER 90°)
316不锈钢中船支架



Code	L1 mm	L2 mm	W mm	H1 mm	D1 mm
ALS5411	67	50.5	22.5	60	25.8

AISI316 STAINLESS STEEL HANDRAIL STANCHION (FORWARD/END 90°)
316不锈钢前/后船支架



Code	L1 mm	L2 mm	W mm	H1 mm	D1 mm
ALS5412	67	51.5	30	60	25.8

AISI316 STAINLESS STEEL CENTER FITTING FOR HANDRAIL
316不锈钢通孔支架




Code	D mm	H mm
ALS5442A-22	22.5	59
ALS5442B-25	25.6	64

AISI316 STAINLESS STEEL END FITTING FOR HANDRAIL
316不锈钢盲孔支架



Code	D mm	H mm
ALS5443A-22	22.6	59
ALS5443B-25	25.7	64

AISI316 STAINLESS STEEL D
316不锈钢方底座支架



Code	Lmm	W mm	D1 mm	Size
ALS5482A-22	70	25	22.6	7/8"
ALS5482B-25	61.8	45.3	25.7	1"


316 STAINLESS STEEL RAIL END TUBING HANDRAIL
316不锈钢内孔羊蹄支架



Code	A mm	B mm
ALS5483A	187.5	25

AISI316 STAINLESS STEEL RAIL END
316不锈钢小羊蹄支架

Code	D mm	L mm	Size
ALS5470A-22	22	119	7/8"



AISI316 STAINLESS STEEL RAIL END
316不锈钢羊蹄支架

Code	D mm	L mm	Size
ALS5471A-22	22.5	175	7/8"
ALS5471B-25	25.6	175	1"



AISI316 STAINLESS STEEL RAIL END
316不锈钢内孔管子支架

Code	A mm	B mm
ALS5473A	110	19.6



AISI316 STAINLESS STEEL MAST BRACKET
316不锈钢梯形管子支架


Code	A mm	B mm	C mm
ALS5474A-25	100	25	61






PIPE STANCHION

AISI316 STAINLESS STEEL HANDRAIL 30°ROUND BASE
316不锈钢30° 圆管座




Code	A mm	B mm	C mm	Size
ALS5413-3022	22.5	66.3	37.8	7/8"
ALS5413-3025	25.6	72.2	36.7	1"

AISI316 STAINLESS STEEL HANDRAIL 45°ROUND BASE
316不锈钢45° 圆管座



Code	A mm	B mm	C mm	Size
ALS5414-4522	22.5	66.3	37.8	7/8"
ALS5414-4525	25.6	72.2	36.7	1"

AISI316 STAINLESS STEEL HANDRAIL 60°ROUND BASE
316不锈钢60° 圆管座



Code	A mm	B mm	C mm	Size
ALS5415-6022	22.5	66.3	41.1	7/8"
ALS5415-6025	25.5	72.2	40	1"
ALS5415-6030	30.5	71.5	46	1-1/5"
ALS5415-6032	32.5	71.5	46	1-1/4"


AISI316 STAINLESS STEEL HANDRAIL 90°ROUND BASE
316不锈钢90° 圆管座

Code	A mm	B mm	C mm	Size
ALS5416-9022	22.5	66	44.7	7/8"
ALS5416-9025	25.5	69	44.7	1"
ALS5416-9030	30.5	72	43.2	1-1/5"
ALS5416-9032	32.5	75	43.2	1-1/4"




AISI316 STAINLESS STEEL HANDRAIL 30°RECTANGULAR BASE
316不锈钢30° 方管座

Code	A mm	B mm	C mm	D mm	Size
ALS5417-3022	78.7	44	35.6	22.5	7/8"
ALS5417-3025	82	47.3	38	25.5	1"




AISI316 STAINLESS STEEL HANDRAIL 45°RECTANGULAR BASE
316不锈钢45° 方管座

Code	A mm	B mm	C mm	D mm	Size
ALS5418A-4522	78.7	44	39	22.5	7/8"
ALS5418B-4525	82	47.3	43.6	25.5	1"




AISI316 STAINLESS STEEL HANDRAIL 60°RECTANGULAR BASE
316不锈钢60° 方管座

Code	A mm	B mm	C mm	D mm	Size
ALS5419A-6022	79	44	39	22.5	7/8"
ALS5419B-6025	82	47.3	44	25.5	1"
ALS5419C-6030	86	52	51.6	30.5	1-1/5"
ALS5419D-6032	86	52	51	32.5	1-1/4"



AISI316 STAINLESS STEEL HANDRAIL 90°RECTANGULAR BASE
316不锈钢90° 方管座

Code	A mm	B mm	C mm	D mm	Size
ALS5420A-9022	79	44	44	22.5	7/8"
ALS5420B-9025	82	47	47	25.5	1"
ALS5420C-9030	86	52	51	30.5	1-1/5"
ALS5420D-9032	87	52	53	32.5	1-1/4"





AISI316 STAINLESS STEEL HANDRAIL 45° WELDABLE ROUND BASE
316不锈钢可焊接45° 圆管座



Code	D1 mm	D2 mm	H mm	Size
ALS5430-22	22.5	66	13	7/8"
ALS5430-25	25.5	80	10	1"

AISI316 STAINLESS STEEL HANDRAIL 60° RECTANGULAR BASE
316不锈钢可焊接60° 圆管座



Code	D1 mm	D2 mm	H mm	Size
ALS5431-22	22.5	66	13	7/8"
ALS5431-25	25.5	80	16	1"

AISI316 STAINLESS STEEL HANDRAIL 90° RECTANGULAR BASE
316不锈钢可焊接90° 圆管座



Code	D1 mm	D2 mm	H mm	Size
ALS5432-22	22.5	66	16	7/8"
ALS5432-25	25.5	75	16	1"

AISI316 STAINLESS STEEL HANDRAIL 45° RECTANGULAR BASE
316不锈钢可焊接45° 方管座



Code	D mm	L mm	W mm	H mm	Size
ALS5435-22	22	78	44	12.5	7/8"
ALS5435-25	25	78	44	15	1"

AISI316 STAINLESS STEEL HANDRAIL 60° RECTANGULAR BASE
316不锈钢可焊接60° 方管座



Code	D mm	L mm	W mm	H mm	Size
ALS5436-22	22	78	44	13	7/8"
ALS5436-25	25	78	44	14	1"


AISI316 STAINLESS STEEL HANDRAIL 60° RECTANGULAR BASE
316不锈钢可焊接60° 方管座



Code	D mm	L mm	W mm	H mm	Size
ALS5437-22	22	78	44	13	7/8"
ALS5437-25	25	78	44	14	1"




AISI316 STAINLESS STEEL VIBRATION MILLING FLAGPOLE BASE
316不锈钢振动研磨旗杆座



Code	A mm	B mm	C mm	D mm	E mm
ALS5042A	109	100	25.8	58	26

AISI316 STAINLESS STEEL MIRROR POLISHED FLAGPOLE BASE
316不锈钢镜面抛光旗杆座



Code	A mm	B mm	C mm	D mm	E mm
ALS5043A	109	100	25.8	58	26

AISI316 STAINLESS STEEL 60° STANCHION BASE
316不锈钢60° 旗杆座



Code	D mm	H mm	Size
ALS5438-25	25	69	1"
ALS5438-30	30	80	1-1/5"

AISI316 STAINLESS STEEL 90° STANCHION BASE
316不锈钢90° 旗杆座



Code	D mm	H mm	Size
ALS5439-25	25	69	1"
ALS5439-30	30	80	1-1/5"

AISI316 STAINLESS STEEL 90° STANCHION BASE
316不锈钢90° 圆筒旗杆座




Code	A mm	B mm	Size
ALS5440A-25	25	66.5	1"
ALS5440B-30	30	61	1-1/5"
ALS5440C-32	32	61	1-1/4"

AISI316 STAINLESS STEEL 90° STANCHION BASE
316不锈钢90°圆筒旗杆座




Code	A mm	B mm	Size
ALS5441A-25	25	66.5	1"
ALS5441B-30	30	61	1-1/5"
ALS5441C-32	32	61	1-1/4"

AISI316 STAINLESS STEEL STANCHION BASE
316不锈钢旗杆座




Code	D mm	L mm	M mm	H mm
ALS5481A	14	85.6	40.5	33.2
ALS5481B	20	86	42	44.4
ALS5481C	25	90.5	45	52

AISI316 STAINLESS STEEL DRAIN PLUG
316不锈钢方形堵头



Code	D mm
ALS5050B	50

AISI316 STAINLESS STEEL DRAIN PLUG
316不锈钢子弹头堵头




Code	A mm	B mm
ALS5422A	38.5	20
ALS5425A	40	25
ALS5430A	42.6	30

STAINLESS STEEL DIAMOND GARBOARD DRAIN PLUG
316不锈钢椭圆堵头



Code	A mm	B mm	C mm	D mm	F mm
ALS19024	70	41.5	52.5	25.5	31

STAINLESS STEEL DIAMOND GARBOARD DRAIN PLUG
316不锈钢子弹头堵头



Code	A	B	C	D	E	F	G	H	(mm)
ALS5490A	50.3	54	19.4	13.8	25.1	37.2	39.1	5.3	



RAIL CONNECTOR


AISI316 STAINLESS STEEL SWIVEL JOINT FOR BIMINI PIPES
316不锈钢拉抽销活节管子接头

Code	D mm	L mm	Size
ALS5459A-22	22.5	37.4	7/8"
ALS5459A-25	25.5	37.7	1"




AISI316 STAINLESS STEEL SWIVEL JOINT FOR BIMINI PIPES
316不锈钢拉抽销活节管子接头 (带防丢绳)

Code	D mm	L mm	Size
ALS5459B-22	22.5	37.4	7/8"
ALS5459B-25	25.5	37.7	1"




AISI316 STAINLESS STEEL SWIVEL JOINT FOR BIMINI PIPES
316不锈钢旋转接头活节管子接头

Code	D mm	L mm	Size
ALS5460-22	22.5	37.4	7/8"
ALS5460-25	25.5	37.7	1"




AISI316 STAINLESS STEEL 90° ELBOW
316不锈钢90°弯头

Code	A mm	B mm	C mm	Size
ALS5445-22	50	50	22.6	7/8"
ALS5445-25	51	51	25.7	1"
ALS5445-30	54	54	30.5	1-1/5"
ALS5445-32	55	55	32.6	1-1/4"




AISI316 STAINLESS STEEL HANDRAIL 60° HANDRAIL TEE
316不锈钢60° 扶手三通




Code	A mm	B mm	C mm	Size
ALS5446-22	57	48	22.5	7/8"
ALS5446-25	60	52	25.5	1"
ALS5446-30	76	76	30.5	1-1/5"
ALS5446-32	76	76	32.6	1-1/4"

AISI316 STAINLESS STEEL 60° LEFT HAND HANDRAIL TEE
316不锈钢60° 左侧扶手三通



Code	A mm	B mm	C mm	Size
ALS5447-22	22.6	48	57	7/8"
ALS5447-14	25.5	52	60	1"

AISI316 STAINLESS STEEL 60° RIGHT HAND HANDRAIL TEE
316不锈钢60° 右侧扶手三通




Code	A mm	B mm	C mm	Size
ALS5448-22	22.6	48	57	7/8"
ALS5448-25	25.5	52	60	1"

AISI316 STAINLESS STEEL 90° HANDRAIL TEE
316不锈钢直三通




Code	A mm	B mm	C mm	Size
ALS5449-22	22.5	52	51	7/8"
ALS5449-25	25.5	53	51	1"
ALS5449-30	30.6	76	83	1-1/5"
ALS5449-32	32.5	76	88	1-1/4"

AISI316 STAINLESS STEEL 90° HANDRAIL TEE
316不锈钢开口三通




Code	D mm	L mm	W mm	Size
ALS5450-22	22.5	52	52	7/8"
ALS5450-25	25.5	55	55	1"

AISI316 STAINLESS STEEL 90° 3-WAY TEE CONNECTOR
316不锈钢坐三通




Code	A mm	B mm	C mm	Size
ALS5454-22	49.2	22.5	49.2	7/8"
ALS5454-25	49	25.5	49	1"
ALS5454-30	49	30.6	49	1-1/5"
ALS5454-32	57	32.5	57	1-1/4"

AISI316 STAINLESS STEEL 90° 4-WAY TEE CONNECTOR
316不锈钢坐四通




Code	A mm	B mm	C mm	Size
ALS5455-22	22.5	72.4	51	7/8"
ALS5455-25	25.5	71.7	51.4	1"

AISI316 STAINLESS STEEL 90° CROSS TEE CONNECTOR
316不锈钢十字通




Code	A mm	B mm	C mm	Size
ALS5456-22	22.5	72.4	72.5	7/8"
ALS5456-25	25.5	71.7	71.7	1"
ALS5456-30	30.5	75	75	1-1/5"

AISI316 STAINLESS STEEL BOW FORM
316不锈钢弓形弯头




Code	D mm	L mm	H mm	T	Size
ALS11022	22.6	63	63	110°	7/8"
ALS11025	25.6	63	63	110°	1"
ALS12022	22.6	64	64	120°	7/8"
ALS12025	25.6	64	64	120°	1"
ALS12522	22.6	64	64	125°	7/8"
ALS12525	25.6	64	64	125°	1"
ALS14022	22.6	59	59	140°	7/8"
ALS14025	25.6	59	59	140°	1"

AISI316 STAINLESS STEEL 60° HANDRAIL BASE
316不锈钢 60° 开口三通




Code	D mm	L mm	W mm	Size
ALS5451-22	22.5	48	57	7/8"
ALS5451-25	25.5	52	60	1"

AISI316 STAINLESS STEEL 60° TEE CONNECTOR
316不锈钢60° 提手三通



Code	D mm	L mm	W mm	Size
ALS5459-22	22.5	48	57	7/8"

AISI316 STAINLESS STEEL 90° TEE CONNECTOR
316不锈钢90° 提手三通




Code	D mm	L mm	W mm	Size
ALS5459-22	22.5	48	57	7/8"

AISI316 STAINLESS STEEL BLIND BASE
316不锈钢盲板底座




Code	D mm	L mm	H mm	Size
ALS5458A	25.5	87	34.2	1"

AISI316 STAINLESS STEEL SWIVEL JOINT FOR BIMINI PIPES
316不锈钢调节弯头



Code	D1 mm	D2 mm
ALS5461A	17.5	20.2
ALS5461B	17	20
ALS5461C	19.4	22
ALS5461D	18.8	22

AISI316 STAINLESS STEEL 90°2-WAY TEE CONNECTOR
316不锈钢90°2通三通接头



Code	D mm	Degree
ALS5457A	22.5	90°



AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页

Code	A mm	B mm	Thickness mm
ALS07638	76	38	4




AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页

Code	A mm	B mm	Thickness mm
ALS10538A	105	38	4.5
ALS11038B	117	38	4.5



AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页

Code	A mm	B mm	Thickness mm
ALS5738A	57	38	4.1
ALS7638B	76	38	4.1



AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页

Code	A mm	B mm	Thickness mm
ALS4040A	38	38	3.9
ALS4040B	40	40	3.9
ALS5050C	50	50	3.9



AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页

Code	L mm	W mm	Thickness mm
ALS20038A	200	38	2.4



CASTING HINGE

PEOPLE OF DIFFERENT SPECIFICATIONS ARE
YOUR CHOICE



AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	A mm	B mm	C mm	Thickness mm
ALS7575	75	75	6	3.9

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
ALS7676	76	76	3.1

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
ALS5437A	54	37	4.2
ALS7037B	70	37	4.2

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
ALS6037A	60	37	4.1

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页



Code	L mm	W mm	Thickness mm
ALS7638A	76	38	3.1



AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
ALS7040A	71	40	3.5
ALS8164A	81	64	3.5

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢分体左/右合页

Code	L mm	W mm	Thickness mm
ALS9038L	90	40	5
ALS9038R	90	40	5



AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页

Code	L mm	W mm	Thickness mm
ALS10327	103	27	4.3



AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页

Code	L mm	W mm	Thickness mm
ALS15230	152	30	5




AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页

Code	L mm	W mm	Thickness mm
ALS17038	170	18	4.5




AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页




Code	L mm	W mm	Thickness mm
ALS11038	110	38	4.3

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页




Code	L mm	W mm	Thickness mm
ALS07835A	78	35	4.3
ALS17140B	171	40	4
ALS18963C	189	63	4.3
ALS22564D	225	64	4.3

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页



Code	L mm	W mm	Thickness mm
ALS14038A	140	38	2.9
ALS14438B	147	38	3.2

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢 T 型合页




Code	L mm	W mm	Thickness mm
ALS10054A	100	54	5.20
ALS15175B	151	74	5.22
ALS20097C	200	97	5.23

AISI316 STAINLESS STEEL CASTING ROUND HINGE
316不锈钢对称合页



Code	L mm	W mm	Thickness mm
ALS06565	65	65	7.7

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页




Code	L mm	W mm	Thickness mm
ALS8040A	80	70	5

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页




Code	L mm	W mm	Thickness mm
ALS10070A	100	70	6
ALS12090B	120	90	6

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页



Code	L mm	W mm	Thickness mm
ALS100100A	100	100	6.4

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
ALS07040A	70	40	3.5
ALS08365B	83	65	3.7
ALS10365C	103	65	3.7

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
ALS6629A	66	29	3.5



AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
ALS7835A	78	35	4.3

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
ALS8360A	83	60	4.1

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页



Code	L mm	W mm	Thickness mm
ALS7550A	75	50	4.2

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
ALS18664A	186	64	4.3

AISI316 STAINLESS STEEL STAMPING HINGE
316不锈钢合页



Code	L mm	W mm	Thick mm
ALS8959A	94	49	4.3



AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
ALS8959A	89	59	3.8

AISI316 STAINLESS STEEL CASTING HATCH HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
ALS7654A	76	54.3	6.3

AISI316 STAINLESS STEEL CASTING HATCH HINGE
316不锈钢合页




Code	L mm	W mm	Thickness mm
ALS7665B	76	65.5	6.3


AISI316 STAINLESS STEEL CASTING HATCH HINGE
316不锈钢合页




Code	L mm	W mm	Thickness mm
ALS7165A	71	65.5	6.3




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS125	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish	180°	SSK18-52




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS126	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish	180°	CL 143




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS125	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish	180°	SSK18-52




型号 Code	L	M	N	B	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS138-30	30	30	20	15	304S.S	镜面抛光/拉丝抛光/振动研磨 Mirror polish/Wire drawing polish/ Vibration grinding	180°	CL253-1 CL253-21
ALS138-37	37	35	23	22.5				
ALS138-41	41	36	21	25				




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS139-L	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	左
ALS139-R	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	右




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS140-L	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	CL253-9
ALS140-R	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	CL253-9




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS141-L	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	左
ALS141-R	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	右




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS142-L	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	左
ALS142-R	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	右




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS143-L	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	CL253-1
ALS143-R	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	CL253-1




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS144	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS144	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS144	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	CL140




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	N	D	R	备注 Remarks
ALS147-30	304S.S	镜面抛光/拉丝抛光/振动研磨 Mirror polish/Wire drawing polish/Vibration grinding	180°	30	6.4	10.2	CL113
ALS147-34	201S.S			34			




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS148	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	CL253-19




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS149	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS150	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	CL253-3 2-2




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS151	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	CL114




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS152	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS153	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	CL253-32




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS154	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	180°	CL152




型号 Code	材质 Material	表面处理 Surface treatment	D	备注 Remarks
ALS155-32	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	32	CL077-1
ALS155-36	304S.S	镜面抛光/拉丝抛光 Mirror polish/Wire drawing polish/Vibration grinding	36	CL077-2/SSK21-36



型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS156-Z	304S.S	振动研磨/Vibration grinding	180°	
ALS156-D	304S.S	镀锌/Galvanized steel		



型号 Code	材质 Material	表面处理 Surface treatment	M	N	转动角度 Rotation angle	备注 Remarks
ALS157-35	304S.S	镜面抛光/拉丝抛光/振动研磨 Mirror polish/Wire drawing polish/Vibration grinding	46	35	180°	
ALS157-35	304S.S	镜面抛光/拉丝抛光/振动研磨 Mirror polish/Wire drawing polish/Vibration grinding	59	45	180°	




型号 Code	材质 Material	表面处理 Surface treatment	转动角度 Rotation angle	备注 Remarks
ALS156-Z	304S.S	振动研磨/Vibration grinding	180°	
ALS156-D	碳钢/Carbon steel	镀锌/Galvanized steel	180°	




PULL RINGS

AISI316 STAINLESS STEEL SQUARE FLUSH LIFT RING
316不锈钢地板拉环




Code	A mm	B mm
ALS4038A	48	38

AISI316 STAINLESS STEEL SQUARE FLUSH LIFT RING
316不锈钢地板拉环




Code	A mm	B mm
ALS6244B	62	44

AISI316 STAINLESS STEEL ROUND FLUSH LIFT RING
316不锈钢圆形地板拉环




Code	D mm
ALS0505A	50

AISI316 STAINLESS STEEL STAMPING SQUARE FLUSH LIFT RING WITH SPRING
316不锈钢冲压地板拉环




Code	A mm	B mm
ALS4438A	44	38
ALS6555B	65	55

AISI316 STAINLESS STEEL HEAVY SQUARE FLUSH LIFT RING WITH SPRING
316不锈钢重型地板拉环




Code	A mm	B mm
ALS4538A	45	38
ALS6656B	66	56

AISI316 STAINLESS STEEL SQUARE FLUSH LIFT RING
316不锈钢方形地板拉环



Code	A mm	B mm
ALS7658A	76	58

AISI316 STAINLESS STEEL FLUSH LIFT RING
316不锈钢方D型拉环




Code	A mm	Bmm	Cmm	Dmm
ALS19006A	27	29	44	40
ALS19008B	34	36	55	49.5
ALS19010C	44	47.5	70	65

AISI316 STAINLESS STEEL PULL HANDLE LASHING FLUSH D LIFT RING
316不锈钢方拉手捆扎平齐吊环




Code	A mm	Bmm	Cmm	Dmm
ALS19006A	66	106	30	86

AISI316 STAINLESS STEEL DOOR BUTTON
316不锈钢门扣



Code	D mm
ALS14450A	45


AISI316 STAINLESS STEEL DOOR BUTTON
316不锈钢门扣



Code	D mm
ALS14451A	55

Surface Treatment:
Ordinary polish / Mirror polish


AISI316 STAINLESS STEEL LOCKABLE CLAMP LATCH
316不锈钢箱包扣



Code	L1 mm	L2 mm	W1 mm	W2 mm
ALS111238A	112	38	50	50


AISI316 STAINLESS STEEL LOCK LATCH
316不锈钢方形箱包扣

Code	L1 mm	L2 mm	W1 mm	W2 mm
ALS18225A	82.5	25.4	27.8	28




AISI316 STAINLESS STEEL LOCK LATCH
316不锈钢锁扣

Code	L1 mm	L2 mm	W1 mm	W2 mm
ALS18225B	82.5	25.4	27.8	28



AISI316 STAINLESS STEEL LOCK LATCH
316不锈钢锁扣


Code	L mm	W mm
ALS19039A	90	39
ALS11039B	110	39





FOLDING STEP

AISI316 STAINLESS STEEL FOLDING STEP
316不锈钢方形马蹄蹬/脚踏



Code	L mm	W mm
ALS12043A	137	109


AISI316 STAINLESS STEEL FOLDING STEP
316不锈钢直孔马蹄蹬/脚踏

Code	A mm	B mm	C mm
ALS12548B	125	109	48



AISI316 STAINLESS STEEL FOLDING STEP
316不锈钢沉孔马蹄蹬/脚踏

Code	A mm	B mm	C mm	D mm	E mm	F mm
ALS12580	127	107	81	40	85.5	90
ALS162120	165	140	120	44	112	110




AISI316 STAINLESS STEEL BOAT HOOK
316不锈钢船篙头

Code	A mm	D mm
ALS17034A	170	28
ALS19034A	190	34
ALS19037A	190	37



STAINLESS STEEL ROW LOCK
316不锈钢桨叉

Code	A mm	B mm	C mm	D mm	E mm	G mm
ALS1501-6	150	35	56	70	5.5	19





LOCK & LATCH

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢地板锁/护套款




Code	D1 mm	D2 mm	H1 mm	H2 mm
ALS6250A	62	50.5	11.5	37.4

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢地板锁/护片款



Code	D1 mm	D2 mm	H1 mm	H2 mm
ALS6251A	62	50.5	11.5	37.4

AISI316 STAINLESS STEEL TURNING LOCK WITH KEY
316不锈钢带钥匙地板锁



Code	D1 mm	D2 mm	H1 mm	H2 mm
ALS6250B	62	50.5	11.5	37.4

MYLON MATERIAL TURNING LOCK
尼龙地板锁




Code	D1 mm	D2 mm	H1 mm	H2 mm	Color
ALS6253-W	62	50.5	11.5	37.4	

MYLON MATERIAL TURNING LOCK WITH KEY
尼龙带钥匙地板锁



Code	D1 mm	D2 mm	H1 mm	H2 mm	Color
ALS6251B-B	62	50.5	11.5	37.4	BLACK
ALS6251B-W	62	50.5	11.5	37.4	WHITE

NYLON MATERIAL TURNING LOCK
尼龙地板锁



Code	D1 mm	D2 mm	H1 mm	H2 mm	Color
ALS6252-B	62	50.5	11.5	37.4	BLACK

AISI316 STAINLESS STEEL RUBBER PAD FLOOR LOCK
316不锈钢橡胶垫地板锁



Code	D1 mm	D2 mm	H1 mm	H2 mm
ALS6252A	62	52	17.8	37.9

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢红心地板锁



Code	A mm	B mm	C mm
ALS6482A	64	82	15

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢地板锁



Code	A mm	B mm	C mm
ALS6472A	64	72	13

"T" TURNING LOCK WITH KEY
316不锈钢地板锁/护套款 带钥匙



Code	D1 mm	D2 mm	H1 mm	H2 mm
ALS6250C	62	51	10.7	70

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢地板锁



Code	D1 mm	D2 mm	H1 mm	H2 mm
ALS6250C	62	51	10.7	70

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢地板锁



Code	D1 mm	D2 mm	H1 mm	H2 mm
ALS6151A	61.5	51	10.5	68.5

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢地板锁护套款 带钥匙



Code	D1 mm	D2 mm	H1 mm	H2 mm
ALS6251D	62	51	10.7	75

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢D型弹簧锁



Code	A mm	B mm	C mm
ALS6010A	64	100	25
ALS6010B	86	100	25

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢D型弹簧锁

Code	A mm	B mm	C mm
ALS8067A	80	67.5	110





THRU-HULL & TANK VENT

AISI316 STAINLESS STEEL TANK VENT
316不锈钢透气孔




Code	A mm	B mm	C mm	Size
ALS1301-15	65	21	14.5	1/2 inch
ALS1302-19	65	26	19	3/4 inch
ALS1303-25	75	34	26.5	1 inch
ALS1304-40	78	42	35	1-1/4 inch
ALS1305-38	83	48	39	1-1/2 inch
ALS1306-50	90	59	50.8	2 inch

AISI316 STAINLESS STEEL THRU-HULL
316不锈钢全丝出水口




Code	D mm	H mm	Size
ALS1101A	16.5	54	3/8 inch
ALS1102A	21	59	1/2 inch
ALS1103A	26	69	3/4 inch
ALS1104A	33.5	72	1 inch
ALS1105A	43	78.5	1-1/4 inch
ALS1106A	48	79.3	1-1/2 inch
ALS1107A	60	95	2 inch
ALS1108A	75	110	2-1/2 inch
ALS1109A	88	120	3 inch

AISI316 STAINLESS STEEL THRU-HULL WITH HOSE
316不锈钢半丝出水口



Code	D1 mm	D2 mm	H mm	Size
ALS1101B	16.5	14	53	1/2 inch
ALS1102B	21	18.5	61	3/4 inch
ALS1103B	26	23	70	7/8 inch
ALS1104B	33	26	72	1 inch
ALS1105B	42	33.5	78	1-1/4 inch
ALS1106B	42	39.5	79	1-1/2 inch
ALS1107B	59	52	98	2 inch

AISI316 STAINLESS STEEL THRU-HULL WITH HOSE
316不锈钢加长半丝出水口




Code	D mm	H mm	Size
ALS1201A	14	87	1/2 inch
ALS1202A	18	96	3/4 inch
ALS1203A	24.5	95.5	1 inch
ALS1204A	32	87	1-1/4 inch
ALS1205A	38	97	1-1/2 inch

PLASTIC DECK FILLER SOCKET OF FUEL
316不锈钢排水口




Code	A mm	B mm	C mm	D mm	E mm	Size
ALS0620-16	73.5	42		23	16	5/8 inch
ALS0620-20	80	50.5		26.5	18.5	3/4 inch
ALS0620-25	93	61		33	25	1 inch
ALS0620-32	97	67		41	31.5	1-1/4 inch
ALS0620-38	102	75		46.5	38	1-1/2 inch
ALS0620-50	130	90		57	51	2 inch

AISI316 STAINLESS STEEL COCKPIT
316不锈钢可拆卸弯地漏



Code	A mm	B mm	C mm	Size
ALS1401A-32	79	103	32.5	32 mm
ALS1402A-38	79	103	38.5	38 mm

AISI316 STAINLESS STEEL COCKPIT DRAIN
316不锈钢一体弯地漏



Code	A mm	B mm	C mm	Size
ALS1501A-32	79	103	32.5	32mm
ALS1502A-38	79	103	38.5	38mm

AISI316 STAINLESS STEEL COCKPIT DRAIN
316不锈钢焊接直地漏



Code	A mm	B mm	C mm	Size
ALS1601A-50	51	82	80	50mm

AISI316 STAINLESS STEEL COCKPIT DRAIN
316不锈钢可拆卸直地漏



Code	D1 mm	D2 mm	H mm	Size
ALS1602A-25	22	25	28	25mm
ALS1602B-38	58	38	60	38mm

AISI316 STAINLESS STEEL COCKPIT DRAIN SCUPPER WITH BALL
316不锈钢浮球地漏




Code	A mm	B mm	C mm	Size
ALS1701A-38	92	115	40	38mm

AISI316 STAINLESS STEEL INTAKE STRAINER
316不锈钢海底门



Code	A mm	B mm	C mm	D mm	E mm	Size
ALS1801A	90	82	16.5	11	65	3/8 inch
ALS1802A	90	82	21	12.5	66	1/2 inch
ALS1803A	107	104	26	18.5	80	3/4 inch
ALS1804A	106	106	33	25.5	76	1 inch
ALS1805A	103	117	42	32	78	1-1/4 inch
ALS1806A	109	133	47.5	38	80	1-1/2 inch
ALS1807A	124	152	60	50	91	2 inch
ALS1808A	153	198	75	63.5	112	2-1/2 inch
ALS1809A	178	240	88	76	130	3 inch

AISI316 STAINLESS STEEL TANK VENT
316不锈钢出气口



Code	D mm	H1 mm	H2 mm	H3 mm
ALS2880A	16	82	28	70

AISI316 STAINLESS STEEL 90 DEGREE TANK VENT
316不锈钢90° 出气口




Code	D mm	H1 mm	H2 mm	H3 mm
ALS2880B	16	84	28	49

AISI316 STAINLESS STEEL TANK VENT
316不锈钢出气口



Code	D mm	H1 mm	H2 mm	H3 mm
ALS12881A	16	84	28	70

AISI316 STAINLESS STEEL 90 DEGREE TANK VENT
316不锈钢90° 出气口



Code	D1 mm	H1 mm	H2 mm	H mm
ALS2881B	16	84	28	49




DECK PLATE

MARINE GRADE 316 STAINLESS STEEL,
MIRROR POLISHE.


AISI316 STAINLESS STEEL DECK PLATE AISI316不锈钢甲板圆盘

Code	D1 mm	D2 mm	Size
ALS3103A	123	81.8	3 inch
ALS3104A	147	106	4 inch
ALS3105A	173	133	5 inch
ALS3106A	196.5	161.8	6 inch



AISI316 STAINLESS STEEL ANTENNA BASE AISI316不锈钢甲板圆盘

Code	D1 mm	D2 mm	Size
ALS3203A	81.8	123	3 inch
ALS3204A	106	147	4 inch
ALS3205A	133	173	5 inch
ALS3206A	161.8	196.5	6 inch




STAINLESS STEEL ROUND AIR LOUVER VENT(SLIDE KHOB OPENING) 316不锈钢圆形百叶风口 (滑动孔)

Code	A mm	B mm	C mm	D mm	Size
ALS1702-5	125	81.5	3.5	3	5 inch



STAINLESS STEEL ROUND AIR LOUVER VENT(SLIDE KHOB OPENING) 316不锈钢圆形百叶风口 (滑动孔)


Code	A mm	B mm	C mm	D mm	Size
ALS1701-4	101	65	3.5	3	4 inch
ALS1701-5	125	81.5	3.5	5.5	5 inch





DECK FILLER & RV ACCESSORIES


AISI316 STAINLESS STEEL DECK FILLER (WITH KEYLESS CAP)
316不锈钢盖直油箱体



Code	D mm	H mm	Model
ALS1038A - FUEL	38	80	FUEL
ALS1050A - FUEL	50	80	FUEL
ALS1138A - DIESEL	38	80	DIESEL
ALS1150A - DIESEL	50	80	DIESEL
ALS1238A - WASTE	38	80	WASTE
ALS1250A - WASTE	50	80	WASTE
ALS1338A - GAS	38	80	GAS
ALS1350A - GAS	50	80	GAS
ALS1438A - WATER	38	80	WATER
ALS1450A - WATER	50	80	WATER

Support for lettering

AISI316 STAINLESS STEEL DECK FILLER (WITH KEY)
316不锈钢带钥匙油箱体




Code	D mm	H mm	Model
ALS2038A-FUEL	38	80	FUEL
ALS2050A-FUEL	50	80	FUEL
ALS2138A-DIESEL	38	80	DIESEL
ALS2150A-DIESEL	50	80	DIESEL
ALS2238A-WASTE	38	80	WASTE
ALS2250A-WASTE	50	80	WASTE
ALS2338A-GAS	38	80	GAS
ALS2350A-GAS	50	80	GAS
ALS2438A-WATER	38	80	WATER
ALS2450A-WATER	50	80	WATER

AISI316 STAINLESS STEEL DECK FILLER
316不锈钢45°小舌头油箱体



Code	D mm	H mm	Model
ALS3038A-FUEL	38	78	FUEL
ALS3050A-FUEL	50	97	FUEL
ALS3138A-DIESEL	38	78	DIESEL
ALS3150A-DIESEL	50	97	DIESEL
ALS3238A-WASTE	38	78	WASTE
ALS3250A-WASTE	50	97	WASTE
ALS3438A-WATER	38	78	WATER
ALS3450A-WATER	50	97	WATER

AISI316 STAINLESS STEEL DECK FILLER
316不锈钢90°小舌头油箱体



Code	D mm	H mm	Model
ALS4038A-FUEL	38	87.1	FUEL
ALS4050A-FUEL	50	87.1	FUEL
ALS4138A-DIESEL	38	87.1	DIESEL
ALS4150A-DIESEL	50	87.1	DIESEL
ALS4238A-WASTE	38	87.1	WASTE
ALS4250A-WASTE	50	87.1	WASTE
ALS4438A-WATER	38	87.1	WATER
ALS4450A-WATER	50	87.1	WATER

AISI316 STAINLESS STEEL DECK FILLER
316不锈钢弯盖油箱体




Code	D mm	H mm	Model
ALS5038A-FUEL	38	76	FUEL
ALS5050A-FUEL	50	91	FUEL
ALS5138A-DIESEL	38	76	DIESEL
ALS5150A-DIESEL	50	91	DIESEL
ALS5238A-WASTE	38	76	WASTE
ALS5250A-WASTE	50	91	WASTE
ALS5438A-WATER	38	76	WATER
ALS5450A-WATER	50	91	WATER

PLASTIC DECK FILLER SOCKET OF WATER
316不锈钢塑料加水口




Code	Specs	Current	Power	KHz	SPL
ALS-HS-12V	Single	3.5A	42W	345Hz	125dB(A)
ALS-HS-24V	Single	1.75A	42W	345Hz	125dB(A)
ALS-HD-12V	Dual	7A	84W	370Hz	125dB(A)
ALS-HD-24V	Dual	3.5A	84W	370Hz	125dB(A)



ANTENNA BASE

MARINE GRADE 316 STAINLESS STEEL,
HAND POLISHED.

AISI316 STAINLESS STEEL ANTENNA BASE
316 不锈钢天线座



Code	L mm	W mm	H mm	D mm
ALS9364A	93	64	112	25

AISI316 STAINLESS STEEL ANTENNA BASE
316 不锈钢天线座



Code	D mm
ALS1220	22 mm

AISI316 STAINLESS STEEL ANTENNA BASE
316 不锈钢天线座



Code	D mm
ALS1250C	25

AISI316 STAINLESS STEEL ANTENNA BASE
316 不锈钢天线座



Code	L mm	W mm
ALS8050D	80	50

AISI316 STAINLESS STEEL ANTENNA BASE
316 不锈钢天线座



Code	L mm
ALS7025E	25
ALS7022F	22
ALS7025G	25

AISI316 STAINLESS STEEL ANTENNA BASE
316 不锈钢天线座



Code	Amm	Bmm	Cmm	Dmm	Size
ALS7578A	75	78	25	26	25mm
ALS8978B	89	78	32	26	32mm



STEERING WHEEL

AISI316/304 STAINLESS STEEL STEERING WHEEL
316/304不锈钢方向盘



Code	Shaft	Dish	Size
ALS0125S	3/4 inch	25°	11 inch
ALS0126S	3/4 inch	25°	13-1/2 inch
ALS0128S	3/4 inch	25°	15-1/2 inch

AISI316/304 STAINLESS STEEL SPORT WHEEL WITH M SIZE KNOB
316/304不锈钢方向盘

Code	Shaft	Dish	Size
ALS0130S	3/4 inch	25°	11 inch
ALS0132S	3/4 inch	25°	13-1/2 inch
ALS0138S	3/4 inch	25°	15-1/2 inch



AISI316/304 STAINLESS STEEL SPORT WHEEL W/FINGER GRIPS & CONALSOL KNOB
316/304不锈钢运动车轮带把手方向盘

Code	Shaft	Dish	Rim Size
ALS0151S	3/4 inch	25°	13-1/2 inch
ALS0153S	3/4 inch	25°	15-1/2 inch



AISI316/304 STAINLESS STEEL STEERING WHEEL
316/304不锈钢方向盘

Code	Diameter	Shaft	Rim Size	Thread
ALS8319-A	13-1/2"	3/4"	1"	1/2"-20
ALS8320-B	15-1/2"	3/4"	1"	1/2"-20
ALS8321-C	13-1/2"	3/4"	1"	5/8"-18
ALS8322-D	15-1/2"	3/4"	1"	5/8"-18



AISI316/304 STAINLESS STEEL STEERING WHEEL
304/316不锈钢方向盘

Code	Spoke	Dish	Size
ALS0162S	9	15°	13-1/2 inch



AISI316/304 STAINLESS STEEL STEERING WHEEL
316/304不锈钢方向盘

Code	Diameter	Shaft	Rim Size	Thread
ALS8323-A	13-1/2"	3/4"	1"	1/2"-20
ALS8324-B	15-1/2"	3/4"	1"	1/2"-20
ALS8325-C	13-1/2"	3/4"	1"	5/8"-18
ALS8326-D	15-1/2"	3/4"	1"	5/8"-18



AISI316/304 STAINLESS STEEL STEERING WHEEL W/PU FOAM
316/304不锈钢W/PU泡沫方向盘



Code	Shaft	Dish	Foam	Size
ALS0221S	3/4 inch	25°	Black	11-1/2 inch
ALS0225S	3/4 inch	25°	Black	13-1/2 inch
ALS0227S	3/4 inch	25°	Black	15-1/2 inch

AISI316/304 STAINLESS STEEL STEERING WHEEL W/PU FOAM & KNOB
316/304不锈钢带握把W/PU泡沫方向盘



Code	Shaft	Dish	Foam	Size
ALS04010S	3/4 inch	25°	Black	11-1/2 inch

AISI316/304 STAINLESS STEEL STEERING WHEEL W/PU FOAM & KNOB
316/304不锈钢带PU泡沫和旋钮方向盘



Code	Shaft	Dish	Foam	Size
ALS4011S	3/4 inch	25°	Black	11-1/2 inch
ALS4017S	13/4 inch	25°	Black	13-1/2 inch
ALS4019S	15/4 inch	25°	Black	13-1/2 inch

AISI316/304 STAINLESS STEEL STEERING WHEEL W/PU FOAM & KNOB
316/304不锈钢带PU泡沫和旋钮方向盘



Code	Shaft	Dish	Foam	Size
ALS5011S	3/4 inch	25°	Black	11-1/2 inch
ALS5017S	13/4 inch	25°	Black	13-1/2 inch
ALS5019S	15/4 inch	25°	Black	13-1/2 inch

The lid can be customized with logo

AISI316/304 STAINLESS STEEL KNOB FOR WHEEL
316/304不锈钢方向盘旋钮



Code	Size	Shaft	Dish	Foam
ALS07110S	13"	3/4"	25 degree	Black

STEERING WHEEL W/PU FOAM COVER,AISI316
带PU泡沫罩的方向盘



Code	Size	Dish
ALS9999SB	13.5"	15 degree

SIMPLE STEERING WHEEL,AISI316
316不锈钢简易方向盘



Code	Size	Rim Size	Spoke
ALS7500S	24"	7/8"	1/2"X5
ALS7501S	26"	7/8"	1/2"X5
ALS7502S	28"	7/8"	1/2"X5
ALS7503S	30"	7/8"	1/2"X5
ALS7504S	32"	7/8"	1/2"X5
ALS7505S	34"	7/8"	1/2"X5
ALS7506S	36"	7/8"	1/2"X5

AISI316/304 STAINLESS STEEL KNOB FOR WHEEL
316/304不锈钢方向盘旋钮

Code	Fits Rim Size
ALS06110S	3/4 inch-1 inch
ALS06120S	3/4 inch-1 inch
ALS06130S	3/4 inch-1 inch





MARINE LADDER

AISI316/304 STAINLESS STEEL TELESOPING LADDER(EXTEND HIGE) **HOT SALE** 🔥🔥🔥
316/304不锈钢伸缩可折叠下水梯



Code	Step	Length	Width	Centrum W
ALS-L1042	2	600mm (23.5")	344mm (13.5")	255mm (10")

Under Platform Pivoting Front Retaining Cover



Code	Step	Length	Width	Centrum W
ALS-L1043	3	600mm (23.5")	370mm (14.5")	255mm (10")

Under Platform Pivoting Front Retaining Cover

Code	Step	Length	Width	Centrum W
ALS-L1044	4	1160mm (23.5")	395mm (15.5")	255mm (10")

Under Platform Pivoting Front Retaining Cover



AISI316/304 STAINLESS STEEL TELESOPING DROP LADDER/HAND
316/304不锈钢伸缩式升降梯/手动梯子

Code	Step	Length	Width	Centrum W
ALS-L2022	2	603mm (23.5")	400mm (13.5")	255mm (10")

Deck Ladder Flip-up Hinge Pressde Finger Grip Grad Handle



Code	Step	Length	Width	Centrum W
ALS-L2023	3	879mm (34.1")	430mm (14.8")	255mm (10")

Deck Ladder Flip-up Hinge Pressde Finger Grip Grad Handle



Code	Step	Length	Width	Centrum W
ALS-L2024	4	1160mm (45.5")	340mm (15.3")	255mm (10")

Deck Ladder Flip-up Hinge Pressde Finger Grip Grad Handle



AISI316/304 STAINLESS TELESCOPIC DROP LADDER
316/304不锈钢双踏板折叠梯子



Code	Step	Length	Width	Centrum W
ALS-L3803	3	890mm(35")	370mm(14.5")	306mm(12")

Deck Ladder Flip-up Hinge



Code	Step	Length	Width	Centrum W
ALS-L3804	4	1148mm(45.5")	395mm(15.5")	306mm(12")

Deck Ladder Flip-up Hinge

AISI316/304 STAINLESS STEEL TELESCOPING WITH WIDER SPRING
316/304不锈钢隐藏式折叠伸缩下水梯子



Code	Step	Length	Width	Centrum W
ALS-L4102	2	596mm(23.5")	343mm(13.5")	255mm(10")

Under Platform Robust Slide Swing Pivot - Easy Mount



Code	Step	Length	Width	Centrum W
ALS-L4103	3	889mm(35")	368mm(14.5")	255mm(10")

Under Platform Robust Slide Swing Pivot - Easy Mount

AISI316/304 STAINLESS STEEL TELESCOPING WITH WIDER SPRING
316/304不锈钢隐藏式折叠伸缩下水梯子



Code	Step	Length	Width	Centrum W
ALS-L4104	4	1156mm(45.5")	394mm(15.5")	255mm(10")

Under Platform Robust Slide Swing Pivot - Easy Mount

AISI316 / 304 STAINLESS STEEL FOLDING TELESCOPIC PLATFORM LADDER
316/304不锈钢防滑折叠伸缩下水梯子



Code	Step	Length	Width	Centrum W
ALS-L5102	2	580mm(23")	375mm(15")	357mm(14")

Under Platform Robust Slide Swing Pivot - Easy Mount



Code	Step	Length	Width	Centrum W
ALS-L5103	3	878mm(35")	375mm(15")	357mm(14")

Under Platform Robust Slide Swing Pivot - Easy Mount

AISI316 STAINLESS STEEL CONCEALED FOLDING HANDRAIL TELESCOPIC HANGING LADDER
316/304不锈钢隐藏式折叠扶手伸缩挂梯



Code	Step	Length Extended	Length Stowed	Width
ALS-L6104	4	1550mm(60.7")	453mm(17.7")	353mm(13.8")

Built in Grab Rails Wide Step

AISI316/304 STAINLESS FOLDING LADDER-TEAK TREADS
316/304不锈钢折叠梯子



Code	Step	Width	Stowed	Extended
ALS-L7101	2+1	200mm(7.87")	320mm(12.6")	600mm(23.6")
ALS-L7102	2+2	235mm(9.25")	449mm(17.7")	880mm(34.6")
ALS-L7103	3+2	235mm(9.25")	728mm(28.7")	1085mm(42.7")
ALS-L7104	2+3	254mm(10")	607mm(23.9")	1085mm(42.7")
ALS-L7105	3+3	254mm(10")	729mm(28.7")	1315mm(51.8")

Flip - up Pivot Mount Solid TEAK step treads

AISI316/304 STAINLESS FOLDING LADDER-TEAK TREADS
316/304不锈钢折叠梯子



Code	Step	Width	Stowed	Extended
ALS-L7201	2+1	200mm(7.87")	320mm(12.6")	600mm(23.6")
ALS-L7202	2+2	235mm(9.25")	449mm(17.7")	880mm(34.6")
ALS-L7203	3+2	235mm(9.25")	728mm(28.7")	1085mm(42.7")
ALS-L7204	2+3	254mm(10")	607mm(23.9")	1085mm(42.7")
ALS-L7205	3+3	254mm(10")	729mm(28.7")	1315mm(51.8")

Flip - up Pivot Mount Solid TEAK step treads

AISI316/304 STAINLESS TELESCOPIC DIVE LADDER
316/304不锈钢伸缩式潜水梯



Code	Step	Extended	Stowed	Tube Dia.
ALS-L8303	3	870mm (35")	390mm(15.35")	110mm
ALS-L8304	4	1150mm (45")	440mm(17.3")	110mm

Deck Mount Flip - up Hinge

AISI316/304 STAINLESS TELESCOPIC DIVE LADDER
316/304不锈钢伸缩式潜水梯



Code	Step	Extended	Stowed	Tube Dia.
ALS-L8403	3	870mm (35")	390mm(15.35")	110mm
ALS-L8404	4	1150mm (45")	440mm(17.3")	110mm

Quick Release Robust Design

AISI316/304 STAINLESS TELESCOPIC DIVE LADDER
316/304不锈钢伸缩式潜水梯



Code	Step	Extended	Stowed	Tube Dia.
ALS-L8503	3	870mm (35")	390mm(15.35")	120mm
ALS-L8504	4	1150mm (45")	440mm(17.3")	120mm

Quick Release Robust Design

AISI316/304 STAINLESS STEEL TELESCOPING DROP LADDER/HAND
316/304不锈钢伸缩式升降梯/手动梯子



Code	Step	Extended	Stowed	Width	Centrum W
ALS-L8603	3	700mm (27.4")	305mm (13")	292mm (11.4")	280mm(11")
ALS-L8604	4	925mm (36.2")	315mm (12.3")	279mm (10.9")	280mm(11")

Fits Swim Platforms Flip-up Hinge

AISI316/304 STAINLESS STEEL TELESCOPING UNDER PLATFORM LADDER
316/304不锈钢伸缩式平台梯子



Code	Step	Length	Width	Centrum W
ALS-L8703	3	600mm (23.5")	344mm (13.5")	255mm(10")
ALS-L8704	4	893mm (36.2")	370mm (14.5")	255mm(10")

Fits Swim Platforms Flip-up Hinge

AISI316/304 STAINLESS STEEL BOARDING LADDER
316/304不锈钢登船梯



Code	Step	Length	Width	Centrum W
ALS-L88032	3+2	1173mm (46")	935mm (36.7")	255 (10")
ALS-L88023	2+3	1305mm (51.2")	688mm (27")	255 (10")
ALS-L88033	3+3	1135mm (60.2")	935mm (36.7")	255 (10")

Folding Pivot Mount Standoffs

AISI316/304 STAINLESS STEEL ADJUSTABLE SUPPORT LADDER
316/304不锈钢可调支撑梯



Code	Step	Length	Width	Centrum W
ALS-L9003	3	1053mm (23.5")	290mm (11.4")	11.4"

Flip - up Pivot Mount Solid TEAK step terads

AISI316/304 STAINLESS FOLDING LADDER-TEAK TREADS
316/304不锈钢折叠梯子



Code	Step	Length	Width	Centrum W
ALS-L9113	3	459mm (18")	357mm (14")	3/4"
ALS-L9114	4	459mm (18")	357mm (14")	3/4"

Thick solid glass reinforced plastic

AISI316/304 STAINLESS PONTON LADDER-TELESCOPIC FOLDING
316/304不锈钢伸缩折叠梯子



Code	Step	Length	Width	Centrum W
ALS-L9223	3	870mm (35")	390mm (15.35")	255mm(10")
ALS-L9224	4	1150mm (45")	440mm (17.3")	255mm(10")

Built in Grab Rails Wide Step

AISI316/304 STAINLESS HARBOR LADDER
316/304不锈钢港梯



Code	Step	Length	Width
ALS-L9304	4	1170mm (45.8")	340mm (13.3")

AISI316/304 PLATE WITH LADDER
TEAK WOOD



Item No.	WIDTH mm	LENGTH mm	LADDER
ALS-TW1001	450	390	Without ladder
ALS-TW1002	450	390	3 steps

AISI316 MINI FORWARDER PLATFORM
TEAK WOOD



Item No.	LENGTH x WIDTH	DIA.OF TUBE	LADDER
ALS-TW1003	500x350mm	1-14/4"(32mm)	Without ladder
ALS-TW1004	500x350mm	1-14/4"(32mm)	2 steps
ALS-TW1005	500x350mm	1-14/4"(32mm)	3 steps

AISI316 SMALL FORWARDER PLATFORM
TEAK WOOD



Item No.	LENGTH x WIDTH	DIA.OF TUBE	LADDER
ALS-TW1006	650x330mm	1"(25mm)	Without ladder
ALS-TW1007	650x330mm	1"(25mm)	2 steps
ALS-TW1008	650x330mm	1"(25mm)	3 steps

AISI316 MEDIUM FORWARD PLATFORM
TEAK WOOD



Item No.	SIZE	TUBE DIA	STEP
ALS-TW1001	700x480mm	32mm	
ALS-TW1002	700x480mm	32mm	With bow roller

AISI316 LARGE FORWARDER PLATFORM
TEAK WOOD



Item No.	SIZE	TUBE DIA	STEP
ALS-TW1201	1200x520mm	32mm	With bow roller
ALS-TW1202	1200x520mm	32mm	With bow roller
ALS-TW1203	1200x520mm	32mm	With bow roller

AISI316 ASIDE PLATFORM TEAK WOOD



Item No.	TUBE mm	LENGTH mm	WIDTH mm
ALS4030SA	25	530	430
ALS4034SA	25	530	430

AISI316 STERN PLATFORM TEAK WOOD



Item No.	TUBE mm	LENGTH mm	WIDTH mm
ALS02-271SA	25	840	380
ALS02-272SA	25	1270	410
ALS02-273SA	25	1000	380
ALS02-274SA	25	1090	600
ALS02-275SA	25	1310	600
ALS02-276SA	25	1780	450

AISI316 STERN PLATFORM TEAK WOOD



Item No.	TUBE mm	LENGTH mm	WIDTH mm
ALS02-281SA	25	1300	550
ALS02-281SA	25	1700	550
ALS02-281SA	25	1700	550

AISI316 TEAK WOOD PLATFORMS



Item No.	WIDTH mm	DIA.OF TUBE	WIDTH mm
ALS-TW0210	270	1"(25mm)	390
ALS-TW0270	210	1"(25mm)	390
ALS-TW0450	450	1"(25mm)	390
ALS-TW0380	380	1"(25mm)	390

AISI316 PLATFORM WITH LADDER




Item No.	WIDTH mm	LENGTH mm	TUBE DIA.
ALS-TW4011	840	380	25
ALS-TW4012	1000	380	25



HANDRAILS

AISI316/304 STAINLESS STEEL OVAL HANDRAIL
316/304不锈钢椭圆形扶手



Code	LengthxHeight	Tube Dia
ALS-RH-1208	8"(200mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-1212	12"(200mm)	1"x3/4"(25.4x18.8mm)

AISI316/304 STAINLESS STEEL OVAL HANDRAIL
316/304不锈钢椭圆形扶手



Code	LengthxHeight	Tube Dia
ALS-RH-1308	8" (200mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-1310	10" (300mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-1312	12" (300mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-1316	16" (300mm)	1"x3/4"(25.4x18.8mm)


AISI316/304 STAINLESS STEEL OVAL HANDRAIL
316/304不锈钢椭圆形扶手



AISI316/304 STAINLESS STEEL OVAL HANDRAIL
316/304不锈钢椭圆形扶手

Code	LengthxHeight	Tube Dia
ALS-RH-1409	9"	1/5/8" x 2-1/2"
ALS-RH-1412	12"	1/5/8" x 2-1/2"

Code	Length	Tube Dia	Stud
ALS-RH-1512	12"(300mm)	7/8"(22 mm)	1/4"
ALS-RH-1518	18"(450mm)	7/8"(22 mm)	1/4"
ALS-RH-1524	24"(600mm)	7/8"(22 mm)	1/4"



AISI316/304 STAINLESS STEEL OVAL HANDRAIL
316/304不锈钢椭圆形扶手

Code	Length	Tube Dia
ALS-RH-1608	8"(200mm)	7/8"(22 mm)
ALS-RH-1612	12"(300mm)	7/8"(22 mm)
ALS-RH-1616	16"(400mm)	7/8"(22 mm)
ALS-RH-1620	20"(500mm)	7/8"(22 mm)
ALS-RH-1624	24"(600mm)	7/8"(22 mm)
ALS-RH-1632	32"(800mm)	7/8"(22 mm)
ALS-RH-1640	40"(1000mm)	7/8"(22 mm)



AISI316/304 STAINLESS STEEL ROUND HANDRAIL,WELDED ROUND BASE
316/304不锈钢圆形扶手,焊接圆形底座

Code	Length	Tube Dia
ALS-RH-1708	8"(200mm)	7/8"(22 mm)
ALS-RH-1712	12"(300mm)	7/8"(22 mm)
ALS-RH-1720	20"(500mm)	7/8"(22 mm)
ALS-RH-1732	32"(800mm)	7/8"(22 mm)
ALS-RH-1740	40"(1000mm)	7/8"(22 mm)



GRAB RAIL,AISI316
不锈钢扶手



Code	Length	Tube Dia	Degree
ALS-RH-1812	12"(300mm)		45dr
ALS-RH-1818	18"(450mm)		45dr
ALS-RH-1824	24"(600mm)		45dr
ALS-RH-1830	30"(750mm)		45dr
ALS-RH-1836	36"(900mm)		45dr
ALS-RH-1912	12"(300mm)		90dr
ALS-RH-1918	18"(450mm)		90dr
ALS-RH-1924	24"(600mm)		90dr
ALS-RH-1930	30"(750mm)		90dr
ALS-RH-1936	36"(900mm)		90dr

OVAL HANDRAIL,ROUND BASE SCREWED
椭圆形扶手



Code	Overall length	Base Size	Tube Dia
ALS-RH-2009	9"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2012	12"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2016	16"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2018	18"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2024	24"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)

316 HANDRAILWITH BASE
椭圆形扶手




Code	Overall length	Base Size	Tube Dia
ALS-RH-2109	9"	55x32.4mm	1"(25.4mm)
ALS-RH-2112	12"	55x32.4mm	1"(25.4mm)
ALS-RH-2116	16"	55x32.4mm	1"(25.4mm)
ALS-RH-2118	18"	55x32.4mm	1"(25.4mm)
ALS-RH-2124	24"	55x32.4mm	1"(25.4mm)

OVAL HANDRAIL
椭圆形扶手



Code	Overall length	Base Size	Tube Dia
ALS-RH-2212	12"	2.48"x1.26"(63x32mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2216	16"	2.48"x1.26"(63x32mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2218	18"	2.48"x1.26"(63x32mm)	1"x3/4"(25.4x18.8mm)

S/S HEAVY DUTY OVAL HANDRAIL
S/S重型椭圆形扶手



Code	Overall length	Tube Dia
ALS-RH-2385	8-5/8"	1"x3/4"(25.4x18.8mm)
ALS-RH-2312	12"	1"x3/4"(25.4x18.8mm)
ALS-RH-2316	16"	1"x3/4"(25.4x18.8mm)
ALS-RH-2318	18"	1"x3/4"(25.4x18.8mm)
ALS-RH-2324	24"	1"x3/4"(25.4x18.8mm)

316 HEAVY DUTY OVAL HANDRAIL
316重型椭圆形扶手



Code	Overall length	Tube Dia
ALS-RH-2485	8-5/8"	1"x3/4"(25.4x18.8mm)
ALS-RH-2412	12"	1"x3/4"(25.4x18.8mm)
ALS-RH-2416	16"	1"x3/4"(25.4x18.8mm)
ALS-RH-2418	18"	1"x3/4"(25.4x18.8mm)
ALS-RH-2424	24"	1"x3/4"(25.4x18.8mm)

316 ROUND HANDRAILWITH FINGER GRIP
316圆形手柄带手指夹



Code	Overall length	Tube Dia
ALS-RH-2510	10-1/4"(250mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2514	14"(350mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2518	18"(450mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2520	20"(500mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2525	25-3/4"(655mm)	1"x3/4"(25.4x18.8mm)

316 CASTED OVAL HANDRAIL, HEAVY
316重型铸造椭圆形把手



Code	Length	Tube Dia	Stud
ALS-RH-2612	12"	13x13mm	M6
ALS-RH-2618	18"	13x13mm	M6
ALS-RH-2624	24"	13x13mm	M6
ALS-RH-2718	18"	20x40mm	M6
ALS-RH-2724	24"	20x40mm	M6
ALS-RH-2730	30"	20x40mm	M6
ALS-RH-2736	36"	20x40mm	M6
ALS-RH-2748	48"	20x40mm	M6
ALS-RH-2760	60"	20x40mm	M6

316 316 STAINLESS STEELHANDRAIL
316不锈钢扶手



Code	LengthxHeight	Diameter
ALS-RH-2825	270x130mm	25mm
ALS-RH-2925	270x130mm	25mm

S.S MOTOR BRACKET



Item No.	MOTOR	BRACKET
ALS7952S	UP TO 7.5HP OR 20KG	BLACK PLASTIC PAD
ALS7952S	UP TO 7.5HP OR 20KG	WOOD PAD
ALS7952S	UP TO 7.5HP OR 20KG	BLACK PLASTIC PAD
ALS7952S	UP TO 7.5HP OR 20KG	BLACK PLASTIC PAD

MOTOR BRACKET,ALUMINUM



Item No.	MOTOR	BRACKET
ALS7953AW	15HP OR 30KG	WOOD PAD
ALS7953AA	15HP OR 30KG	BLACK PLASTIC PAD



HATCHES



ALS270-375-01
H: 270 mm L: 370 mm H1: 191 mm L1: 289 mm



ALS370-375-01
H: 370 mm L: 375 mm H1: 290 mm L1: 295 mm



ALS315-440-01
H: 315 mm L: 440 mm H1: 240 mm L1: 358 mm



ALS245-607-01
H: 245 mm L: 607 mm H1: 521 mm L1: 168 mm



ALS354-607-01
H: 354 mm L: 607 mm H1: 277 mm L1: 521 mm



ALS460-520-01
H: 460 mm L: 520 mm H1: 383 mm L1: 436 mm



ABS DECK INSPECTION PLATE
ABS甲板盖



Code	Color	Size	d mm	D mm
ALS-004-01	White	4"	101	143
ALS-006-01	White	6"	151	198
ALS-008-01	White	8"	180	250

INDEPENDENT PACKING BOX


ABS DECK INSPECTION PLATE
ABS甲板盖



Code	Color	Size	d mm	D mm
ALS-104-01	Black	4"	101	143
ALS-106-01	Black	6"	151	198
ALS-108-01	Black	8"	180	250

INDEPENDENT PACKING BOX

ABS DECK INSPECTION PLATE
ABS甲板盖



Code	A mm	B mm	C mm	D mm	F mm	Size
ALS1301-4	143	101	19	7.5	126	4 inch
ALS1301-6	198	151	16.5	8.5	179	6 inch
ALS1301-8	250	180	19	9.5	230	8 inch

PORTHOLE

Code	Size mm	Color
ALSP1-01	210	Black
ALSP1-02	260	Black




Code	Size mm	Color
ALSP2-01	210	White
ALSP2-02	260	White






Code	Shape	Color
ALSPPI-03	Oval shape porthole	White
ALSPPI-03	Oval shape porthole	Black




Code	Shape	Color
ALSPPI-04	Rectangular shape porthole	White
ALSPPI-04	Rectangular shape porthole	Black



Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S): 适合玻璃钢船/木船/各类房车		Super Thin Model (ST) :for Aluminium/Steel boat 超级薄款型(ST): 适合铝合金船/玻璃钢船/壁厚较薄的房车	
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Suitable Hull Thickness (mm) 适合壁厚
ALS-Eye-S-S	150X345	102X296	26-36
ALS-Eye-S-ST			6-16
ALS-Eye-M-S	200X460	148X408	26-36
ALS-Eye-M-ST			6-16
ALS-Eye-B-S	250X575	203X526	26-36
ALS-Eye-B-ST			6-16




Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S): 适合玻璃钢船/木船/各类房车		Super Thin Model (ST) :for Aluminium/Steel boat 超级薄款型(ST): 适合铝合金船/玻璃钢船/壁厚较薄的房车	
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Suitable Hull Thickness (mm) 适合壁厚
ALS-Oval-S-S	150X345	101X297	26-36
ALS-Oval-S-ST			6-16
ALS-Oval-M-S	200X420	150X350	26-36
ALS-Oval-M-ST			6-16
ALS-Oval-B-S	250X560	202X511	26-36
ALS-Oval-B-ST			6-16



Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S): 适合玻璃钢船/木船/各类房车		Super Thin Model (ST) :for Aluminium/Steel boat 超级薄款型(ST): 适合铝合金船/玻璃钢船/壁厚较薄的房车		
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Suitable Hull Thickness (mm) 适合壁厚	
ALS-ROUND-S-S	D200	D161	22-32	6-16
ALS-ROUND-S-ST				
ALS-ROUND-M-S	D250	D205	28-38	6-16
ALS-ROUND-M-ST				
ALS-ROUND-B-S	D300	D260	22-32	6-16
ALS-ROUND-B-ST				



Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S): 适合玻璃钢船/木船/各类房车		Super Thin Model (ST) :for Aluminium/Steel boat 超级薄款型(ST): 适合铝合金船/玻璃钢船/壁厚较薄的房车		
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Suitable Hull Thickness (mm) 适合壁厚	
ALS-Rectangular-S-S	150x345	102x296	26-36	6-16
ALS-Rectangular-S-ST				
ALS-Rectangular-M-S	200x460	152x411	26-36	6-16
ALS-Rectangular-M-ST				
ALS-Rectangular-B-S	250x575	202x526	26-36	6-16
ALS-Rectangular-B-ST				



Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S): 适合玻璃钢船/木船/各类房车		Super Thin Model (ST) :for Aluminium/Steel boat 超级薄款型(ST): 适合铝合金船/玻璃钢船/壁厚较薄的房车		
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Suitable Hull Thickness (mm) 适合壁厚	
ALS375x375	375x375	310x310xR45	33-55	3-23
ALS425x425	425x425	360x360xR45	33-55	3-23
ALS475x475	475x475	410x410xR45	33-55	3-23
ALS525x525	525x525	460x460xR45	33-55	3-23
ALS575x575	575x575	510x510xR45	33-55	3-23
ALS625x625	625x625	560x560xR45	33-55	3-23
ALS675x675	675x675	610x610xR45	33-55	3-23




Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S): 适合玻璃钢船/木船/各类房车		Super Thin Model (ST) :for Aluminium/Steel boat 超级薄款型(ST): 适合铝合金船/玻璃钢船/壁厚较薄的房车	
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	
ALS-D425	D425	D360	
ALS-D475	D475	D410	
ALS-D525	D525	D460	
ALS-D575	D575	D510	
ALS-D625	D625	D560	
ALS-D675	D675	D610	



Standard Model (S) :for FRP/GRP/WOOD boat
标准型(S): 适合玻璃钢船/木船/各类房车

Super Thin Model (ST) :for Aluminium/Steel boat
超级薄款型(ST): 适合铝合金船/玻璃钢船/壁厚较薄的房车


Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸
ALS-S	650x540	580x470
ALS-M	578x640	513x575
ALS-B	577x695	508x626



Standard Model (S) :for FRP/GRP/WOOD boat
标准型(S): 适合玻璃钢船/木船/各类房车

Super Thin Model (ST) :for Aluminium/Steel boat
超级薄款型(ST): 适合铝合金船/玻璃钢船/壁厚较薄的房车

Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Suitable Hull Thickness (mm) 适合壁厚
ALS425x525	425x525	360x460xR45	33-55 3-23
ALS425x575	425x575	360x510xR45	33-55 3-23
ALS425x625	425x625	360x560xR45	33-55 3-23
ALS425x675	425x675	360x610xR45	33-55 3-23
ALS475x575	475x575	410x510xR45	33-55 3-23
ALS475x625	475x625	410x560xR45	33-55 3-23
ALS475x675	475x675	410x610xR45	33-55 3-23
ALS525x625	525x625	460x560xR45	33-55 3-23
ALS525x675	525x675	460x610xR45	33-55 3-23
ALS575x675	575x675	510x610xR45	33-55 3-23



Standard Model (S) :for FRP/GRP/WOOD boat
标准型(S): 适合玻璃钢船/木船/各类房车

Super Thin Model (ST) :for Aluminium/Steel boat
超级薄款型(ST): 适合铝合金船/玻璃钢船/壁厚较薄的房车

Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Suitable Hull Thickness (mm) 适合壁厚
ALS-FH350x350	350x350	300x300xR75	23-50 3-23
ALS-FH400x400	400x400	350x350xR75	28-50 3-23
ALS-FH450x450	450x450	400x400xR75	28-50 3-23
ALS-FH500x500	500x500	450x450xR75	28-50 3-23
ALS-FH550x550	550x550	500x500xR75	28-50 3-23





CARGO HOOK

LARGE EYE CRANE HOOK
大眼货钩



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6101-0.2	0.2T	18	92	18	7	200	0.091
ALS6101-0.3	0.3T	19	102	17	7.5	300	0.127
ALS6101-0.5	0.5T	28	119	17	9.5	500	0.210

SWIVEL EYE CRANE HOOK
圈式旋转货钩



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6102-150	3/16"	15.8	17.6	11	90	150	0.082
ALS6102-350	1/4"	22	23.9	16.9	114	350	0.155
ALS6102-650	5/16"	27	26.7	20.5	138	650	0.237
ALS6102-1000	3/8"	28	32.8	23.5	158	1000	0.436
ALS6102-1500	1/2"	36	37.8	31	190	1500	0.711

SWIBEL JAW CRANE HOOK
叉式旋转货钩




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6103-150	3/16"	9.5	17.6	11	90	150	0.090
ALS6103-350	1/4"	12.5	24	16.9	114	350	0.167
ALS6103-650	5/16"	15	26	20.5	138	650	0.259
ALS6103-1000	3/8"	17.5	32.8	23	158	1000	0.456
ALS6103-1500	1/2"	36	37.8	31	190	1500	0.748

S320 CRANE HOOK
S320 货钩



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6104-0.5	0.5T	16.5	90	16	8	500	0.111
ALS6104-0.75	0.75T	18.5	101.5	18.5	9	750	0.204
ALS6104-1	1.0T	23	114.5	21	11	1000	0.286
ALS6104-1.5	1.5T	28	129.5	21.5	12	1500	0.418
ALS6104-2	2.0T	32	153	26	15	2000	0.656
ALS6104-3	3.0T	38	182	31.5	17.5	3000	1.257

CRANE HOOK WITH LATCH
羊角滑钩



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WT(kg)
ALS6105-0.5	1/4"	99	22	14.5	11	10	0.218
ALS6105-0.7	5/16"	113.5	25	18.5	12.5	12	0.328
ALS6105-0.9	3/8"	129.5	28	22	14.5	14	0.468
ALS6105-1.5	1/2"	155.5	33.5	27	16	16	0.778

QUICK RELEASE HOOK
释放钩



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WT(kg)
ALS6109-4	4"	100	20	10	9	4.5	23	0.090

OVAL SWIVEL SNAP HOOK
椭圆环单头钩



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6201-1	3/8"65	11.5	3.5	9	65	30	0.022
ALS6201-2	1/2"72	13.5	4	9.5	72	50	0.029
ALS6201-3	5/8"82	17.5	4.5	10	82	100	0.042
ALS6201-4	3/4"91	21.5	5	11.5	91	120	0.048
ALS6201-5	1"100	26.5	5.5	12	100	150	0.062
ALS6201-6	1-1/4"126	34	6	14	126	180	0.099

ROUND RING SWIVEL SNAP HOOK
圆环单头钩



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6202-1	1/2"63	14.5	3.5	9	63	30	0.022
ALS6202-2	5/8"71	17.5	4	9.5	71	50	0.029
ALS6202-3	3/4"81	22	4.5	10	81	100	0.042
ALS6202-4	1"90	26	5	11	90	120	0.048
ALS6202-5	1-1/8"97	29	5.5	12	97	150	0.061
ALS6202-6	1-1/4"119	34.5	6	14	119	180	0.095

SQUARE RING SWIVEL SNAP HOOK
方环单头钩



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6203-1	5/8"59	17.5	3.5	9	59	30	0.022
ALS6203-2	3/4"66	23.5	4	9.5	66	50	0.029
ALS6203-3	1"73	25.5	4.5	10	73	100	0.042
ALS6203-4	1-1/8"80	31.5	5	11	80	120	0.049
ALS6203-5	1-1/4"85	36.5	5.5	12	85	150	0.061
ALS6203-6	1-1/2"105	42.5	6	14	105	180	0.099

DOUBLE END SNAP HOOK
双头钩



Code	Size	Amm	Bmm	WLL(kg)	WT(kg)
ALS6204-65	65mm	65	7.5	30	0.030
ALS6204-76	76mm	76	8.5	40	0.040
ALS6204-90	90mm	90	10	50	0.060
ALS6204-100	100mm	100	10	90	0.070
ALS6204-115	115mm	115	12	110	0.098

EGG SHAPE SPRING HOOK
蛋形钩



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WLL(kg)	WT(kg)
ALS6205-40	40mm	40	19	2	5.8	8.2	8.8	80	0.012
ALS6205-50	50mm	50	24	2.2	8.3	11.9	11.5	100	0.023
ALS6205-70	70mm	70	33	2.6	9.8	14.5	15.5	300	0.054
ALS6205-100	100mm	100	49	3.5	15.6	21.4	22.7	500	0.138

SWIVEL SNAP HOOK
万向钩

Code	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
ALS6206-0	69	6.5	16	50	0.030
ALS6206-1	88	9	19	70	0.063
ALS6206-2	101	14	21	120	0.092
ALS6206-3	121	16	27	150	0.145



FIXED EYE SNAP HOOK
固定弹簧钩

Code	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6207-0	53	10	7	4	50	0.020
ALS6207-1	72	16	12	5	70	0.038
ALS6207-2	83	19	13	6	120	0.059
ALS6207-3	100	22	14	7	150	0.114



SQUARE SPRING SNAP HOOK
简易方环万向钩



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6208-1	1"65	66	27	4.2	9	12	60	0.028

BULL SWIVEL SNAP HOOK
牛头钩



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6209-1	1*100	100	17.5	155	27	7	300	0.152

QUICK LINK
快速连接环



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6210-3.5	3.5mm	29	10	5	3.5	80	0.008
ALS6210-4	4mm	32	11.5	5.5	3.8	250	0.013
ALS6210-5	5mm	39	13	6.5	6.5	325	0.021
ALS6210-6	6mm	46	14.5	7.5	7.5	400	0.033
ALS6210-7	7mm	51	16.5	8.5	8.5	600	0.054
ALS6210-8	8mm	59	17.5	10.5	10.5	700	0.076
ALS6210-9	9mm	64	18	11.5	11.5	1000	0.104
ALS6210-10	10mm	70	20.5	12.5	12.5	1150	0.136
ALS6210-11	11mm	78	23	14	14	1200	0.216
ALS6210-12	12mm	83	24	14.5	14.5	1250	0.242
ALS6210-14	14mm	97	26.5	17	17	1400	0.352

CARABINER HOOK
登山扣



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6211-4	4X40	40	6.5	6	3.8	40	0.008
ALS6211-5	5X50	50	8	7	4.8	50	0.016
ALS6211-6	6X60	60	9	8	5.8	70	0.026
ALS6211-7	7X70	70	10.5	8	6.8	100	0.042
ALS6211-8	8X80	80	12	9	7.8	125	0.065
ALS6211-9	9X90	90	13	10	8.8	140	0.093
ALS6211-10	10X100	100	15	12	9.8	200	0.125
ALS6211-11	11X120	120	18	16	10.8	250	0.178
ALS6211-12	12X140	140	20	19	11.8	300	0.248
ALS6211-13	13X160	160	22	25	12.8	350	0.352
ALS6211-14	14X180	180	22	35	13.8	450	0.505

CARABINER HOOK WITH LOCK NUT
带螺母登山扣



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6212-4	4X40	40	6.5	6	3.8	40	0.009
ALS6212-5	5X50	50	8	7	4.8	50	0.018
ALS6212-6	6X60	60	9	8	5.8	70	0.029
ALS6212-7	7X70	70	10.5	8	6.8	100	0.047
ALS6212-8	8X80	80	12	9	7.8	125	0.068
ALS6212-9	9X90	90	13	10	8.8	140	0.098
ALS6212-10	10X100	100	15	12	9.8	200	0.135
ALS6212-11	11X120	120	18	16	10.8	250	0.189
ALS6212-12	12X140	140	20	19	11.8	300	0.269
ALS6212-13	13X160	160	22	25	12.8	350	0.365
ALS6212-14	14X180	180	22	35	13.8	450	0.515


Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6213-4	4X40	40	5	6	3.8	40	0.009
ALS6213-5	5X50	50	6.5	7	4.8	50	0.018
ALS6213-6	6X60	60	7.5	8	5.8	70	0.029
ALS6213-7	7X70	70	9	8	6.8	100	0.047
ALS6213-8	8X80	80	10	9	7.8	125	0.068
ALS6213-9	9X90	90	11	10	8.8	140	0.096
ALS6213-10	10X100	100	13	12	9.8	200	0.135
ALS6213-11	11X120	120	15	16	10.8	250	0.189
ALS6213-12	12X140	140	18	19	11.8	300	0.269
ALS6213-13	13X160	160	20	25	12.8	350	0.365
ALS6213-14	14X180	182	22	35	13.8	450	0.515

CARABINER HOOK WITH EYELET
带圈登山扣



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WLL(kg)	WT(kg)
ALS6215-6	6X60	60	32	14	5.8	2.6	9	70	0.028
ALS6215-8	8X80	80	45	18	7.8	3	12	125	0.068
ALS6215-10	10X100	100	57	23	9.8	4	15	200	0.137
ALS6215-12	12X120	120	68	28	11.8	4.4	18	300	0.299
ALS6215-14	14X140	140	79	32	13.8	4.4	21	450	0.357
ALS6215-16	16X160	160	91	37	15.8	5	24	800	0.532
ALS6215-18	18X180	180	102	47	17.8	5	27	1000	0.742
ALS6215-20	20X200	200	120	59	19.8	5	29	1200	1.011

TRIGGER SWIVEL SNAP HOOK
剪刀钩



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6216-12	1/2*65	65	15.5	10.5	4.2	7	90	0.018



TRIGGER SWIVEL SNAP HOOK
剪刀钩

Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)
ALS6217-35	35mm	35	14.5	7	6.5	1.6	0.008

TRIGGER SEIVEL SNAP HOOK
简易方环万向钩



Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm
ALS6218-4	4	40	11	1.7	7	32
ALS6218-5	5	50	13	2.0	9	44
ALS6218-6	6	58	16	2.5	10	44
ALS6218-8	8	63	17	3.6	13	47
ALS6218-10	10	77	22	4.6	16.5	51

TRIGGER SEIVEL SNAP HOOK
简易方环万向钩



DIAMOND EYE PLATE
菱形门扣



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WT(kg)
ALS6301-5	5mm	36	60	21	2.5	14	5	0.029
ALS6301-6	6mm	40	65	26	2.5	16	6	0.038
ALS6301-8	8mm	50	80	32	3	20	8	0.069
ALS6301-10	10mm	60	100	38	3	26	10	0.120

SQUARE EYE PLATE
方形门扣



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WT(kg)
ALS6302-5	5mm	30	35	21	2.5	14	5	0.029
ALS6302-6	6mm	35	40	26	2.5	16	6	0.035
ALS6302-8	8mm	40	50	32	3	20	8	0.068

ROUND EYE PLATE
圆形门扣



Code	Size	Amm	Cmm	Dmm	Emm	Fmm	WT(kg)
ALS6303-5	5mm	33	21	2.5	14	5	0.019
ALS6303-6	6mm	40	26	2.5	16	6	0.038
ALS6303-8	8mm	50	32	3	20	8	0.068

OBLONG EYE PLATE
椭圆形门扣



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WT(kg)
ALS6304-5	5mm	15	45	21	2.5	14	5	0.017
ALS6304-6	6mm	20	60	26	2.5	16	6	0.033
ALS6304-8	8mm	25	80	32	3	20	8	0.064

DIAMOND EYE PLATE WITH RING
带圆环菱形门扣



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	L mm	WT(kg)
ALS6305-5	5mm	36	60	21	2.5	14	5	30	0.046
ALS6305-6	6mm	40	65	26	2.5	16	6	35	0.067
ALS6305-8	8mm	50	80	32	3	20	8	45	0.135
ALS6305-10	10mm	60	100	38	3	26	10	50	0.236

SQUARE EYE PLATE WITH RING
带圆环方形门扣



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	L mm	WT(kg)
ALS6306-5	5mm	30	35	21	2.5	14	5	30	0.038
ALS6306-6	6mm	35	40	26	2.5	16	6	35	0.064
ALS6306-8	8mm	40	50	32	3	20	8	45	0.134

ROUND EYE PLATE WITH RING
带圆环圆形门扣



Code	Size	Amm	Cmm	Dmm	Emm	Fmm	L mm	WT(kg)
ALS6307-5	5mm	33	21	2.5	14	5	30	0.036
ALS6307-6	6mm	40	26	2.5	16	6	35	0.068
ALS6307-8	8mm	50	32	3	20	8	45	0.135

OBLONG EYE PLATE WITH RING
带圆环椭圆形门扣



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	L mm	WT(kg)
ALS6308-5	5mm	15	45	21	2.5	14	5	30	0.034
ALS6308-6	6mm	20	60	26	2.5	16	6	35	0.062
ALS6308-8	8mm	25	80	32	3	20	8	45	0.131

FIXED EYE SNAP SHACKLE
固定弹簧卸扣



Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
ALS6401-35	35mm	12.5	7.5	35	100	0.013
ALS6401-52	52mm	17	11	52	450	0.043
ALS6401-69	69mm	21.5	15.5	69	650	0.085
ALS6401-96	96mm	28	19	96	950	0.209

SWIVEL EYE SNAP SHACKLE
圈式旋转弹簧卸扣



Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
ALS6402-70	70mm	16	12.5	70	450	0.057
ALS6402-87	87mm	20	16.5	87	650	0.111
ALS6402-128	128mm	28	23.5	128	950	0.297

SWIVEL JAW SNAP SHACKLE
叉式旋转弹簧卸扣



Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
ALS6403-70	70mm	15.5	10	70	450	0.063
ALS6403-87	87mm	20	13	87	650	0.145
ALS6403-128	128mm	28	20	120	950	0.339

ROUND SWIVEL SNAP SHACKLE
圆环旋转弹簧卸扣



Code	Size	Amm	Bmm	WLL(kg)	WT(kg)
ALS6404-20	20x65	14	21	270	0.041
ALS6404-25	25x76	15	26	340	0.071

PELICAN SHACKLE
枪式弹簧卸扣




Code	Size	Amm	Bmm	Cmm	WT(kg)
ALS6405-6	M6	77.5	14	11	0.068
ALS6405-8	M8	104.5	16	13.5	0.131
ALS6405-10	M10	126	19	15.5	0.216

KEY PIN SHACKLE
钥匙销卸扣



Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
ALS6406-5	5mm	13	40	5	100	0.029
ALS6406-6	6mm	15	42	6	150	0.051
ALS6406-8	8mm	21.5	61	8	250	0.111

KEY PIN SHACKLE WITH BAR
带档钥匙销卸扣



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6407-5	5mm	13	12.5	40	5	100	0.035
ALS6407-6	6mm	15	15	42	6	150	0.062
ALS6407-8	8mm	21.5	21.5	61	8	250	0.122

KEY PIN SHACKLE WITH BAR
带档钥匙销卸扣



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6414-4	3/16**6	4.8	9.5	22	6	350	0.02
ALS6414-6	1/4**8	6.2	11.5	28.5	7.8	500	0.038
ALS6414-8	1/16**10	8	13	30.5	9	750	0.073
ALS6414-10	3/8**12	9.3	16.5	36.5	11	1000	0.138
ALS6414-11	7/16**14	11	19	42.5	12.5	1500	0.19
ALS6414-12	1/2**16	12.5	20	47.5	15.5	2000	0.31
ALS6414-16	5/8**20	15.8	26.5	60	19	3250	0.62
ALS6414-20	3/4**22	19	31.5	71	22	4750	0.97
ALS6414-22	7/8**24	22	36.5	84	25	6500	1.37
ALS6414-25	1**28	25.2	42.6	95	28	8500	2.08

JIS TYPE D SHACKLE
日式D形卸扣



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6408-4	4mm	4	8	14	4	24	0.008
ALS6408-5	5mm	5	10	17.5	5	30	0.016
ALS6408-6	6mm	6	12	21	6	35	0.025
ALS6408-8	8mm	8	16	28	8	13.5	0.054
ALS6408-10	10mm	10	20	35	10	56	0.109
ALS6408-12	12mm	12	24	45.5	12	66	0.185
ALS6408-14	14mm	14	28	49	14	75.5	0.290
ALS6408-16	16mm	16	32	56	16	88	0.433
ALS6408-18	18mm	18	36	63	18	99.5	0.638
ALS6408-20	20mm	20	40	70	20	109	0.850
ALS6408-22	22mm	22	44	77	22	120	1.160
ALS6408-24	24mm	24	50	84	24	135	1.537
ALS6408-28	28mm	28	56	98	28	148	2.360



EU TYPE D SHACKLE
欧式D形卸扣



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6409-4	4mm	4	8	16	4	60	0.008
ALS6409-5	5mm	5	10	20	5	80	0.016
ALS6409-6	6mm	6	12	24	6	100	0.025
ALS6409-8	8mm	8	16	32	8	200	0.059
ALS6409-10	10mm	10	20	40	10	320	0.115
ALS6409-12	12mm	12	24	48	12	520	0.198
ALS6409-14	14mm	14	28	56	14	700	0.306
ALS6409-16	16mm	16	32	64	16	800	0.461
ALS6409-18	18mm	18	36	72	18	950	0.672
ALS6409-20	20mm	20	40	80	20	1100	0.875
ALS6409-22	22mm	22	44	90	22	1500	1.257
ALS6409-24	24mm	24	50	96	24	2100	1.655
ALS6409-28	28mm	28	56	112	28	3000	2.496

EU TYPE BOW SHACKLE
欧式弓形卸扣



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WLL(kg)	WT(kg)
ALS6410-4	4mm	4	12	8	16	4	24	60	0.008
ALS6410-5	5mm	5	17	10	20	5	30	80	0.016
ALS6410-6	6mm	6	20	12	24	6	35	100	0.026
ALS6410-8	8mm	8	27	16	32	8	44.5	200	0.061
ALS6410-10	10mm	10	33	20	40	10	56	320	0.117
ALS6410-12	12mm	12	39	24	48	12	66	520	0.208
ALS6410-14	14mm	14	46.5	28	56	14	75.5	700	0.317
ALS6410-16	16mm	16	52.5	32	64	16	85.5	800	0.480
ALS6410-18	18mm	18	62	36	72	18	97	950	0.696
ALS6410-20	20mm	20	65	40	80	20	110	1100	0.933
ALS6410-22	22mm	22	76	44	90	22	119	1500	1.223
ALS6410-24	24mm	24	79.5	50	96	24	136	2100	1.693
ALS6410-28	28mm	28	89	56	112	28	148	3000	2.660


LONG D SHACKLE
长D卸扣



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6411-4	4mm	4	8	30	4	24	70	0.015
ALS6411-5	5mm	5	10	37.5	5	30	140	0.018
ALS6411-6	6mm	6	12	45	6	35	230	0.031
ALS6411-8	8mm	8	16	60	8	43.5	340	0.077
ALS6411-10	10mm	10	20	75	10	56	700	0.157
ALS6411-12	12mm	12	24	90	12	66	1200	0.251



TWISTED SHACKLE
扭体卸扣



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6412-4	4mm	4	4	8	22	90	0.015
ALS6412-5	5mm	5	5	10	27.5	120	0.018
ALS6412-6	6mm	6	6	12	33	175	0.031
ALS6412-8	8mm	8	8	16	44	300	0.077
ALS6412-10	10mm	10	10	20	55	580	0.157
ALS6412-12	12mm	12	12	24	66	700	0.254

EYE&EYE END SWIVEL
圈圈旋转环



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6501-4	4mm	48	11.8	9.8	3.8	80	0.020
ALS6501-5	5mm	60	13.8	14.5	4.8	100	0.034
ALS6501-6	6mm	68	15.8	16.8	5.5	150	0.048
ALS6501-8	8mm	88	20	21	7.4	300	0.111
ALS6501-10	10mm	107	23	26	9.3	500	0.202
ALS6501-12	12mm	122	25	27	11.2	1000	0.325
ALS6501-14	14mm	145	31.8	33.2	12	1200	0.518
ALS6501-16	16mm	175	38	44	15	1500	0.810
ALS6501-20	20mm	203	44	47.8	18.8	2100	1.480

EYE&EYE END SWIVEL
圈叉旋转环



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	WLL(kg)	WT(kg)
ALS6502-4	4mm	50	11.8	9.8	3.8	8	10.5	3.8	80	0.022
ALS6502-5	5mm	60	13.8	14.5	4.8	10	11	4.8	100	0.038
ALS6502-6	6mm	66.5	15.8	16.8	5.5	12	11.5	5.8	150	0.056
ALS6502-8	8mm	88	20	21	7.4	16	17	7.8	300	0.129
ALS6502-10	10mm	106	23	26	9.3	20	19	9.8	500	0.238
ALS6502-12	12mm	124	25	27	11.2	24	22	11.8	1000	0.372
ALS6502-14	14mm	145	31.8	33.2	12	28	26	13.8	1500	0.600
ALS6502-16	16mm	179	38	44	15	32	38	15.8	1500	0.940
ALS6502-20	20mm	203	44	47.8	18.8	40	38	19.8	2100	1.710


JAW&JAW END SWIVEL
叉叉旋转环



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6503-4	4mm	51	8	10.5	3.8	3.8	80	0.025
ALS6503-5	5mm	60	10	11	4.8	4.8	100	0.041
ALS6503-6	6mm	65.5	12	11.5	5.8	5.5	150	0.062
ALS6503-8	8mm	88.5	16	17	7.8	7.4	300	0.144
ALS6503-10	10mm	106.5	20	19	9.8	9.3	500	0.281
ALS6503-12	12mm	124	24	22	11.8	11.2	1000	0.438
ALS6503-14	14mm	143	28	26	13.8	13	1500	0.671
ALS6503-16	16mm	182	32	38	15.8	15	1500	1.071
ALS6503-20	20mm	205	40	38	19.8	18.8	2100	1.828




DIN589 EYE SCREW
DIN580 吊环螺丝




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6701-6	M6	16	16	6	11	39	70	0.020
ALS6701-8	M8	19.5	19.5	7.6	14	49	140	0.045
ALS6701-10	M10	24.5	24.5	9.4	17	59.5	230	0.086
ALS6701-12	M12	29	29	11.5	22	73	340	0.148
ALS6701-16	M16	35	34	13.6	26.5	86.5	700	0.255
ALS6701-20	M20	40	38.5	15.3	29.5	96.5	1200	0.378
ALS6701-24	M24	50	50	20	37.5	127	1800	0.780

DIN582 EYE NUT
DIN528吊环螺母




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6702-6	M6	16	16	6	28	70	0.020
ALS6702-8	M8	19.5	20	8	35	140	0.043
ALS6702-10	M10	24.5	24.5	9.4	42.5	230	0.076
ALS6702-12	M12	29	29	11.5	51.5	340	0.130
ALS6702-16	M16	35	35	13.6	61.5	700	0.210
ALS6702-20	M20	40	39	15.3	70.5	1200	0.310
ALS6702-24	M24	50	49	19.3	88	1800	0.700

JIS1168 EYE SCREW
JIS1168 日式吊环螺丝



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6703-3	M3	7	7	3	9	23	20	0.003
ALS6703-4	M4	10	10	4	11	29	30	0.007
ALS6703-5	M5	13	11.5	5	11.5	35	40	0.013
ALS6703-6	M6	16.5	12	5	14	41	50	0.015
ALS6703-8	M8	20	15	5.7	15	47	80	0.026
ALS6703-10	M10	25	19	7	18	58	150	0.052
ALS6703-12	M12	30	22.5	9	21	69	220	0.094
ALS6703-16	M16	36	28	11	27	87	450	0.179
ALS6703-20	M20	40	32	15	31	101	630	0.334
ALS6703-24	M24	50	41	18	36	122	950	0.638

JIS1169 EYE NUT
JIS1169 日式吊环螺母



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6704-6	M6	16.5	12	5	31	50	0.015
ALS6704-8	M8	20	15	5.7	39	80	0.025
ALS6704-10	M10	25	19	7	47.5	150	0.050
ALS6704-12	M12	30	22.5	9	57.5	220	0.093
ALS6704-16	M16	36	28	11	68	450	0.164
ALS6704-20	M20	40	32	15	78	630	0.291
ALS6704-24	M24	50	41	18	102	950	0.573

HX LONG EYE BOLT
HX长吊环螺栓



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6705-6	M6X60	85	60	55	13	80	0.025
ALS6705-8	M8X80	111	80	75	15	150	0.058
ALS6705-10	M10X100	137	100	85	17	250	0.120

EUTOPEAM OPEN BODY TURNBUCKLE (HOOK&EYE)
欧式开体花兰 (钩圈型)

Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
ALS6801-4	M4	58	8	7	25	0.022
ALS6801-5	M5	70	9	8	40	0.035
ALS6801-6	M6	90	10	9	100	0.063
ALS6801-8	M8	120	14	13	200	0.135
ALS6801-10	M10	150	16	15	300	0.242
ALS6801-12	M12	200	18	15	500	0.467
ALS6801-16	M16	250	21	20	800	0.984
ALS6801-20	M20	300	25	22	1200	1.989



EUTOPEAM OPEN BODY TURNBUCKLE (HOOK&EYE)
欧式开体花兰 (钩圈型)

Code	Size	Amm	Cmm	WLL(kg)	WT(kg)
ALS6802-4	M4	58	7	25	0.022
ALS6802-5	M5	70	8	40	0.035
ALS6802-6	M6	90	9	100	0.063
ALS6802-8	M8	120	13	200	0.135
ALS6802-10	M10	150	15	300	0.242
ALS6802-12	M12	200	15	500	0.467
ALS6802-16	M16	250	20	800	0.984
ALS6802-20	M20	300	22	1200	1.989



EUTOPEAM OPEN BODY TURNBUCKLE (HOOK&EYE)
欧式开体花兰 (圈圈型)

Code	Size	Amm	Bmm	WLL(kg)	WT(kg)
ALS6803-4	M4	58	8	25	0.022
ALS6803-5	M5	70	9	40	0.035
ALS6803-6	M6	90	10	100	0.063
ALS6803-8	M8	120	14	200	0.135
ALS6803-10	M10	150	16	300	0.242
ALS6803-12	M12	200	18	500	0.467
ALS6803-16	M16	250	21	800	0.984
ALS6803-20	M20	300	25	1200	1.989





EUROPEAN TYPE CLOSED BODY TURNBUCKLE(JAW&JAW)
欧式封闭花兰 (叉叉型)



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6804-5	M5	7.5	7.5	5	10	250	0.052
ALS6804-6	M6	8	8	6	10	350	0.083
ALS6804-8	M8	11	11	8	11.5	700	0.154
ALS6804-10	M10	12	12	9	14	1000	0.279
ALS6804-12	M12	15	15	12	21	1500	0.475
ALS6804-14	M14	15	15	14	21	1600	0.633
ALS6804-16	M16	17.5	17.5	16	26	2300	1.090
ALS6804-20	M20	19.5	19.5	19	29	3000	1.784

CAM BUKLE
织带扣



Code	Size	Amm	Bmm	Cmm	WT(kg)
ALS7001-25	25mm	50.5	25.5	14.3	0.068

CAM BUKLE PLATE
织带压板



Code	Size	Amm	Bmm	Cmm	WT(kg)
ALS7002-25	25mm	65.8	25.5	5.8	0.045

EUROPEAN THIMBLE
欧式套环



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WT(kg)
ALS7201-2	2mm	2	0.8	7	12	17	0.001
ALS7201-2.5	2.5mm	2.5	0.8	8	13	20	0.002
ALS7201-3	3mm	3	0.8	10	15	22	0.002
ALS7201-4	4mm	4	1	11	17	24	0.004
ALS7201-5	5mm	5	1	13	20	30	0.005
ALS7201-6	6mm	6	1	15	23	35	0.007
ALS7201-7	7mm	7	1	15	25	40	0.011
ALS7201-8	8mm	8	1.2	18	28	44	0.017
ALS7201-10	10mm	10	1.2	23	35	57	0.038
ALS7201-12	12mm	12	1.5	27	40	65	0.048
ALS7201-14	14mm	14	2	34	50	72	0.068
ALS7201-16	16mm	16	2	38	58	76	0.083
ALS7201-18	18mm	18	2	40	62	87	0.104
ALS7201-20	20mm	20	2	45	71	100	0.133
ALS7201-22	22mm	22	2	52	80	110	0.160
ALS7201-24	24mm	24	2	56	90	120	0.270




PIPE THIMBLE
管式套环



Code	Size	Amm	Bmm	Cmm	Dmm	WT(kg)
ALS7202-6	6mm	6.5	16	43	1.5	0.021
ALS7202-8	8mm	8.5	17	48	1.5	0.027
ALS7202-10	10mm	10.5	20	60	1.9	0.061
ALS7202-12	12mm	12.5	22	70	1.9	0.083
ALS7202-15	15mm	15.5	25	82	2.1	0.138


DIN741 WIRE ROPE CLIP
DIN74 卡头

Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Mmm	WT(kg)
ALS7301-2	2	17	9.5	9.5	7	21	M3	0.008
ALS7301-3	3	21	10	10	9	21	M4	0.011
ALS7301-4	4	21	10	10	9	23.5	M4	0.012
ALS7301-5	5	23	10	10	10	26	M5	0.016
ALS7301-6	6	25	11.5	11.5	13	29	M5	0.021
ALS7301-8	8	29	13	14	15.5	33	M6	0.034
ALS7301-10	10	33	15	16.5	19.5	43	M8	0.065
ALS7301-12	12	40	18	18	23	50	M10	0.093
ALS7301-16	16	49	24.5	25	28	65	M12	0.220
ALS7301-20	20	53	27.5	30	32	77	M12	0.281




US MALLEABLE CLIP
美式玛钢型卡

Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Mmm	WT(kg)
ALS7302-2	1/16	17	11	9.5	7.5	18.5	M3	0.015
ALS7302-3	1/8	21.5	13	11.5	11	25	M5	0.015
ALS7302-5	3/16	26.5	15	13	14.5	31	M6	0.030
ALS7302-6	1/4	31.5	18	15	17	40	M8	0.055
ALS7302-8	5/16	33.5	18	15.5	18.5	43	M8	0.062
ALS7302-10	3/8	40	20	22	22.5	51	M10	0.118
ALS7302-12	1/2	49.5	24.5	22.5	26.5	67	M12	0.198
ALS7302-16	5/8	56.5	26	28	32.5	72	M12	0.251
ALS7302-20	3/4	59.5	30.5	33.5	34	84	M14	0.368



DIN741 WIRE ROPE CLIP
DIN74 卡头

Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Mmm	WT(kg)
ALS7303-2	2	15	12	9	8	20	M3	0.006
ALS7303-3	3	16	14	12	8	21	M3	0.009
ALS7303-4	4	17	15.5	11.5	8	22	M4	0.018
ALS7303-5	5	23	18.5	14	12	28.5	M5	0.024
ALS7303-6	6	27	20.5	17	14.5	33	M6	0.037
ALS7303-8	8	33.5	27	20	17.5	40	M8	0.083
ALS7303-10	10	43	33.5	23	21	50	M10	0.147
ALS7303-12	12	49.5	37.5	26.5	25.5	64	M12	0.227
ALS7303-16	16	59	45	36.5	32	70	M14	0.407





YACHT SEAT

DELUXE FLIP UP SEAT
豪华翻转座椅



Code	Color	Size	Wight
ALS-S101	Blue/White	24.5"x20"x15"	9.5kg

DELUXE FLIP UP SEAT
豪华翻转座椅



Code	Color	Size	Wight
ALS-S102	Light Gray/Dark Gray	24.5"x20"x15"	9.5kg

OCEAN COMFORT SEAT
海洋舒适座椅



Code	Color	Size	Wight
ALS-S103	White/Gray	21.2"x 23"x 23"	7.85kg

PU YACHT SEAT
PU游艇座椅



Code	Color	Size	Wight
ALS-S104	White/Blue	60x50x60cm	13.3kg

DELUXE UPHOLSTERED
豪华软垫



Code	Color	Size	Wight
ALS-S105	White	19" x 20" x 24"	9.5kg

FLIP BACK SEAT
翻转后座椅



Code	Color	Size	Wight
ALS-S106	White/Blue	23" x 24" x 23"	14.05kg



Stern Drive	Outboard engine	OEM part No.	Blades	Diameter	Pitch	R
	2HP	6F8-45942-01-EL	3	7-1/4"	5"	A
	Plastic	6F8-45942-01-EL	3	7-1/4"	5"	A
	2.5-6HP 9 Tooth Spine & thru Hub Exhaust	646-45942-01-EL	3	7-1/4"	5-1/2"	BL
		6L5-45943-01-EL	3	7-1/4"	6"	BS
		624-45943-01-EL	3	7-1/2"	4"	B
		6E0-45943-01-EL	3	7-1/2"	7"	BA
		6E0-45941-01-EL	3	7-1/2"	8"	BA
	Plastic	6F8-45942-01-EL	3	7-1/2"	8"	BA
	6-8HP 7 Tooth Spine & thru Hub Exhaust	6G1-45943-00-EL	3	8-1/2"	7-1/2"	N
		6G1-45941-00-EL	3	8-1/2"	8-1/2"	N
	8HP Pin Drive	647-45943-00-EL	3	9"	7"	C
		665-45943-00-EL	3	9"	7-1/2"	C
		683-W4591-02-EL	3	9-3/4"	6-1/2"	C
		647-45941-00-EL	3	9-1/4"	9-1/4"	C

Stern Drive	Outboard engine	OEM part No.	Blades	Diameter	Pitch	R
	9.9-15HP,20HP 8 Tooth Spine & thru Hub Exhaust	683-45947-00-EL	3	9-1/4"	8"	J
		683-45945-00-EL	3	9-1/4"	9"	J
		683-45943-00-EL	3	9-1/4"	10-1/2"	J
		63V-45947-00-EL	3	9-1/4"	8"	J
		63V-45945-10-EL	3	9-1/4"	9"	J
		63V-45952-00-EL	3	9-1/4"	10"	J
		626-45943-02-EL	3	9-1/4"	10-3/4"	D
		63V-45943-00-EL	3	9-1/4"	11"	J
		683-45941-00-EL	3	9-1/4"	12"	J
		69G-45943-00-00	3	11-3/4"	7"	J
	25-30HP(4 Stroke) 10 Tooth Spine & thru Hub Exhaust	664-45943-01-EL	3	9-7/8"	8"	F
		664-45941-01-EL	3	9-7/8"	9"	F
		664-45945-00-EL	3	9-7/8"	10-1/2"	F
		664-45947-01-EL	3	9-7/8"	11-1/4"	F
		664-45954-00-EL	3	9-7/8"	12"	F
		664-45949-02-EL	3	9-7/8"	13"	F
		664-45952-00-EL	3	9-7/8"	14"	F
	40-55HP 13 Tooth Spine & thru Hub Exhaust	6H5-45952-00-EL	3	10-5/8"	12"	G
		6H5-45945-00-EL	3	10-3/8"	13"	G
		-	3	10-7/8"	11"	G
		-	3	10"	17"	G
		663-45947-02-EL	3	11-5/8"	11"	G
		663-45952-02-EL	3	11-3/8"	12"	G
		663-45945-02-EL	3	11-1/8"	13"	G
		663-45958-00-EL	3	11-1/8"	14"	G
		663-45958-01-EL	3	11-1/4"	14"	G
		663-45954-01-EL	3	11-3/4"	10"	G
		663-45943-01-EL	3	11"	15"	G
		663-45956-01-EL	3	12-1/4"	9"	G



Stern Drive	Outboard engine	OEM part No.	Blades	Diameter	Pitch	R
	40HP Pin Drive	676-45956-61-EL	3	11-3/4"	7-1/2"	H
		676-45945-62-EL	3	11-3/4"	10"	H
		676-45941-62-EL	3	11-1/2"	11"	H
		676-45943-62-EL	3	11-1/2"	12"	H
	60-115HP 15 Tooth Spine & thru Hub Exhaust	6E545949-00-EL	3	13-5/8"	13"	K
		388-45932-60-98	3	13-1/2"	14"	K
		6E5-45947-00-EL	3	13-1/2"	15"	K
		68V-45941-00-00	3	13-1/2"	17"	K
		6E5-45945-01-EL	3	13-1/4"	17"	K
		6E5-45943-00-EL	3	12-5/8"	21"	K
		6E5-45941-00-EL	3	13"	19"	K
		6E545954-00-EL	3	14"	11"	K
	150-250HP 15 Tooth Spine & thru Hub Exhaust	-	4	13"	17"	K
		-	4	13.4"	15"	K
	150-400HP 15 Tooth Spine & thru Hub Exhaust	6G5-45947-01-98	3	14-1/2"	17"	M
		6G5-45945-01-98	3	14"	19"	M
		6G5-45947-01-98	3	14-1/2"	17"	M
		6G545943-01-98	3	13-3/4"	21"	M
		-	3	13-7/8"	17"	M
		6G5-45974-03-98	3	13-3/4"	19"	M
		-	3	14-1/2"	19"	M
		6G5-45941-00-98	3	15-1/4"	15"	M
		-	3	15"	17"	M
		6D0-45978-00	3	15-1/2"	17"	M
		-	3	16"	20"	M



Stern Drive	Outboard engine	OEM part No.	Blades	Diameter	Pitch	R
	2.5-6HP 9 Tooth	6E0-45941-01-EL	3	7-1/2"	8"	BA
	9.9-15HP, 20HP 8 Tooth Spine & thru Hub Exhaust	63V-45947-00-EL	3	9-1/4"	8"	J
		63V-45945-10-EL	3	9-1/4"	9"	J
		63V-45952-00-EL	3	9-1/4"	10"	J
		63V-45943-00-EL	3	9-1/4"	11"	J
	25-30HP (4 Stroke) 10 Tooth Spine & thru Hub Exhaust	664-45945-00-EL	3	9-7/8"	10-1/2"	F
		664-45954-00-EL	3	9-7/8"	12"	F
		664-45949-02-EL	3	9-7/8"	13"	F
		664-45952-00-EL	3	9-7/8"	14"	F
	40-55HP 13 Tooth Spine & thru Hub Exhaust	663-45947-02-EL	3	11-5/8"	11"	G
		663-45952-02-EL	3	11-3/8"	12"	G
		69W-45945-00-EL	3	11-1/8"	13"	G
		697-45970-00-98	3	11-1/4"	14"	G
		663-45943-01-EL	3	11"	15"	G
		68845932-60-98	3	13-1/2"	14"	K
	60-115HP 15 Tooth Spine & thru Hub Exhaust	6E5-45947-00-EL	3	13-1/2"	15"	K
		688-45930-01-98	3	13"	17"	K
		6L6-45930-02-98	3	13"	17"	KL
		688-45970-03-98	3	13"	19"	K
		-	3	13-1/2"	19"	K
		3421-133-17	3	13-1/4"	17"	K
		-	4	13"	19"	K
		6G5-45978-00-98	3	13-3/4"	15"	K



Stern Drive	Outboard engine	OEM part No.	Blades	Diameter	Pitch	R
	2.5-6HP 9 Tooth Spine & thru Hub Exhaust	6G5-45978-02-98	3	13-3/4"	17"	M2
		6K1-45978-02-98	3	13-3/4"	17"	ML1
		6G5-45974-03-98	3	13-3/4"	19"	M
		6K1-45974-02-00	3	13-3/4"	19"	ML1
		-	3	13-1/2"	21"	M
		6G5-45972-02-98	3	13-3/4"	21"	M
		6K1-45972-01	3	13-3/4"	21"	ML
		6G5-45945-98	3	14"	19"	M
		-	3	14"	19"	ML
		6K1-45970-10-00	3	14-1/2"	15"	Lift Hand
		68F-45970-10-00	3	14-1/2"	15"	Right Hand
		68F-45972-10-98	3	9-1/4"	17"	Lift Hand
		6G5-45978-03-98	3	14-1/2"	19"	Right Hand
		-	3	14-1/2"	23"	M
		-	3	14-5/8"	23"	M
		-	3	14-5/8"	23"	ML
		-	3	14-1/2"	25"	M
		-	3	14-1/2"	25"	ML
		6R145976-A0	3	15-1/4"	15"	T
		6G5-45970-82-98	3	15-1/2"	17"	Right Hand
		6K1-45970-01-98	3	15-1/2"	17"	Lift Hand
		6AW-45974-10-00	3	15-1/2"	19"	Right Hand
		6AW-45970-10-00	3	15-1/2"	19"	Lift Hand
		6D1-45970-00	3	15-1/4"	19"	Right Hand
		6AW-45974-00-98	3	15-1/4"	19"	Lift Hand
		6D0-45976-00-00	3	15-3/4"	15"	T
		6D1-45972-00	3	15"	21"	Right Hand
		6D0-45972-00-00	3	15"	21"	Lift Hand
		-	4	14-1/2"	19"	M
	350-450HP 17 Tooth Spine & thru Hub Exhaust	6AW-45976-20-00	3	15-1/4"	21"	Right Hand
		6AW-45972-00-00	3	16-1/4"	19"	Right Hand
		-	3	16-1/4"	19"	Lift Hand

ENGINE ACCESSORIES

WATER PUMP IMPELLER



Outboard engine	OEM part No.	
2HP	646-44352-00	
2.5/3HP	6L5-44352-00	
4/5/6HP	6E0-44352-00	
6-8HP	6G1-44352-00	
	655-44352-09	
6/8/9.9HP	68T-44352-00	
6/8/15HP	662-44352-00	
9.9-15HP	682-44352-03	
8/9.9/15/20HP	68V-44352-00	
20/25HP	6L2-44352-00	
20/25HP	6G0-44352-00	
25/30HP	689-44352-02	
25HP,40HP,50HP	6H4-44352-00	
	697-44352-00	
40HP	6F5-44352-00	
	676-44352-00	
55HP,65HP,70HP	6H3-44352-00	
75HP,85HP,90HP	688-44352-03	
75/80/90/100HP	67F-44352-01	
115/250HP	6E5-44352-00	
225/250/300HP	6CE-44352-00	
300-350HP	6AW-44352-00	



Replacement for Johnson® / Evinrude®

Outboard engine	OEM part No.	
9.9/15HP	394711	
20/25/30/35HP	393630	
40/50HP	438592	
40/45/50/55/60HP	5000308	
65/70/75HP	432955	
75/250HP	5001595	
85/300HP	5001594	
-	763758	

Replacement for Mercury®

Outboard engine	OEM part No.	
6/8/9.9/10/15HP	46-42089A5	
40-250HP	47-43026Q06	
	46-807151A14	
	817275A5	
	46-96148Q8	


Replacement for Suzuki®

Outboard engine	OEM part No.	
4/5HP	17400-98652	
4/6HP	17400-98661	
9.9/15HP	17400-93951	
25/30HP	17400-96403	
60/70/90/100HP	17400-87E04	
90/115/140HP	17400-90J20	




ALS Propeller

OUTBOARD ENGINE HIGH PERFORMANCE PROPELLER




Seacock

Specification	Medol No.	A	B	C	D	Thread-BSPP
3/4"	ALS-B20006	148	75	105	4	24.1
1"	ALS-B20010	185	91.7	132	4	30.3
1-1/4"	ALS-B20012	187	99	131.5	4	39
1-1/2"	ALS-B20014	230	112.3	170	4	44.9
2"	ALS-B20020	239	129	168	4	56.7
2-1/2"	ALS-B20024	271	149	194	4	72.2
3"	ALS-B20030	334	172	243	4	85.9
4"	ALS-B20040	459	224	334	4	110.1
5"	ALS-B20050	502	288	334	4	136




Bronze Thru-Hull

Specification	Medol No.	LD	L1	L2	D	Thread-BSPP
3/4"	ALS-B60006	19	80.9	75.2	50.5	26.4
1"	ALS-B60010	25.2	83	76	57.6	33.3
1-1/4"	ALS-B60012	31	83	76.4	67	41.9
1-1/2"	ALS-B60014	39	83	76.4	72.4	47.8
2"	ALS-B60020	50.1	89.1	79.9	94.5	59.6
2-1/2"	ALS-B60024	64	395	86	109.2	75.2
3"	ALS-B60030	75	101.2	93.6	124	87.9
4"	ALS-B60040	96.6	148	135.9	155	133
5"	ALS-B60050	121.11	124	107	201.1	139.8



Scoop Thru-Hull

Specification	Model No.	LD	W1	H2	L1	L2	Thread-BSPP
3/4"	ALS-B61006	19.5	83.1	62.2	101	72.4	26.4
1"	ALS-B61010	25	89.9	67	118.3	88.5	33.3
1-1/4"	ALS-B61012	34	104	76.5	113.8	78.6	41.9
1-1/2"	ALS-B61014	38	105	75.5	112.5	78	47.8
2"	ALS-B61020	49.3	144	88.2	121.5	73.8	59.6



Seawater Strainers

Specification	Model No.	W1	W2	L	H	Thread-BSPT
3/4"	ALS-B61606	19	80.9	75.2	50.5	26.4
1"	ALS-B61610	25.2	83	76	57.6	33.3
1-1/4"	ALS-B61612	31	83	76.4	67	41.9
1-1/2"	ALS-B61614	39	83	76.4	72.4	47.8
2"	ALS-B61620	50.1	89.1	79.9	94.5	59.6
2-1/2"	ALS-B61624	64	395	86	109.2	75.2
3"	ALS-B61630	75	101.2	93.6	124	87.9
4"	ALS-B61640	96.6	148	135.9	155	133
5"	ALS-B61650	121.11	124	107	201.1	139.8



Thru-Hull lock nut

Specification	Model No.	W	HEX	Thread-BSPP
3/4"	ALS-B61206	57	32.3	24.1
1"	ALS-B61210	56.3	37.4	30.3
1-1/4"	ALS-B61212	72.3	47	39
1-1/2"	ALS-B61214	77	54.6	44.9
2"	ALS-B61220	92	66	56.7
2-1/2"	ALS-B61224	102.9	81.5	72.2
3"	ALS-B61230	126	96	85.9
4"	ALS-B61240	149	124.7	110.1



Strainers

Specification	Model No.	D1	D2
3/4"	ALS-B61306	92.8	74.5
1"	ALS-B61310	92.8	74.5
1-1/4"	ALS-B61312	122.9	102
1-1/2"	ALS-B61310	122.9	102



Scoop Strainers

Specification	Model No.	L	W	H
3/4"	ALS-B61106	118.5	82.5	29
1"	ALS-B61110	137	98	36
2"	ALS-B61120	165	131	40
2-1/2"	ALS-B61124	266	182.5	66
3"	ALS-B61130	266	182.5	66
4"	ALS-B61140	355	241	76
5"	ALS-B61150	398	301	122.8



Hose Thru-Hull

Specification	Model No.	LD1	LD2	L1	L2	L3	Thread-BSPP
3/4"×3/4"	ALS-B60609	15	19	118	37	76	26.4
1"×1"	ALS-B60610	20	25.5	125.5	43	76.5	33.3
1-1/4"×1-1/4"	ALS-B60612	25	31.5	125.2	43	76.5	41.9
1-1/2"×1-1/2"	ALS-B60614	30.5	38	131	46	78.8	47.8
3"	ALS-B60620	43	50.5	138	51.2	79	59.6




Double Barbed Fitting

Specification	Model No.	O.D	L1	L2
3/16"	ALS-B10011	5.5	42	15.5
1/4"	ALS-B10022	7	44	14
5/16"	ALS-B10025	9	50	19
3/8"	ALS-B10033	10.5	50	19
1/2"	ALS-B10044	13.5	55	21.3
5/8"	ALS-B10055	17.5	52.5	20
3/4"	ALS-B10066	20.6	50	18.8
1"	ALS-B11010	26.4	65	25
1-1/4"	ALS-B11012	33.3	85.8	42.9
1-1/2"	ALS-B11014	38.7	105.9	44.7




T-Barbed Fitting

Specification	Model No.	O.D	L1	L2
1/4"	ALS-B71002	7	24.8	19
5/16"	ALS-B71002-5	9	28.8	21
5/16"	ALS-B71003	10.5	28.3	20
1/2"	ALS-B71004	13.5	30.5	23
5/8"	ALS-B71005	17.5	34.3	23.4
3/4"	ALS-B71006	20.6	35.6	23.4
1"	ALS-B71010	26.4	66.6	43.5
1-1/4"	ALS-B71012	26.4	62.3	39
1-1/2"	ALS-B71014	38.7	72.1	46
2"	ALS-B71020	51.7	74.3	44




Elbow Bared Fitting

Specification	Model No.	O.D	L1	L2
1/4"	ALS-B20022	7	29	20.5
5/16"	ALS-B20025	9	31.8	20.5
5/16"	ALS-B20033	10.5	31.5	20.5
1/2"	ALS-B20044	13.5	34	22.3
5/8"	ALS-B20055	17.5	28	15.3
3/4"	ALS-B20066	20.6	35.5	19
1"	ALS-B21010	26.4	66.7	41.2
1-1/4"	ALS-B21212	33.3	74	43
1-1/2"	ALS-B21414	38.7	74	47
2"	ALS-B22020	51.7	75.5	50
2-1/2"	ALS-B22424	63.7	107	64
4"	ALS-B23030	77	113.8	60.7
4"	ALS-B24040	104	133	71



Elbow Bared Fitting-1

Specification	Model No.	O.D1	L1	L2	HEX	Thread-BSPT
1/4"*1/4"	ALS-B50022	7.2	35	20	17	11.4
1/4"*5/16"	ALS-B50022-5	9	35	20	17	11.4
1/4"*3/8"	ALS-B50023	10.5	35	20	7	11.4
3/8"*5/16"	ALS-B50032-5	9	35	20	20.5	15
3/8"*3/8"	ALS-B50033	10	40	23	21	15
3/8"*1/2"	ALS-B50034	13.5	35	20.4	20.5	15
1/2"*5/16"	ALS-B50042-5	9	39	21	24.5	18.6
1/2"*3/8"	ALS-B50043	10.5	37.6	20.4	24	18.6
1/2"*1/2"	ALS-B50044-4	17	37.6	20.4	24	18.6
1/2"*5/8"	ALS-B50045-1	17	37.6	20.4	24	18.6
1/2"*3/4"	ALS-B50046-1	20	48	31.3	2	18.6
3/4"*1/2"	ALS-B50064-1	13	46	25.8	30	24.1
3/4"*5/8"	ALS-B50065-1	17.1	51	34	30	24.1



Female & Barbed Fitting-2

Specification	Model No.	O.D1	L1	L2	HEX	Thread-BSPT
3/4"×3/4"	ALS-B50066-1	20	46	26.6	30	24.1
3/4"×1"	ALS-B50068	26.4	55.3	38	35	24.1
1"×3/4"	ALS-B51006	20	60	34.6	35	30.3
1"×1"	ALS-B51010	27	71	41	44.1	30.3
1"×1-1/4"	ALS-B51012	33.2	64	39.4	37	30.3
1-1/4"×1"	ALS-B51210	26	73	37	27.6	39
1-1/2"×1"	ALS-B51410	26	73	37.2	27.2	44.9
1-1/2"×1-1/4"	ALS-B51412	33.2	83.6	45	45	44.9
1-1/2"×1-1/2"	ALS-B51414	39	72.6	46.2	55	44.9
1-1/2"×2"	ALS-B51420	51.7	90.9	48.8	60.1	44.9



Male & Barbed Fitting-1

Specification	Model No.	O.D1	L1	L2	HEX	Thread-BSPT
1/8"×1/4"	ALS-B30012	7	32	20	10	9.7
1/8"×5/16"	ALS-B30012-5	9	32	20	10	9.7
1/8"×3/8"	ALS-B30013	10.5	32	20.4	11	9.7
1/8"×1/2"	ALS-B30014	13.5	33	20.4	14	9.7
1/4"×1/4"	ALS-B30022	7	35.9	20.6	17	9.7
1/4"×5/16"	ALS-B30022-5	9	35	20.4	14	13.2
1/4"×3/8"	ALS-B30023	10.5	35	20.4	14	13.2
1/4"×1/2"	ALS-B30024	13.5	35	20	14	13.2
1/4"×5/8"	ALS-B30025	17.5	40	23.4	17	13.2
3/8"×1/4"	ALS-B30032	7	35.9	20.4	17	16.7
3/8"×3/8"	ALS-B30033	10.5	36	20.4	17	16.7
3/8"×1/2"	ALS-B30034	13.5	36	20	17	16.7
3/8"×5/8"	ALS-B30035	17.5	36	20	17	16.7
3/8"×3/4"	ALS-B30036	20.6	39.2	22	21	16.7



Male & Bared Fitting-2

Specification	Medol No.	O.D1	L1	L2	HEX	Thread-BSPT
1/2"×1/4"	ALS-B30042	7	38	20.4	20.7	21
1/2"×5/16"	ALS-B30042-5	9	38	20	21	21
1/2"×3/8"	ALS-B30043	10.5	38	20.4	20.7	21
1/2"×1/2"	ALS-B30044	13.5	54	32.5	22	21
1/2"×5/8"	ALS-B30045	17.5	54	32.3	22	21
1/2"×3/4"	ALS-B30046	20.6	54	32.4	22	21
3/4"×3/8"	ALS-B30063	10.5	41	20.5	27	26.4
3/4"×1/2"	ALS-B30064	13.5	54	33.8	28	26.4
3/4"×5/8"	ALS-B30065	17.5	52.4	28.5	28	26.4
3/4"×3/4"	ALS-B30066	20.6	55	32.5	28	26.4
3/4"×1"	ALS-B30068	26.4	63	37.3	28	26.4
1"×3/4"	ALS-B31006	20.6	59	32.3	34	33.3
1"×1"	ALS-B31010	26.4	63	37.3	34	33.3
1"×1-1/4"	ALS-B31012	33.3	65.3	34.8	35	33.3



Elbow Tail 45°

Specification	Medol No.	O.D2	L1	L2	L3	Thread-BSPT
3/4"×3/4"	ALS-B46066	20.6	29	46.5	40	26.4
1"×1"	ALS-B46110	26.4	32	54	42	33.3
1-1/4"×1-1/4"	ALS-B46112	33.3	41	59.5	45	41.9
1-1/2"×1-1/2"	ALS-B46144	38.7	43	6	48.5	47.8
1-1/2"×2"	ALS-B46148	51.7	57	71	54	47.8
2"×2"	ALS-B46220	51.7	49	82.5	64.1	59.6
2"×2-1/2"	ALS-B46224	63.7	51.5	84	62.6	59.6
2-1/2"×2"	ALS-B46242	51.7	50	79	58	59.6
2-1/2"×2-1/2"	ALS-B46244	63.7	53.5	82	63	75.2
3"×2-1/2"	ALS-B46324	63.7	58	83.5	61.3	87.9
3"×3"	ALS-B46330	77	59	83	60.5	87.9
4"×3"	ALS-B46430	77	65	97	75	133
4"×4"	ALS-B46440	104	65	105	77	133
5"×5"	ALS-B46550	127.9	86	119	87	139.8

INFORMATION FOR PROSPECTIVE AGENTS

We are accepting agent applications from reputable individuals and businesses, who are able to refer qualified and genuine clients to us. If you are interested in working with Alastin as one of our registered agent/representative. Kindly send the following information by email to: andyzhang@alastin-marine.com

- Your name.
- If applicable, the Name of your Business and the Name of Business/Company Owners.
- Your Resume/CV (Detailed information about you).
- If applicable, your Business/Company Profile.
- Your Contact Address or Business Address.
- Phone number(s).
- Email address.
- Your Website and Social Media details/URL (if any).
- Information about your Primary Market(s) (i.e. cities where most of your clients will come from).
- Your Promotion and Marketing Tactics/Strategy.
- How did you hear about us? (e.g. family/friend, Facebook, Google search, Flyer, etc.).
- Optional: Any Additional Relevant Information.

Kindly note that to become an agent of Alastin, you must complete a 3-Step Screening Process. This is to ensure that we only work with trustworthy, professional, and reliable individuals/businesses. By providing the above information, you have completed Step 1. If selected, we will notify you by email on the next steps (i.e. steps 2 & 3).

Thank you in advance for your interest in working with Alastin!



Design and development



Marine grade raw materials



Mold manufacturing



Wax Pattern



Laser Cutting



Casting Pouring



Machining



Spectrometer Detection



Mirror Polishing



Welding



CNC Machine



Warehouse