2016 - NOW

Technological innovation and diversified development stage (16 years to now). In order to cope with market competition, Alastin Marine continues to increase technological innovation.

2009 - 2015

Market expansion stage: With the continuous advancement of technology and the growth of market demand, we are actively expanding the market share of our products and developing overseas business.

1998 - 2008

Creation and stabilization phase(establishment to 10 years) In the earlydays of the company's establishment,and focused on establishing a sound organizational structure and management system.

E-mail: andyzhang@alastin-marine.com

Mob: +86-15865772126

Contacts: Andy Zhang

Web: www.alastinmarine.com

Address: Qingdao City,Shandong Province,China



MARINE PARTS SUPPLY

青岛阿拉斯丁户外用品有限公司

QINGDAO ALASTIN OUTDOOR PRODUCTS CO., LTD.

HIGH QUALITY PRECISION CASTING

Industry Coverage

Yachts, Healthcare, Machinery

ALASTIN®

COMPANY PROFILE
公司简介

我们是一家专业从事船锚、缆桩、鱼竿座、船梯、方向盘、合页等产品的研发、生产销售和服务的公司，位于山东省。我们致力于严格的质量控制和周到的客户服务，经验丰富的工作人员随时可以讨论您的需求，确保客户完全满意。我们拥有数控车床、盐雾测试、光谱仪测试设备，拉力机等严格控制产品质量。我们还拥有ISO/CE/SGS/TUV证书。我们的产品在北美、欧洲、中东等国家和地区很受欢迎。无论是从我们的目录中选择当前产品，还是为您的项目寻求工程帮助。我们有专业的研发团队，接受OEM&ODM定制。我们以出厂价格提供稳定的供应，大量的现货库存。请随时向我们发送采购需求，项目标准，期待合作！

We are a professional company engaged in boat anchor, bollard, fishing rod holder, boat ladder, steering wheel, hinge and other products' R & D, production, sales and service, located in Shandong Province.
We are committed to strict quality control and attentive customer service, our experienced staff are always available to discuss your needs and ensure complete customer satisfaction. CNC lathes, salt spray testing, spectrometer testing equipment, tension machines and other equipment are used to strictly control product quality. With ISO/CE/SGS/TUV certificates, our products are very popular in North America, Europe, the Middle East and other countries and regions.
OEM&ODM customization is accepted. Whether selecting a current product from our catalog or seeking engineering help for your project, we have professional teams to support you. We provide a stable supply at the factory price and adequate stock. Please feel free to send us procurement requirements or project standards, looking forward to cooperation!



目录

BOAT ANCHORS 船锚 P01

ANCHOR CONNECTOR 锚链接器 P05

ANCHOR ROLLER 锚支架 P07

ROPE CLAMP 止链器 P09

ANCHOR CHAIN&ROPE 锚链&锚绳 P11

BOAT BOLLARD& FAIRLEAD 船用缆桩&导缆器 P13

BOAT CLEAT 船用索栓 P19

BIMINI TOP FITTINGS 遮阳篷配件 P23

TOP SLIDE/JAW SLIDE 滑道/滑套 P25

DECK HINGE 山型座 P27

PIPE STANCHION 管子配件 P32

RAIL CONNECTOR 管连接器 P37

MARINE HINGE 船用合页 P41

PULL RINGS 地板拉环 P51

LOCK&LATCH 地板锁 P54

THRU-TULL&TANK VENT 出水孔&透气孔 P57

ANTENNA BASE 天线座 P62

PRODUCT CATALOG

FOLDING STEP 脚踏 P65

DECK PLATE 甲板盖 P67

DECK FILLER 加油口 P71

Marine Gas Grill 船用燃气烧烤架 P73

FISHING ROD HOLDER 鱼竿座 P75

STEERING WHEEL 方向盘 P87

MARINE LADDER 船用梯 P93

HANDRAILS 扶手 P105

RIGGING 索具 P109

RV ACCESSORIES 房车配件 P125

PORTHOLE&HATCHES 舷窗&舱口盖 P130

YACHT SEAT 座椅 P138

BRASS PARTS 黄铜配件 P141

LED NAVIGATION LIGHT LED导航灯 P146

WATER SUPPLIES 水上用品 P180


INFLATABLE BOAT 充气艇 P185



BOAT ANCHOR & MARINE HARDWARE

AISI316 STAINLESS STEEL BRUCE ANCHOR
316不锈钢布鲁斯锚






Code	A mm	B mm	C mm	D mm	Weight kg
ALS6001	280	102	180	130	1 kg
ALS6002	350	127	220	175	2 kg
ALS60025	400	150	230	140	2.5 kg
ALS6003	400	145	250	200	3 kg
ALS6005	470	165	310	270	5 kg
ALS60075	540	190	350	290	7.5 kg
ALS6010	595	210	385	320	10 kg
ALS6015	680	255	440	360	15 kg
ALS6020	750	300	520	390	20 kg
ALS6025	810	310	590	410	25 kg
ALS6030	860	320	590	460	30 kg
ALS6035	935	370	660	460	35 kg
ALS6040	965	370	660	460	40 kg
ALS6050	1010	375	700	500	50 kg
ALS6080	1050	460	700	547	80 kg

AISI316 STAINLESS STEEL PLOUGH ANCHOR
316不锈钢犁型锚






Code	A mm	B mm	C mm	D mm	Weight kg
ALS6105	510	340	260	220	5 kg
ALS6107	560	380	270	230	7 kg
ALS6109	600	375	280	250	9 kg
ALS6110	620	400	290	270	10 kg
ALS6112	660	430	340	300	12 kg
ALS6115	730	490	360	330	15 kg
ALS6116	735	490	360	240	16 kg
ALS6120	740	550	370	360	20 kg
ALS6122	750	550	370	390	22 kg
ALS6127	780	600	460	360	27 kg
ALS6134	800	630	480	360	34 kg
ALS6135	820	640	490	380	35 kg
ALS6140	810	653	465	425	40 kg
ALS6150	965	745	540	500	50 kg

AISI316 STAINLESS STEEL DELTA ANCHOR
316不锈钢三角锚

Code	A mm	B mm	C mm	Weight kg
ALS6205	535	235	255	5 kg
ALS6206	570	250	255	6 kg
ALS6275	585	255	260	7.5 kg
ALS6208	655	275	260	8 kg
ALS6210	695	285	302	10 kg
ALS6215	780	341	356	15 kg
ALS6020	815	368	370	20 kg
ALS6225	920	396	420	25 kg
ALS6230	1030	431	470	30 kg
ALS6240	1130	463	515	40 kg
ALS6250	1230	489	545	50 kg
ALS6260	1250	538	560	60 kg
ALS6280	1350	600	605	80 kg
ALS62100	1500	750	700	100 kg


Support private customization



AISI316 STAINLESS STEEL GRAPNEL ANCHOR
316不锈钢伞锚/折叠锚

Code	A mm	B mm	C mm	Weight kg
ALS63007	200	90	47	0.7 kg
ALS63015	302	135	54	1.5 kg
ALS63025	355	156	59	2.5 kg
ALS63032	395	174	73	3.2 kg
ALS6304	460	200	76	4 kg
ALS6305	470	210	80	5 kg
ALS6306	523	222	85	6 kg
ALS6307	530	230	90	7 kg
ALS6308	600	240	90	8 kg
ALS6310	655	260	102	10 kg
ALS6312	840	326	102	12 kg






AISI316 STAINLESS STEEL DANFORTH ANCHOR
316不锈钢丹弗斯锚

Code	A mm	B mm	C mm	Weight kg
ALS64005	455	550	265	5kg
ALS64075	500	650	340	7.5kg
ALS64010	520	720	358	10kg
ALS64012	580	835	370	12kg
ALS6415	620	865	400	15kg
ALS6420	650	875	445	20kg
ALS6430	760	990	590	30kg
ALS6440	830	1100	610	40kg
ALS6450	885	1150	625	50kg
ALS6470	1000	1300	690	70kg
ALS64100	1100	1400	890	100kg


Support private customization





AISI316 STAINLESS STEEL POOL ANCHOR
316不锈钢波尔锚





Code	A mm	B mm	C mm	D mm	Weight kg
ALS6512	425	315	275	240	12 kg
ALS6520	455	385	300	325	20 kg
ALS6525	480	410	320	340	25 kg
ALS6530	505	430	335	365	30 kg
ALS6535	530	460	350	390	35 kg
ALS6545	575	490	375	415	45 kg
ALS6560	665	555	425	470	60 kg
ALS65100	775	655	505	555	100 kg
ALS65120	825	700	540	595	120 kg
ALS65140	870	735	570	625	140 kg
ALS65160	905	765	590	650	160 kg

Support private customization

HOT DIP GALVANIZED BRUCE ANCHOR
热镀锌布鲁斯锚



Code	Weight kg	Code	Weight kg
ALS7001	1 kg	ALS7150	15 kg
ALS7002	2 kg	ALS7200	20 kg
ALS7035	3.5 kg	ALS7250	25 kg
ALS7005	5 kg	ALS7300	30 kg
ALS7075	7.5 kg	ALS7500	50 kg
ALS7100	10 kg	ALS7800	80 kg
ALS7112	12kg	ALS1000	100kg

HOT DIP GALVANIZED PLOUGH ANCHOR
热镀锌犁型锚



Code	Weight kg	Code	Weight kg
ALS7105	5 kg	ALS7120	20 kg
ALS7107	7 kg	ALS7122	22 kg
ALS7109	9 kg	ALS7124	24 kg
ALS71012	12 kg	ALS7127	27 kg
ALS7115	15 kg	ALS7135	35 kg

HOT DIP GALVANIZED DELTA ANCHOR
热镀锌三角锚



Code	Weight kg	Code	Weight kg
ALS7204	4 kg	ALS7220	20 kg
ALS7205	5 kg	ALS7225	25 kg
ALS7275	7.5 kg	ALS7230	30 kg
ALS7208	8 kg	ALS7232	32 kg
ALS7210	10 kg	ALS7240	40 kg
ALS7216	16 kg	ALS7250	50 kg

Support private customization

Code	Weight kg	Code	Weight kg
ALS73020	2 kg	ALS73150	15 kg
ALS73025	2.5 kg	ALS73200	20 kg
ALS73030	3 kg	ALS73250	25 kg
ALS73040	4 kg	ALS73300	30 kg
ALS73050	5 kg	ALS73400	40 kg
ALS73060	6 kg	ALS73500	50 kg
ALS73080	8 kg	ALS73700	70 kg
ALS73100	10 kg	ALS73800	80 kg
ALS73120	12 kg	ALS7301000	100 kg

Support private customization

Code	Weight kg	Code	Weight kg
ALS74015	1.5 kg	ALS7404	4 kg
ALS74025	2.5 kg	ALS7406	6 kg
ALS74032	3.2 kg	ALS7408	8 kg

Code	Weight kg	Code	Weight kg
ALS76007	0.7kg	ALS76075	7.5 kg
ALS76014	1.4kg	ALS76100	10 kg
ALS76023	2.3kg	ALS76120	12 kg
ALS76035	3.5kg	ALS76150	15 kg
ALS76055	5.5kg		

Code	L2 mm	L mm	L1 mm	R1 mm	B mm	B1 mm	NOMINAL WEIGHT(kg)
ALS75300	1190	844	595	130	328	388	300 kg
ALS75350	1250	890	625	137	344	408	350 kg
ALS75400	1310	930	650	143	360	428	400 kg
ALS75450	1360	970	675	149	376	444	450 kg
ALS75500	1410	1000	700	154	390	460	500 kg
ALS75600	1500	1060	745	164	414	490	600 kg
ALS75700	1580	1120	785	172	436	516	700 kg
ALS75800	1650	1170	820	180	456	540	800 kg
ALS75900	1720	1220	855	188	474	560	900 kg
ALS51000	1780	1260	885	194	490	580	1000 kg
ALS51250	1910	1360	955	109	526	624	1250 kg
ALS51500	2030	1450	1015	222	560	664	1500 kg
ALS52250	2330	1650	1160	254	642	760	2250 kg
ALS752500	2410	1710	1200	263	666	788	2500 kg
ALS753000	2560	1820	1275	280	708	836	3000 kg
ALS753500	2700	1920	1345	294	746	880	3500 kg
ALS754000	2820	2000	1400	308	780	920	4000 kg
ALS754500	2940	2080	1455	320	808	956	4500 kg
ALS755000	3050	2150	1510	332	836	992	5000 kg

HOT DIP GALVANIZED DANFORTH ANCHOR
热镀锌丹弗斯锚




HOT DIP GALVANIZED "A" TYPE GRAPNEL ANCHOR
A型热镀锌伞锚



HOT DIP GALVANIZED "B" TYPE GRAPNEL ANCHOR
B型热镀锌伞锚



BLACK PAINTED HALL ANCHOR
黑漆霍尔锚









ANCHOR CONNECTOR

AISI316 STAINLESS STEEL ANCHOR CONNECTOR
316不锈钢一体锚链接器



Code	Size	A mm	B mm	C mm	D mm	E mm
ALS801A-0608	6-8mm	91	10.5	7	9	15.5
ALS801B- 1012	10-12mm	118	13	12	12	19


AISI316 STAINLESS STEEL ANCHOR DOUBLE CONNECTOR
316不锈钢两段锚链接器



Code	Size	A mm	B mm	C mm	D mm	E mm
ALS802A-0608	6-8mm	91	10.5	7	9	15.5
ALS802B- 1012	10-12mm	118	13	12	12	19

AISI316 STAINLESS STEEL HEAVY ANCHOR DOUBLE CONNECTOR
316不锈钢重型两段锚链接器

Code	Size	A mm	B mm	C mm	D mm	E mm
ALS803A-0608	6-8mm	91	10.5	7	9	15.5
ALS803B- 1012	10-12mm	118	14	11	11	24
ALS803C- 1416	14-16mm	141	17	13	15	30






AISI316 STAINLESS STEEL ANCHOR DOUBLE CONNECTOR
316不锈钢两段锚链接器

NEW


Code	Size	A mm	B mm	C mm	D mm	E mm
ALS802C-0608	6-8mm	90	10	7	9	15





AISI316 STAINLESS STEEL ANCHOR TRIPLE CONNECTOR
316不锈钢三段锚链接器

Code	Size	A mm	B mm	C mm	D mm	E mm
ALS804A-0608	6-8mm	120	10.5	7	9	15.5
ALS804B-1012	10-12mm	160	11	14	11	18.5






AISI316 STAINLESS STEEL ANCHOR CONNECTOR
316不锈钢长锚链接器

Code	Size	A mm	B mm	C mm	D mm	E mm
ALS805A-0608	6-8mm	230	10	8	20.5	10
ALS805B-1012	10-12mm	304	14	12	28	12










ANCHOR ROLLER

AISI316 STAINLESS STEEL SELF-LAUNCHING BOW ROLLER
316不锈钢斜底双轮锚支架






Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size
ALS4242	430	220	80	72	195	43	16.5	5-10kg
ALS4256	600	390	80	72	195	43	16.5	10-20kg
ALS4275	765	500	89	79	250	46	17	15-30kg
ALS4295	970	615	100	90	330	57	25	30-50kg

AISI316 STAINLESS STEEL SELF-LAUNCHING BOW ROLLER
316不锈钢平底双轮锚支架






Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Size
ALS4234	430	220	80	72	195	43	16.5	5-10kg
ALS4235	600	390	80	72	195	43	16.5	10-20kg
ALS4236	765	500	89	79	250	46	17	15-30kg
ALS4237	970	615	100	90	330	57	25	30-50kg

AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢锚支架






Code	A	B	C	D	E	F	G	Chain (mm)	Anchor Size (Kg)
ALS901A	380	260	65	46	295	28	8.6	6-8	5-10
ALS901B	480	310	77	60	300	36	15	8-10	10-20
ALS901C	540	330	72	68	355	45	16	10-12	20-30

AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢白色单轮锚支架


Code	A mm	B mm	C mm	D mm	Emm
ALS902A	155	57	70	49	8





AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢黑色单轮锚支架


Code	A mm	B mm	C mm	D mm	Emm
ALS903A	155	53	70	49	8





AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢白色单轮锚支架


Code	A mm	B mm	C mm
ALS1766A	170	66	52





AISI316 STAINLESS STEEL HINGED BOW ROLLER
316不锈钢锚支架


Code	Length mm	Width mm	Height mm
ALS904A	200	64	70
ALS904B	230	64	68
ALS904C	250	64	70





AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢锚支架

Code	A mm	B mm
ALS905A	390	46
ALS906B	455	87






ROPE CLAMP

AISI316 STAINLESS STEEL CLEATS INOX FOR ROPES 3/6MM
316不锈钢夹绳器






Code	Amm	Bmm	Cmm	Dmm
ALS4124A	82	18	24	5.5
ALS4170A	70	17	19	5.5

AISI316 STAINLESS STEEL CLEATS INOX FOR ROPES 3/6MM
316不锈钢夹绳器






Code	Amm	Bmm	Cmm	Dmm
ALS4123A	47.7	14.5	17	5.5

AISI316 STAINLESS STEEL CLEATS INOX FOR ROPES 3/6MM
316不锈钢夹绳器






Code	Amm	Bmm	Cmm	Dmm
ALS4122A	54.5	17	19	5.5

AISI316 STAINLESS STEEL CLEATS INOX FOR ROPES 3/6MM
316不锈钢夹绳器






Code	Amm	Bmm	Cmm	Dmm
ALS4155A	55	15	18	5.5

AISI316 STAINLESS STEEL CLEATS INOX FOR ROPES
316不锈钢夹绳器






Code	Amm	Bmm	Cmm	Dmm	Emm
ALS4155B	106	23.5	5	6.8	10

AISI316 STAINLESS STEEL CAM CLEAT
316不锈钢夹绳器






Code	Amm	Bmm	Cmm
ALS4247A	46.5	23	6
ALS4263A	63	31	10

AISI316 STAINLESS STEEL ROPE CLAMP CAM CLEAT
316不锈钢带导向孔快速夹绳器

Code	Amm	Bmm	Cmm	Dmm	Emm	Size	Weight
ALS8746-0208	82	18	7	5	15	2-8mm	0.25kg
ALS8747-1016	82	18	7	5	15	10-16mm	0.25kg


Support OEM&ODM,can customize more styles and models.





AISI316 STAINLESS STEEL HEAVY ANCHOR CHAIN LOCK
316不锈钢重型止链器


Code	Amm	Bmm	Cmm	Dmm	Size
ALS4368A	10	66	121	9	6mm-8mm
ALS4368B	14.5	100	160	13	10mm-12mm





AISI316 STAINLESS STEEL ANCHOR CHAIN STOPPER
316山型止链器


Code	Amm	Bmm	Cmm	Dmm	Emm
ALS0608A	59.5	53.5	48	8	10.8
ALS1012B	80.2	70	62	12.5	13





AISI316 STAINLESS STEEL ANCHOR CHAIN STOPPER
316不锈钢滑槽止链器

Code	Amm	Bmm	Cmm	Dmm
ALS4510A	101.5	40.2	35.6	5






AISI316 STAINLESS STEEL BOAT CHAIN STOPPER
316不锈钢止链器

Code	Amm	Bmm	Cmm	Dmm	Size	Weight
ALS2909-12	96	290	190	52	12.5-14mm	7.8kg
ALS3311-16	116	330	240	69	16-17.5mm	23kg
ALS4213-19	132	425	285	86	19-20.5mm	25.9kg
ALS4915-22	152	490	330	100	22-24mm	/
ALS5717-26	171	575	385	115	26-28mm	/
ALS6619-30	195	660	440	129	30-32mm	/

Support OEM&ODM,can customize more styles and models.





ANCHOR CHAIN & ROPE

DIN766 ANCHOR CHAIN
DIN766链环



Code	Dia mm	Internal length mm	Internal width mm	External length mm	Outer width mm	Breaking lod KN
ALS9103	3	16	4.2	22	11	4.1
ALS9104	4	16	5	24	13.7	8
ALS9105	5	18.5	6	28.5	17	12.5
ALS9106	6	18.5	7.2	30.5	20.2	16
ALS9107	7	22	8.4	36	23.8	25
ALS9108	8	24	9.6	40	27.2	32
ALS9109	9	27	10.8	45	30.6	40
ALS91010	10	28	12	48	34	50
ALS91011	11	31	13.2	53	37.4	63
ALS91012	12	36	14.6	60	40.8	66
ALS91013	13	36	15.6	62	44.2	80
ALS91014	14	41	16.8	69	47.56	100
ALS91016	16	45	19.2	77	54.4	125

DIN763 ANCHOR CHAIN
DIN763链环



Code	Dia mm	Internal length mm	Internal width mm	External length mm	Outer width mm	Breaking lod KN
ALS9204	4	32	8	40	16	6
ALS9205	5	35	10	45	20	10
ALS9206	6	42	12	54	24	14
ALS9207	7	49	14	63	28	18
ALS9208	8	52	16	68	32	25
ALS9209	9	59	18	77	36	32
ALS92010	10	65	20	85	40	40
ALS92011	11	72	22	94	44	47.5
ALS92012	12	78	24	102	48	56.5
ALS92013	13	82	26	108	52	63

3 STRAND POLYESTER ROPE
三股涤纶绳



Code	Dia (mm)	Cir (inch)	Density (ktex)	Breaking Strenght (KN)	Breaking Strenght (Ton)
ALS9304	4	1/2	12	2.9	0.30
ALS9306	6	3/4	27	5.6	0.57
ALS9308	8	1	48	10.0	1.02
ALS93010	10	1-1/4	76	15.6	1.59
ALS93012	12	1-1/2	110	22.3	2.28
ALS93014	14	1-3/4	148	31.2	3.18
ALS93016	16	2	195	39.8	4.06
ALS93018	18	2-1/4	245	49.8	5.08
ALS93020	20	2-1/2	303	62.3	6.36
ALS93022	22	2-3/4	367	74.7	7.62
ALS93024	24	3	437	89.6	9.14
ALS93026	26	3-1/4	512	105.0	10.71
ALS93028	28	3-1/2	594	120.0	12.24
ALS93030	30	3-3/4	682	134.0	13.67
ALS93032	32	4	778	154.0	15.71
ALS93036	36	4-1/2	982	190.0	19.39
ALS93040	40	5	1215	235.0	23.98

8&12 STRAND POLYESTER ROPE
八股&十二股涤绳

Code	Dia (mm)	Cir (inch)	Density (ktex)	Breaking Strenght (KN)	Breaking Strenght (Ton)
ALS94040	40	5	1215	250	25.51
ALS94044	44	5-1/2	1468	295	30.10
ALS94048	48	6	1750	346	35.31
ALS94052	52	6-1/2	2050	405	41.33
ALS94056	56	7	2380	458	46.73
ALS94060	60	7-1/2	2730	512	52.24
ALS94064	64	8	3110	599	61.12
ALS94072	72	9	3930	738	75.31
ALS94080	80	10	4850	889	90.71
ALS94088	88	11	5870	1059	108.06
ALS94096	96	12	6990	1246	127.14
ALS940104	104	13	8200	1439	146.84
ALS940112	112	14	9500	1645	167.86
ALS940120	120	15	10900	1880	191.84
ALS940128	128	16	12400	2129	217.24
ALS940136	136	17	14000	2419	246.84
ALS940144	144	18	15700	2670	272.45
ALS940160	160	20	19400	3290	335.71



MARINE DOUBLE BRAIDED ROPE
双编码头绳

Code	Structure	Color	Diameter	Length
ALS96040	Double Braided	Regular Colors	Customized	Customized



ULTRA-HIGH MOLECULAR WEIGHT POLYTHENE
超高分子量聚乙烯编织绳


Code	Dia (mm)	Density (ktex)	Breaking force (kg)	Elongation at break (%)	Heat distortion temperature (°C)
ALS9506	6	20.0	2580	3.8	90
ALS9508	8	38.0	4020	3.8	90
ALS95010	10	48.0	4790	3.8	90
ALS95012	12	73.0	9310	3.8	90
ALS95014	14	100.6	12460	3.8	90
ALS95016	16	137.0	16030	3.8	90
ALS95018	18	173.0	20160	3.8	90
ALS95020	20	212.0	24710	3.8	90
ALS95022	22	256.0	29750	3.8	90
ALS95024	24	304.0	35210	3.8	90
ALS95026	26	357.0	41160	3.8	90
ALS95028	28	413.0	47460	3.8	90
ALS95030	30	475.0	54250	3.8	90
ALS95032	32	539.0	61460	3.8	90
ALS95034	34	608.0	69020	3.8	90
ALS95036	36	681.0	77000	3.8	90
ALS95038	38	759.0	85400	3.8	90
ALS95040	40	840.0	94500	3.8	90
ALS95042	42	926.0	103600	3.8	90
ALS95044	44	1020.0	127000	3.8	90
ALS95046	46	1110.0	123200	3.8	90
ALS95048	48	1210.0	133000	3.8	90
ALS95050	50	1310.0	143500	3.8	90



BOAT BOLLARD&FAIRLEAD

AISI316 STAINLESS STEEL DOUBLE CROSS BOLLARD
316不锈钢双十字缆桩






Code	A mm	B mm	C mm	D mm	E mm	F mm
ALS951A	310	130	190	350	50	25
ALS951B	370	150	190	410	80	38
ALS951C	500	180	280	550	100	50

Support private customization

AISI316 STAINLESS STEEL SINGLE CROSS BOLLARD
316不锈钢单十字缆桩






Code	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm
ALS950A	100	100	150	135	42	70	70	10.2
ALS950B	135	135	190	170	50	84.5	84.5	12.2
ALS950C	195	150	250	240	80	138	98	12.2
ALS950D	240	190	300	300	100	185	135	14.4

Support private customization

AISI316 STAINLESS STEEL SINGLE CROSS BOLLARD
316不锈钢单十字缆桩






Code	A mm	B mm	C mm
ALS9401	62	62	81

AISI316 STAINLESS STEEL DOUBLE CROSS BOLLARD
316不锈钢双十字缆桩






Code	A mm	B mm	C mm
ALS9402A	166	63	88

AISI316 STAINLESS STEEL DOUBLE CROSS BOLLARD
316不锈钢双十字缆桩






Code	A mm	B mm	C mm	D mm
ALS9402B	250	90	160	50

AISI316 STAINLESS STEEL SINGLE BOLLARD
316不锈钢心形缆桩






Code	A mm	B mm	C mm
ALS9403	98	86	94

AISI316 STAINLESS STEEL BOLLARD
316不锈钢筒子缆桩


Code	A mm	B mm	C mm	D mm
ALS952A	100	80	90	50
ALS952B	120	90	120	50





AISI316 STAINLESS STEEL BOLLARD
316不锈钢筒子缆桩


Code	A mm	B mm	C mm	D mm
ALS6875SA	95	92	92	50
ALS6575SA	120	97	122	60
ALS6975SA	142	118	140	70
ALS6775SA	172	122	153	80
ALS3617SA	195	135	165	90





AISI316 STAINLESS CASTING BOLLARD
316不锈钢重型筒子缆桩


Code	A mm	B mm	C mm	D mm
ALS973A	125	97	122	60
ALS974B	154	121	152	76





AISI316 STAINLESS STEEL HORN BOLLARD
316不锈钢板凳缆桩


Code	Size	A mm	B mm	C mm	D mm
ALS953C	6"	152	60	62	M10
ALS953D	8"	203	70	77	M10
ALS953E	10"	255	80	91	M14
ALS953F	12"	310	90	109	M18





AISI316 STAINLESS STEEL HORN BOLLARD WITH THREAD
316不锈钢带丝杆板凳缆桩


Code	A mm	B mm	C mm
ALS957A	530	160	430





AISI316 STAINLESS STEEL BOLLARD
316不锈钢雁型缆桩


Code	A mm
ALS954A	300





AISI316 STAINLESS STEEL BOLLARD CLEAT
316不锈钢空心缆桩






Code	A mm	B mm	C mm	D mm	Size
ALS3006	150	118	19	53	6″
ALS3008	215	137	34	56	8″
ALS3010	265	150	40	68	10″
ALS3012	310	175	50	78	12″

AISI316 STAINLESS STEEL DOCK BOLLARD
316不锈钢方孔码头缆桩






Code	A mm	B mm	C mm	D mm	E mm	F mm	G mm
ALS955A	260	200	56	100	65	140	14
ALS955B	315	225	46.5	123	80	176.5	14

AISI316 STAINLESS STEEL DOCK BOLLARD SCREW
316不锈钢方孔码头缆桩定制螺丝






Code	A mm	B mm	C mm	D mm
ALS955A-Screw	14	M14	68	50
ALS955B-Screw	14	M14	68	50

AISI316 STAINLESS STEEL DOCK BOLLARD
316不锈钢斜型码头缆桩






Code	A mm	B mm	C mm	D mm
ALS956A	302	102	229	70

AISI316 STAINLESS STEEL CROSS BOLLARD
316不锈钢系缆桩






Code	A mm	B mm	C mm	D mm	E mm
ALS3013A	86	97	61	14.5	5.9

AISI316 STAINLESS STEEL CROSS BOLLARD
316不锈钢系缆桩






Code	A mm	B mm	C mm	D mm
ALS3013B	61	86	127.3	5.9

AISI316 STAINLESS STEEL RING CLEAT COMBI
316不锈钢牛型索栓






Code	Amm	Bmm	Cmm
ALS2201A	175	62	68



AISI316 STAINLESS STEEL HEAVY BOW CHOCK
316不锈钢重型导缆器


Code	Pair	A mm	B mm	C mm	D mm
ALS964A	Left	280	80	80	100
	Right	280	80	80	100





AISI316 STAINLESS STEEL BOW CHOCK
316不锈钢直导缆器

Code	A mm	B mm	C mm	Size
ALS965A	102	19	27	4 inch
ALS965B	127	21	32	5 inch
ALS965C	152	22	32	6 inch
ALS965D	202	36	38	8 inch
ALS965E	230	39	40	9 inch






AISI316 STAINLESS STEEL BOW CHOCK
316不锈钢斜平导缆器

Code	A mm	B mm	C mm	Size
ALS966A	119.7	19	27	4 inch
ALS966B	151	21	32	5 inch

A pair, Left&Right






AISI316 STAINLESS STEEL BOW CHOCK
316不锈钢斜凹导览器

Code	A mm	B mm	C mm	Size
ALS967A	155	34	34	6 inch
ALS967B	204	38	45	8 inch
ALS967C	260	48	52	10 inch

A pair, Left&Right






AISI316 STAINLESS STEEL BOW CHOCK
316不锈钢空心导缆器

Code	A mm	B mm	Screw	Size
ALS968A	118	22	8	4-1/2inch
ALS968B	153	35	8	6inch


A pair, Left&Right





AISI316 STAINLESS STEEL BOW CHOCK
316不锈钢空心导缆器






Code	A mm	B mm	Screw	Size
ALS970A	112	18.5	8	4-1/2inch
ALS970B	152	22.5	8	6inch

A pair, Left&Right

AISI316 STAINLESS STEEL ALSIANGLE BOW CHOCK
316不锈钢蝴蝶导缆器






Code	A mm	B mm
ALS969A	108	65

AISI316 STAINLESS STEEL HAWSEPIPE
316不锈钢三角导缆器






Code	Amm	B mm	Cmm	Dmm	Emm
ALS980A	268	172	160	95	34

AISI316 STAINLESS STEEL FAIRLEAD ROLLER
316不锈钢导缆轮缆桩






Code	A mm	B mm	C mm	D mm	Emm
ALS960A	205	40	57	34	43
ALS960B	257	46	80	52	44

AISI316 STAINLESS STEEL FAIRLEAD ROLLER
双轮导缆孔






Code	A mm	Bmm
ALS961A	345	168

AISI316 STAINLESS STEEL HAWSE PIPE
316不锈钢椭圆导缆孔






Code	A1 mm	A2 mm	A3 mm	B1 mm	B2 mm	B3 mm	C1 mm	C2 mm
ALS962A	95	109	138	38	24	62	21	27
ALS962B	175	177	237	75	84	135	24	30

AISI316 STAINLESS STEEL HAWSE PIPE
316不锈钢方孔导缆器


Code	A1 mm	A2 mm	A3 mm	B1 mm	B2 mm	B3 mm	C1 mm	C2 mm
ALS963A	100	122	150	50	47	82	22	28





316 STAINLESS STEEL OVAL HAWSE PIPE WITH CLEATS
316不锈钢椭圆导缆孔带索栓


Code	Amm	B mm	Cmm	Dmm
ALS20355	190	200	130	355





316 STAINLESS STEEL OVAL HAWSE PIPE
316不锈钢椭圆导缆孔


Code	Amm	B mm	Cmm
ALS19145	190	145	130





316 STAINLESS STEEL OVAL HAWSE PIPE
316不锈钢椭圆导缆孔


Code	Amm	B mm	Cmm	Dmm	Emm
ALS21465	214	152	31	65	33





316 STAINLESS STEEL BOW FAIRLEAD ROLLER CHOCK WHEEL
316不锈钢万向导缆器缆绳座

Code	Amm	B mm	Cmm	Dmm
ALS21366	85	213	139	66






BOAT CLEAT

AISI316 STAINLESS STEEL HOLLOW BASE CLEAT
316不锈钢羊角索栓






Code	A mm	B mm	C mm	Size
ALS1004	101	36	20	4inch
ALS1005	127	39	30	5inch
ALS1006	150	46	30	6inch
ALS1008	203	53	40	8inch
ALS1010	255	64	45	10inch
ALS1012	302	70	53	12inch
ALS1015	378	78	64	15inch

AISI316 STAINLESS STEEL HEAVY DUTY BASE CLEAT
316不锈钢重型羊索栓






Code	A mm	B mm	C mm	Size
ALS1104	100	36	27	4inch
ALS1105	125	38	29	5inch
ALS1106	152	44	30	6inch
ALS1108	203	54	38	8inch
ALS1110	254	65	44	10inch
ALS1112	304	70	53	12inch

AISI316 STAINLESS STEEL SILHOUETTE CLEAT
316不锈钢扁型索栓






Code	A mm	B mm	C mm	Size
ALS1204	100	36	25	4inch
ALS1205	125	46	25	5inch
ALS1206	152	56	28	6inch
ALS1208	203	62	37	8inch
ALS1210	254	64	40	10inch
ALS1212	302	75	50	12inch

AISI316 STAINLESS STEEL MAST CLEAT
316不锈钢连体索栓






Code	A mm	B mm	C mm	Size
ALS1304	100	13	30.2	4inch
ALS1305	125	17	35.5	5inch
ALS1306	152	19	39.5	6inch
ALS1308	203	23	45.5	8inch
ALS1310	252	24	47.6	10inch

AISI316 STAINLESS STEEL CLEAT WITH THREAD
316不锈钢带丝杆索栓






Code	A mm	B mm	C mm	D mm	Size
ALS1406	150	63	18	50	6 inch
ALS1408	202	84	22.5	50	8 inch
ALS1410	250	106	28.3	50	10 inch

AISI316STAINLESS STEEL HEAVY HUMPBACKED CLEAT WITH THREAD
316不锈钢带丝杆驼形索栓


Code	A mm	B mm	C mm	D mm	Size
ALS1506	150	46	16	47	6 inch
ALS1508	200	58	20	47	8 inch
ALS1510	250	75	24.5	47	10 inch





AISI316 STAINLESS STEEL CLEAT
316不锈钢把手索栓

Code	A mm	B mm	C1 mm	C2 mm
ALS1705	165	24	36	88






AISI316 STAINLESS STEEL CLEAT
316不锈钢索栓

Code	A mm	B mm	C mm
ALS2920	240	112.5	42
ALS2922	300	122.5	52


Note: The bottom screw is detachable





AISI316 STAINLESS STEEL FOLDING CLEAT
316不锈钢红点折叠索栓


Code	A mm	B mm	C mm	Size
ALS2045	120	42	66	4.5 inch
ALS2406	155	48	76	6 inch





AISI316 STAINLESS STEEL FOLDING CLEAT
316不锈钢折叠索栓


Code	Amm	Bmm	Cmm	Dmm	Size
ALS2505	127	43	71	40.5	5 inch
ALS2506	155	52	85.5	49	6 inch
ALS2508	203	73	119	68	8 inch





AISI316 STAINLESS STEEL FOLDING CLEAT WITH THREAD
316不锈钢带螺丝提拉索栓

Code	A mm	Bmm	Cmm	Size
ALS2605	126	44	110	5 inch
ALS2606	155	54	135	6 inch
ALS2608	210	73	150	8inch






AISI316 STAINLESS STEEL FOLDING CLEAT
316不锈钢按压弹式索栓

NEW






Code	A mm	B mm	C mm
ALS2905A	192	112	86

AISI316 STAINLESS STEEL HEAVY HUMPBACKED CLEAT
316不锈钢重型驼形索栓






Code	A mm	B mm	Size
ALS908	205	35	8 inch
ALS910	250	45	10 inch
ALS912	304	47	12 inch
ALS915	385	55	15 inch

AISI316 STAINLESS STEEL CLEAT "K"
316不锈钢K型索栓






Code	A mm	B mm	C mm
ALS2108A	215	43	96

AISI316 STAINLESS STEEL CLEAT
316不锈钢鸭嘴型索栓






Code	A mm	B mm
ALS2301A	253	44

AISI316 STAINLESS STEEL S STYLE CLEAT
316不锈钢S型索栓






Code	A mm	B mm	C mm	Dmm	Emm
ALSH007S	260	70	40.5	114.5	M12

AISI316 STAINLESS STEEL FIUSH POP UP CLEAT
316不锈钢隐形索栓



ALS2707
Outfall/排水口




Code	A mm	B mm	C mm	D mm	Size
ALS2705	125	44	23	22	5 inch
ALS2706	152	45	20.5	22	6 inch
ALS2707	ADD OUTFALL				

AISI316 STAINLESS STEEL HEAVY POP UP CLEAT
316不锈钢大螺母隐形索栓



ALS2707
Outfall/排水口




Code	A mm	B mm	C mm	D mm	Size
ALS2705B	125	44	23	22	5 inch
ALS2706B	152	45	20.5	22	6 inch
ALS2707B	ADD OUTFALL				

AISI316 STAINLESS STEEL HEAVY POP UP CLEAT
316不锈钢大螺母隐形索栓
WIDENING DESIGN FOR EASY LIFTING
加宽手柄 便于提拉

NEW


Code	A mm	B mm	C mm	D mm	Size
ALS2706C	158	58	29	19	6 inch
ALS2708C	208	70	22	21	8 inch
ALS2710C	267	81	36.5	24	10 inch





AISI316 STAINLESS STEEL FLUSH CLEAT
316不锈钢抽拉索栓

Code	A mm	B mm	C mm	Size
ALS2805	129	32	65	5 inch
ALS2806	160	35	70	6 inch
ALS2808	210	45	96	8 inch
ALS2810	260	57	121	10 inch
ALS2812	310	69	125	12 inch






AISI316 STAINLESS STEEL HIDDEN CLEAT
316不锈钢带垫片隐藏式索栓

NEW


Code	A mm	B mm	C mm	D mm	E mm	F mm
ALS2905	160	120	33	140	50	70
ALS2906	225	176	40	160	80	70
ALS2907	300	240	50	143	45	75





AISI316 STAINLESS STEEL FLUSH CLEAT
316不锈钢抽拉索栓

Code	A mm	B mm	C mm	D mm	E mm
ALS3160	160	32	132	42	70






316 STAINLESS STEEL AUTO POP UP CLEAT
316不锈钢自动弹出式索栓

NEW

Code	Size	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm
ALS9987SA4	4"	129	33	96.5	44	97.5	22.2	112	23.5
ALS9987SA6	6"	160.5	38	102	58	129	22.2	150.5	28.9
ALS9987SA8	8"	210	50	135	58	152	31.8	189	34






BIMINI TOP FITTINGS

AISI316 STAINLESS STEEL BIMINI TOP CAP
316不锈钢单顶丝滑帽






Code	A mm	B mm	C mm	D mm	Size
ALS4019	19.6	55	6.5	3.1	3/4"
ALS4022	22.6	55	6.9	3.4	7/8"
ALS4025	25.6	58	6.9	3.4	1"
ALS4030	30.5	60.5	7.5	3.4	1-1/5"
ALS4032	32.5	60.5	7.5	3.6	1-1/4"

AISI316 STAINLESS STEEL BIMINI TOP CAP
316不锈钢三角双顶丝滑帽






Code	A mm	B mm	C mm	Size
ALS4122	22.5	58	6.9	7/8"
ALS4125	25.6	58	7	1"
ALS4130	30.5	71	7	1-1/5"
ALS4132	32.5	71	7	1-1/4"

AISI316 STAINLESS STEEL BIMINI TOP CAP
316不锈钢单顶丝滑帽






Code	A mm	B mm	C mm	Size
ALS4222	22.5	57	7	7/8"
ALS4225	25.6	57	7	1"
ALS4230	30.5	71	7	1-1/5"

AISI316 STAINLESS STEEL BIMINI TOP CAP
316不锈钢双顶丝圆滑帽






Code	A mm	B mm	C mm	Size
ALS4322	22.5	60	7	7/8"
ALS4325	25.5	60	7	1"

AISI316 STAINLESS STEEL DOUBLE-EYE END TOP CAP
316不锈钢双耳滑帽






Code	Size	A mm	B mm	C mm	D mm	Weight
ALS5722	7/8"	57.3	22.8	28.4	6.4	0.115kg

Support OEM&ODm, can customize more styles and models.

AISI316 STAINLESS STEEL BIMINI TOP CAP
316不锈钢单弯滑帽






Code	A mm	B mm	C mm	D mm	Size
ALS4422	22.5	60.5	7	6.5	7/8"
ALS4425	25.5	60.5	7	6.5	1"

316 STAINLESS STEEL EYE END
316不锈钢堵头


Code	Amm	Bmm	Cmm
ALS4519	48	21.3	18.8
ALS4522	48	21.6	19.2
ALS4523	49	24.7	22.2





AISI316 STAINLESS STEEL BIMINI TOP CAP
316不锈钢球形滑帽


Code	A mm	B mm	C mm	Size
ALS4622	22.5	31	62.5	7/8"
ALS4625	25.6	32	68.6	1"





AISI316 STAINLESS STEEL STRETCH BIMINI TOP CAP
316不锈钢伸缩滑帽滑套

Code	Amm	Bmm	Cmm	Dmm
ALS4922A	22.5	137	27.5	6.8
ALS4925B	25.5	137	30.5	6.8






AISI316 STAINLESS STEEL SQUARE TOP CAP
316不锈钢方管滑帽

Code	Size	A mm	B mm	C mm	D mm	E mm	Weight
ALS4528	1-1/10"	28	22.6	45	6.7	6.6	0.054kg

Support OEM&ODm, can customize more styles and models.






AISI316 STAINLESS STEEL SQUARE TOP CAP
316不锈钢方管滑帽

Code	Size	A mm	B mm	C mm	D mm	E mm	Weight
ALS4532	1-1/4"	32	27.3	45	6.7	6.6	0.083kg

Support OEM&ODm, can customize more styles and models.






TOP SLIDE/JAW SLIDE

AISI316 STAINLESS STEEL BIMINI TOP SLIDE
316不锈钢单顶丝滑套






Code	A mm	B mm	C mm	D mm	Size
ALS4719	19.5	27.3	47.8	7.8	3/4″
ALS4722	22.6	26.4	53.5	7.8	7/8″
ALS4725	25.6	28.9	54.1	7.9	1″
ALS4730	30.6	29.6	67.3	8.3	1-1/5″
ALS4732	32.6	29.6	67.3	8.2	1-1/4″

AISI316 STAINLESS STEEL BIMINI TOP SLIDE
316不锈钢不带棱角双顶丝滑套






Code	A mm	B mm	C mm	D mm	Size
ALS4822	22.5	60	30	7.5	7/8″
ALS4825	25.6	62	31	8	1″

AISI316 STAINLESS STEEL BIMINI TOP SLIDE
316不锈钢带棱角双顶丝滑套






Code	A mm	B mm	C mm	Dmm	Size
ALS4922	22.6	61.8	31.2	7.8	7/8″
ALS4925	25.6	62.4	31.3	7.8	1″

AISI316 STAINLESS STEEL DOUBLE-ENDED SLIDING SLEEVE
316不锈钢双头滑套





Code	Size	A mm
ALS5020B-22	7/8″	22.6mm
ALS5020B-25	1″	25.6mm

AISI316 STAINLESS STEEL BIMINI TOP SLIDE
316不锈钢滑套



Code	Diameter
ALS4927-22	22mm
ALS4927-25	25mm

Code	Size
ALS4928A-22	22.5mm
ALS4928B-25	25.5mm

AISI316 STAINLESS BIMINI TOP CAP&TOP SLIDE
316不锈钢滑帽滑套




Code	Size
ALS4929A-22	22.5mm
ALS4929B-25	25.5mm

AISI316 STAINLESS BIMINI TOP CAP&TOP SLIDE
316不锈钢滑帽滑套



Code	A mm	B mm	C mm	Size
ALS5022	22.5	64	27	7/8″
ALS5025	25.5	68	27	1″
ALS5030	30.5	72	28	1-1/5″
ALS5032	32.5	72	27	1-1/4″
ALS5038	38.6	84	38	1-1/2″
ALS5050	50.6	102	31	2″


AISI316 STAINLESS STEEL BIMINI TOP SLIDE
316不锈钢螺栓管夹





Code	A mm	B mm	C mm	Size
ALS5122	22.5	57	27	7/8″
ALS5125	25.5	70	28	1″
ALS5130	30.5	78	29	1-1/5″
ALS5132	32.5	78	29	1-1/4″


AISI316 STAINLESS STEEL BIMINI TOP SLIDE WITH PIN
316不锈钢销子管夹





Code	A mm	B mm	C mm	Size
ALS5222	22.5	71	30	7/8″
ALS5225	25.5	75	31	1″
ALS5230	30.5	84	32	1-1/5″


AISI316 STAINLESS STEEL HEAVY BIMINI TOP SLIDE
316不锈钢重型螺栓管夹





Code	A mm	B mm	C mm	D mm	Size
ALS5322	22.5	65	23	4.7	7/8″
ALS5325	25.5	67	25	4.9	1″
ALS5330	30.5	68	28	4.9	1-1/5″

AISI316 STAINLESS STEEL BIMINI TOP SLIDE
316不锈钢球形把手螺栓管夹






DECK HINGE

316 STAINLESS STEEL DECK HINGE 90°
316不锈钢山型座






Code	A mm	B mm
ALS5401	61	18

316 STAINLESS STEEL DECK HINGE 90°-REMOVABLE
316不锈钢销子小山型座






Code	Amm	Bmm
ALS5402	61	18

316 STAINLESS STEEL DECK HINGE 90°-REMOVABLE
316不锈钢带环90°销子山型座






Code	A mm	B mm
ALS5403	61	18

316 STAINLESS STEEL CONCAVE BASE DECK HINGE
316不锈钢弧型小山型座






Code	A mm	B mm	For pipe mm
ALS5404A	57.2	20	22.5
ALS5404B	58.5	22.8	25.5

316 STAINLESS STEEL CONCAVE BASE DECK HINGE - REMOVABLE PIN
316不锈钢弧型带销山型座






Code	A mm	B mm	For pipe mm
ALS5410A	57.2	20	22.5
ALS5410B	58.5	22.8	25.5

316 STAINLESS STEEL DECK HINGE 60°
316不锈钢斜螺栓山型座






Code	A mm	B mm
ALS5411A	56	18

316 STAINLESS STEEL DECK HINGE 60°-REMOVABLE PIN
316不锈钢斜销子山型座

Code	A mm	B mm
ALS5412B	55	18






316 STAINLESS STEEL DECK HINGE 90°
316不锈钢金字塔山型座

Code	Size	A mm	B mm	C mm	D mm	E mm	F mm
ALS5413A	50	50	22.1	31	M6	36.2	16.92


Support OEM&ODM, Can Customize More Styles and Models





316 STAINLESS STEEL HEAVY DUTY DECK HINGES 90°
316不锈钢重型山型座


Code	A mm	B mm
ALS5414A	53	26





316 STAINLESS STEEL DECK HINGE 90°
316不锈钢弧型大山型座


Code	A mm	B mm
ALS5415A	94.2	27.5





AISI316 STAINLESS STEEL 360° DECK SWIVEL HINGE MOUNT
316不锈钢360°旋转山型座


Code	A mm	B mm	C mm
ALS5416A	81	32	33.5
ALS5416B	90	30	34





AISI316 STAINLESS STEEL 360° DECK SWIVEL HINGE MOUNT 360°WITHING
316不锈钢360°带环山型座


Code	A mm	B mm
ALS5417A	81	32
ALS5417B	90	30





AISI316 STAINLESS STEEL 180 ° DECK SWIVEL HINGE MOUNT
316不锈钢180°旋转山型座






Code	A mm	B mm
ALS5418A	70	25

AISI316 STAINLESS STEEL 180 ° CONCAVE BASE DECK HINGE
316不锈钢180°旋转销子山型座






Code	A mm	B mm
ALS5419A	70	25

AISI316 STAINLESS STEEL 180 ° ROTARY RING DECK HINGE
316不锈钢180°旋转带圆环山型座






Code	A mm	B mm
ALS5420A	70	25

AISI316 STAINLESS STEEL REMOVABLE DECK HINGE
316不锈钢可拆卸山型座






Code	A mm	B mm
ALS5430A	70	25

AISI316 STAINLESS STEEL HANDRAIL STANCHION（FORWARD 60°）
316不锈钢前船支架






Code	A mm	B mm	C mm	D mm	Size
ALS5500A	22.5	28	40	56	7/8"
ALS5500B	25.5	30	41	58	1"

AISI316 STAINLESS STEEL HANDRAIL STANCHION（CENTER 60°）
316不锈钢中船支架






Code	A mm	B mm	C mm	D mm	Size
ALS5501A	22.5	28	40	56	7/8"
ALS5501B	25.5	30	41	58	1"

AISI316 STAINLESS STEEL HANDRAIL STANCHION（END 60°）
316不锈钢末尾船支架


Code	A mm	B mm	C mm	D mm	Size
ALS5502A	22.5	28	40	56	7/8"
ALS5502B	25.5	30	41	58	1"





AISI316 STAINLESS STEEL HANDRAIL STANCHION（FORWARD/END 60°）
316不锈钢前/后船支架


Code	Size	A mm	B mm	C mm	D mm
ALS5504A	7/8"	22.5	30	36	66.2
ALS5504B	1"	25.5	31	35	69.2





AISI316 STAINLESS STEEL HANDRAIL STANCHION（CENTER 90°）
316不锈钢中船支架


Code	A mm	B mm	C mm	D mm	E mm
ALS5411A	67	50.5	22.5	60	22.5
ALS5411B	67	50.5	22.5	60	25.5





AISI316 STAINLESS STEEL HANDRAIL STANCHION（FORWARD/END 90°）
316不锈钢前/后船支架


Code	A mm	B mm	C mm	D mm	E mm
ALS5412A	67	51.5	30	60	22.5
ALS5412B	67	51.5	30	60	25.8





AISI316 STAINLESS STEEL CENTER FITTING FOR HANDRAIL
316不锈钢通孔支架


Code	A mm	B mm
ALS5442A-22	22.5	59
ALS5442B-25	25.5	64





AISI316 STAINLESS STEEL END FITTING FOR HANDRAIL
316不锈钢盲孔支架


Code	A mm	B mm
ALS5443A-22	22.5	59
ALS5443B-25	25.5	64





AISI316 STAINLESS STEEL RECTANGLE STANCHION BASE
316不锈钢方底座支架






Code	A mm	B mm	C mm	Size
ALS5482A-22	70	25	22.6	7/8"
ALS5482B-25	61.8	45.3	25.7	1"

316 STAINLESS STEEL RAIL END TUBING HANDRAIL
316不锈钢内孔羊蹄支架






Code	A mm	B mm
ALS5483A	187.5	25

AISI316 STAINLESS STEEL RAIL END
316不锈钢小羊蹄子支架






Code	A mm	B mm	Size
ALS5470A-22	22	119	7/8"

AISI316 STAINLESS STEEL RAIL END
316不锈钢羊蹄支架






Code	A mm	B mm	Size
ALS5471A-22	22.5	175	7/8"
ALS5471B-25	25.6	175	1"

AISI316 STAINLESS STEEL RAIL END
316不锈钢内孔管子支架






Code	A mm	B mm
ALS5473A	110	19.6

AISI316 STAINLESS STEEL MAST BRACKET
316不锈钢梯形管子支架






Code	A mm	B mm	C mm
ALS5474A-25	100	25	61



PIPE STANCHION

AISI316 STAINLESS STEEL HANDRAIL 30°ROUND BASE
316不锈钢30°圆管座


Code	A mm	B mm	C mm	Size
ALS5413-3022	22.5	66.3	37.8	7/8"
ALS5413-3025	25.6	72.2	36.7	1"





AISI316 STAINLESS STEEL HANDRAIL 45°ROUND BASE
316不锈钢45°圆管座


Code	A mm	B mm	C mm	Size
ALS5414-4522	22.5	66.3	37.8	7/8"
ALS5414-4525	25.6	72.2	36.7	1"





AISI316 STAINLESS STEEL HANDRAIL 60°ROUND BASE
316不锈钢60°圆管座


Code	A mm	B mm	C mm	Size
ALS5415-6022	22.5	66.3	41.1	7/8"
ALS5415-6025	25.5	72.2	40	1"
ALS5415-6030	30.5	71.5	46	1-1/5"
ALS5415-6032	32.5	71.5	46	1-1/4"





AISI316 STAINLESS STEEL HANDRAIL 90°ROUND BASE
316不锈钢90°圆管座


Code	A mm	B mm	C mm	Size
ALS5416-9022	22.5	66	44.7	7/8"
ALS5416-9025	25.5	69	44.7	1"
ALS5416-9030	30.5	72	43.2	1-1/5"
ALS5416-9032	32.5	75	43.2	1-1/4"





AISI316 STAINLESS STEEL HANDRAIL 30°RECTANGULAR BASE
316不锈钢30°方管座






Code	A mm	B mm	C mm	D mm	Size
ALS5417-3022	78.7	44	35.6	22.5	7/8"
ALS5417-3025	82	47.3	38	25.5	1"

AISI316 STAINLESS STEEL HANDRAIL 45°RECTANGULAR BASE
316不锈钢45°方管座






Code	A mm	B mm	C mm	D mm	Size
ALS5418A-4522	78.7	44	39	22.5	7/8"
ALS5418B-4525	82	47.3	43.6	25.5	1"

AISI316 STAINLESS STEEL HANDRAIL 60°RECTANGULAR BASE
316不锈钢60°方管座






Code	A mm	B mm	C mm	D mm	Size
ALS5419A-6022	79	44	39	22.5	7/8"
ALS5419B-6025	82	47.3	44	25.5	1"
ALS5419C-6030	86	52	51.6	30.5	1-1/5"
ALS5419D-6032	86	52	54.1	32.5	1-1/4"

AISI316 STAINLESS STEEL HANDRAIL 90°RECTANGULAR BASE
316不锈钢90°方管座






Code	A mm	B mm	C mm	D mm	Size
ALS5420A-9022	79	44	44	22.5	7/8"
ALS5420B-9025	82	47	47	25.5	1"
ALS5420C-9030	86	52	51	30.5	1-1/5"
ALS5420D-9032	87	52	53	32.5	1-1/4"

AISI316 STAINLESS STEEL HANDRAIL 45° WELDABLE ROUND BASE
316不锈钢可焊接斜45°圆管座






Code	A mm	B mm	C mm	Size
ALS5430-22	22.5	66	13	7/8"
ALS5430-25	25.5	80	10	1"

AISI316 STAINLESS STEEL HANDRAIL 60° WELDABLE ROUND BASE
316不锈钢可焊接斜60°圆管座






Code	A mm	B mm	C mm	Size
ALS5431-22	22.5	66	13	7/8"
ALS5431-25	25.5	80	16	1"

AISI316 STAINLESS STEEL HANDRAIL 90° WELDABLE ROUND BASE
316不锈钢可焊接90°圆管座


Code	A mm	B mm	C mm	Size
ALS5432-22	22.5	66	16	7/8"
ALS5432-25	25.5	75	16	1"





AISI316 STAINLESS STEEL HANDRAIL 45° WELDABLE RECTANGULAR BASE
316不锈钢可焊接45°方管座


Code	A mm	B mm	C mm	D mm	Size
ALS5435-22	78	44	12.5	22.5	7/8"
ALS5435-25	78	44	15	25.5	1"





AISI316 STAINLESS STEEL HANDRAIL60° WELDABLE RECTANGULAR BASE
316不锈钢可焊接60°方管座


Code	A mm	B mm	C mm	D mm	Size
ALS5436-22	78	44	13	22.5	7/8"
ALS5436-25	78	44	15	25.5	1"





AISI316 STAINLESS STEEL HANDRAIL90° WELDABLE RECTANGULAR BASE
316不锈钢可焊接90°方管座


Code	A mm	B mm	C mm	D mm	Size
ALS5437-22	78	44	13	22.5	7/8"
ALS5437-25	78	44	14	25.5	1"





AISI316 STAINLESS STEEL VIBRATION MILLING FLAGPOLE BASE
316不锈钢振动研磨旗杆座


Code	A mm	B mm	C mm	D mm	Emm
ALS5042A	109	100	25.8	58	26





AISI316 STAINLESS STEEL MIRROR POLISHED FLAGPOLE BASE
316不锈钢镜面抛光旗杆座


Code	A mm	B mm	C mm	D mm	Emm
ALS5043A	109	100	25.8	58	26





AISI316 STAINLESS STEEL 60°FLAGPOLE BASE
316不锈钢斜60°旗杆座






Code	A mm	B mm	Size
ALS54038-25	25.5	69	1"
ALS54038-30	30.6	80	1-1/5"
ALS54038-32	32.6	82	1-1/4"
ALS54038-38	38.5	87	1-1/2"

AISI316 STAINLESS STEEL 90°FLAGPOLE BASE
316不锈钢90°旗杆座






Code	A mm	B mm	Size
ALS54039-25	25.6	69	1"
ALS54039-30	30.5	80	1-1/5"
ALS54039-32	32.6	80	1-1/4"

AISI316 STAINLESS STEEL 90°FLAGPOLE BASE
316不锈钢90°旗杆座






Code	A mm	B mm	Size
ALS54040-38	38.5	80	1-1/2"

AISI316 STAINLESS STEEL 60°FLAGPOLE BASE
316不锈钢斜60°圆筒旗杆座






Code	A mm	B mm	Size
ALS5440A-25	25.6	66.5	1"
ALS5440B-30	30.5	61	1-1/5"
ALS5440C-32	32.6	61	1-1/4"

AISI316 STAINLESS STEEL 90°FLAGPOLE BASE
316不锈钢90°圆筒旗杆座






Code	A mm	B mm	Size
ALS5441A-25	25.6	66.5	1"
ALS5441B-30	30.5	61	1-1/5"
ALS5441C-32	32.5	61	1-1/4"


AISI316 STAINLESS STEEL FLAGPOLE BASE
316不锈钢旗杆座





Code	A mm	B mm	C mm	D mm
ALS5481A	14	85.6	40.5	33.2
ALS5481B	20	86	42	44.4
ALS5481C	25	90.5	45	52


AISI316 STAINLESS STEEL FLAGPOLE BASE
316不锈钢旗杆座





Code	A mm	B mm	C mm	D mm
ALS7535Q	27	101	73	149


AISI316 STAINLESS STEEL FLAGPOLE BASE
316不锈钢旗杆座





Code	Amm	Bmm	Cmm	Dmm	Size
ALS7578A	75	78	25	35	25mm
ALS8978B	89	78	32	35	32mm

AISI316 STAINLESS STEEL FLAGPOLE BASE
316不锈钢旗杆座





Code	A mm	B mm
ALS7696B	25.5	69

316 STAINLESS STEEL FLAGPOLE WITH BASE
316不锈钢带底座的旗杆



Code	Size	Length	Weight
ALS-FB457	18inch	457mm	0.89Kg
ALS-FB609	24inch	609mm	0.977Kg
ALS-FB762	30inch	762mm	1.064Kg
ALS-FB914	36inch	914mm	1.152Kg
ALS-FB1066	42inch	1066mm	1.22Kg
ALS-FB1219	48inch	1219mm	1.239Kg
ALS-FB1447	57inch	1447mm	1.6Kg

316 STAINLESS STEEL SWIVEL FLAGPOLE WITH BASE
316不锈钢带底座的防缠绕旗杆




Code	Size	Length	Weight
ALS-FB457B	18inch	457mm	0.89Kg
ALS-FB609B	24inch	609mm	0.977Kg
ALS-FB762B	30inch	762mm	1.064Kg
ALS-FB914B	36inch	914mm	1.152Kg
ALS-FB1066B	42inch	1066mm	1.22Kg
ALS-FB1219B	48inch	1219mm	1.239Kg
ALS-FB1447B	57inch	1447mm	1.6Kg



AISI316 STAINLESS STEEL SWIVEL JOINT FOR BIMINI PIPES
316不锈钢拉抽销活节管子接头






Code	A mm	B mm	Size
ALS5459A-22	22.5	37.4	7/8"
ALS5459A-25	25.5	37.7	1"
ALS5459A-32	32.8	41.5	1-1/4"

AISI316 STAINLESS STEEL SWIVEL JOINT FOR BIMINI PIPES
316不锈钢拉抽销活节管子接头（带钢丝绳）






Code	A mm	B mm	Size
ALS5459B-22	22.5	37.4	7/8"
ALS5459B-25	25.5	37.7	1"
ALS5459B-32	32.8	41.5	1-1/4"

AISI316 STAINLESS STEEL SWIVEL JOINT FOR BIMINI PIPES
316不锈钢旋转接头活节管子接头






Code	A mm	B mm	Size
ALS5460-22	22.5	37.4	7/8"
ALS5460-25	25.5	37.7	1"

AISI316 STAINLESS STEEL 60°HANDRAIL TEE
316不锈钢60°扶手三通






Code	A mm	B mm	C mm	Size
ALS5446-22	57	48	22.5	7/8"
ALS5446-25	60	52	25.5	1"
ALS5446-30	76	76	30.5	1-1/5"
ALS5446-32	76	76	32.6	1-1/4"

AISI316 STAINLESS STEEL 60°LEFT HANDRAIL TEE
316不锈钢60°左侧三通


Code	A mm	B mm	C mm	Size
ALS5447-22	22.6	48	57	7/8"
ALS5447-25	25.5	52	60	1"





AISI316 STAINLESS STEEL 60°RIGHT HANDRAIL TEE
316不锈钢60°右侧三通


Code	A mm	B mm	C mm	Size
ALS5448-22	22.6	48	57	7/8"
ALS5448-25	25.5	52	60	1"





AISI316 STAINLESS STEEL 60°HANDRAIL TEE
316不锈钢 60°开口三通


Code	A mm	B mm	C mm	Size
ALS5451-22	22.5	48	57	7/8"
ALS5451-25	25.5	52	60	1"





AISI316 STAINLESS STEEL 90°HANDRAIL TEE
316不锈钢90°直三通


Code	A mm	B mm	C mm	Size
ALS5449-22	22.5	52	51	7/8"
ALS5449-25	25.5	53	51	1"
ALS5449-30	30.6	76	83	1-1/5"
ALS5449-32	32.5	76	88	1-1/4"





AISI316 STAINLESS STEEL 90°HANDRAIL TEE
316不锈钢90°开口三通


Code	A mm	B mm	C mm	Size
ALS5450-22	22.5	52	52	7/8"
ALS5450-25	25.5	55	55	1"





AISI316 STAINLESS STEEL 90°3-WAY TEE CONNECTOR
316不锈钢坐三通


Code	A mm	B mm	C mm	Size
ALS5454-22	49.2	22.5	49.2	7/8"
ALS5454-25	49	25.5	49	1"
ALS5454-30	49	30.6	49	1-1/5"
ALS5454-32	57	32.5	57	1-1/4"





AISI316 STAINLESS STEEL 90°4-WAY TEE CONNECTOR
316不锈钢坐四通






Code	A mm	B mm	C mm	Size
ALS5455-22	22.5	72.4	51	7/8"
ALS5455-25	25.5	71.7	51.4	1"

AISI316 STAINLESS STEEL 90°CROSS TEE CONNECTOR
316不锈钢十字通






Code	A mm	B mm	C mm	Size
ALS5456-22	22.5	72.4	72.5	7/8"
ALS5456-25	25.5	71.7	71.7	1"
ALS5456-30	30.5	75	75	1-1/5"

AISI316 STAINLESS STEEL 90°ELBOW
316不锈钢90°弯头






Code	A mm	B mm	C mm	Size
ALS5445-22	50	50	22.6	7/8"
ALS5445-25	51	51	25.7	1"
ALS5445-30	54	54	30.5	1-1/5"
ALS5445-32	55	55	32.6	1-1/4"

AISI316 STAINLESS STEEL 60° TEE CONNECTOR
316不锈钢60°提手三通






Code	A mm	B mm	C mm	Size
ALS5459A-6022	22.5	48	57	7/8"

AISI316 STAINLESS STEEL 90° TEE CONNECTOR
316不锈钢90°提手三通






Code	A mm	B mm	C mm	Size
ALS5459B-9022	22.5	48	57	7/8"

AISI316 STAINLESS STEEL BLIND BASE
316不锈钢盲板底座






Code	A mm	B mm	C mm	Size
ALS5458A	25.5	87	34.2	1"

AISI316 STAINLESS STEEL SWIVEL JOINT FOR BIMINI PIPES
316不锈钢调节弯头


Code	A mm	B mm
ALS5461A	17.5	20.2
ALS5461B	17	20
ALS5461C	19.4	22
ALS5461D	18.8	22





AISI316 STAINLESS STEEL 90°2-WAY TEE CONNECTOR
316不锈钢90°2通三通接头


Code	A mm	Degree
ALS5457A	22.5	90°





AISI316 STAINLESS STEEL BOW FORM
316不锈钢弓形弯头


Code	A mm	B mm	C mm	D	Size
ALS11022	22.6	63	63	110°	7/8"
ALS11025	25.6	63	63	110°	1"
ALS12022	22.6	64	64	120°	7/8"
ALS12025	25.6	64	64	120°	1"
ALS12522	22.6	64	64	125°	7/8"
ALS12525	25.6	64	64	125°	1"
ALS14022	22.6	59	59	140°	7/8"
ALS14025	25.6	59	59	140°	1"





AISI316 STAINLESS STEEL DRAIN PLUG
316不锈钢方形堵头


Code	A mm
ALS5050B	50





AISI316 STAINLESS STEEL DRAIN PLUG
316不锈钢子弹头堵头


Code	A mm	B mm	C mm
ALS5422A	38.5	20.2	22
ALS5425A	40	22.8	25.2
ALS5430A	42.6	26.8	30





316 STAINLESS STEEL DIAMOND GARBOARD DRAIN PLUG
316不锈钢菱形堵头


Code	A mm	B mm	C mm	D mm	E mm
ALS19024	70	41.5	52.5	25.5	31





316 STAINLESS STEEL OVAL GARBOARD DRAIN PLUG
316不锈钢椭圆堵头

Code	A	B	C	D	E	F	G	H	(mm)
ALS5490A	50.3	54	19.4	13.8	25.1	37.2	39.1	5.3	








MARIN HINGE

PEOPLE OF DIFFERENT SPECIFICATIONS ARE YOUR CHOICE

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页


Code	A mm	B mm	Thickness mm
ALS3838A	38	38	3.8
ALS4040B	40	40	3.8
ALS5050C	50	50	4.5





AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页


Code	A mm	B mm	Thickness mm
ALS08070A	80	70	5





AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页


Code	A mm	B mm	Thickness mm
ALS12090A	120	90	6





AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页


Code	A mm	B mm	Thickness mm
ALS100100A	100	100	6.4





AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页


Code	A mm	B mm	Thickness mm
ALS7575	75	75	4





AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页


Code	A mm	B mm	Thickness mm
ALS7676	76	76	3.1





AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页


Code	A mm	B mm	Thickness mm
ALS7550A	75	50	4.2





AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页






Code	A mm	B mm	Thickness mm
ALS7638A	76	38	4

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页






Code	A mm	B mm	Thickness mm
ALS10238A	102	38	4.5
ALS10738B	107	38	4.5

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页






Code	A mm	B mm	Thickness mm
ALS5738A	57	38	4.1
ALS7638B	76	38	4.1

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页






Code	A mm	B mm	Thickness mm
ALS5437A	54	37	4.2
ALS7037B	70	37	4.2

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页






Code	A mm	B mm	Thickness mm
ALS6037A	60	37	4.1

AISI316 STAINLESS STEEL CASTING FRONT POLISHED HINGE
316不锈钢正抛合页






Code	A mm	B mm	Thickness mm
ALS7040A	70	40	3.5

AISI316 STAINLESS STEEL CASTING BACK POLISHED HINGE
316不锈钢反抛合页






Code	A mm	B mm	Thickness mm
ALS7040B	70	40	3.5

AISI316 STAINLESS STEEL CASTING FRONT POLISHED HINGE
316不锈钢正抛方圆合页


Code	A mm	B mm	Thickness mm
ALS8365A	83	65	3.5





AISI316 STAINLESS STEEL CASTING BACK POLISHED HINGE
316不锈钢反抛方圆合页


Code	A mm	B mm	Thickness mm
ALS8365B	83	65	3.5





AISI316 STAINLESS STEEL CASTING FRONT POLISHED HINGE
316不锈钢正抛方圆合页


Code	A mm	B mm	Thickness mm
ALS7640A	76	40	3.5





AISI316 STAINLESS STEEL CASTING BACK POLISHED HINGE
316不锈钢反抛方圆合页


Code	A mm	B mm	Thickness mm
ALS7640B	76	40	3.5





AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页


Code	A mm	B mm	Thickness mm
ALS7638C	76	38	3.1





AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页


Code	A mm	B mm	Thickness mm
ALS7835A	78	35	4.3





AISI316 STAINLESS STEEL CASTING FRONT POLISHED HINGE
316不锈钢正抛对称合页


Code	A mm	B mm	Thickness mm
ALS17140A	171	40	4.3
ALS19065A	190	65	4.3
ALS22565A	225	65	4.3





AISI316 STAINLESS STEEL CASTING BACK POLISHED HINGE
316不锈钢反抛对称合页






Code	A mm	B mm	Thickness mm
ALS17140B	171	40	4.3
ALS19065B	190	65	4.3
ALS22565B	225	65	4.3

AISI316 STAINLESS STEEL CASTING FRONT POLISHED HINGE
316不锈钢正抛方圆合页






Code	A mm	B mm	Thickness mm
ALS11640A	116	40	3.5

AISI316 STAINLESS STEEL CASTING BACK POLISHED HINGE
316不锈钢反抛方圆合页






Code	A mm	B mm	Thickness mm
ALS11640B	116	40	3.5

AISI316 STAINLESS STEEL CASTING FRONT POLISHED HINGE
316不锈钢正抛合页






Code	A mm	B mm	Thickness mm
ALS12640A	126	40	3.5

AISI316 STAINLESS STEEL CASTING BACK POLISHED HINGE
316不锈钢反抛合页






Code	A mm	B mm	Thickness mm
ALS12640B	126	40	3.5

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页






Code	A mm	B mm	Thickness mm
ALS11038	110	38	4.3

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页






Code	A mm	B mm	Thickness mm
ALS20038A	200	38	2.4

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页


Code	A mm	B mm	Thickness mm
ALS14041A	140	41	2.9
ALS14638B	146	38	3.2





AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页


Code	A mm	B mm	Thickness mm
ALS10327A	103	27	4.3





AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页


Code	A mm	B mm	Thickness mm
ALS15230A	152	30	4.5





AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页


Code	A mm	B mm	Thickness mm
ALS17018	170	18	4.5





AISI316 STAINLESS STEEL CASTING FRONT POLISHED ROUND HINGE
316不锈钢正抛圆合页


Code	A mm	B mm	Thickness mm
ALS06565A	65	65	4.4





AISI316 STAINLESS STEEL CASTING BACK POLISHED ROUND HINGE
316不锈钢反抛圆合页


Code	A mm	B mm	Thickness mm
ALS06565B	65	65	4





AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页

Code	A mm	B mm	Thickness mm
ALS6629A	66	29	1.8
ALS7040C	70	40	2.5






ALS7040C ALS6629A

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢分体左/右合页






Code	A mm	B mm	Thickness mm
ALS9038L	90	40	5
ALS9038R	90	40	5

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢“T”型合页






Code	A mm	B mm	Thickness mm
ALS10054A	100	54	5.20
ALS15175B	151	74	5.22
ALS20097C	200	97	5.23

AISI316 STAINLESS STEEL CASTING FRICTION HINGE
316不锈钢阻尼合页



NEW




Code	A mm	B mm	C mm
ALS6040SA1	72	38	4

AISI316 STAINLESS STEEL CASTING FRICTION HINGE
316不锈钢正抛阻尼合页



NEW




Code	A mm	B mm	C mm
ALS7038A	70	38	3

AISI316 STAINLESS STEEL CASTING FRICTION HINGE
316不锈钢反抛阻尼合页



NEW




Code	A mm	B mm	C mm
ALS6938B	69.8	38	3

AISI316 STAINLESS STEEL CASTING FRICTION HINGE
316不锈钢正抛阻尼合页



NEW




Code	A mm	B mm	C mm
ALS4040	40	40	3

AISI316 STAINLESS STEEL CASTING FRICTION HINGE
316不锈钢反抛阻尼合页




NEW



Code	A mm	B mm	C mm
ALS4040N	40	40	3


AISI316 STAINLESS STEEL CASTING HATCH HINGE
316不锈钢铰链





Code	A mm	B mm	Thickness mm
ALS7654A	76	54.3	6.3


AISI316 STAINLESS STEEL CASTING HATCH HINGE
316不锈钢铰链





Code	A mm	B mm	Thickness mm
ALS7665B	76	65.5	6.3


AISI316 STAINLESS STEEL CASTING HATCH HINGE
316不锈钢铰链





Code	A mm	B mm	Thickness mm
ALS7165A	71	65.5	6.3


AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页





Code	A mm	B mm	Thickness mm
ALS8959A	89	59	4


AISI316 STAINLESS STEEL CASTING HINGE WITH SCREW
316不锈钢带螺栓铸造合页





Code	A mm	B mm	Thick mm
ALS7640AS	76	40	4.3
ALS7040D	70	40	4.3
ALS7265	72	65	4.3
ALS9449	94	49	4.3

AISI316 STAINLESS STEEL CASTING HINGE WITH SCREW
316不锈钢带螺栓铸造合页






Code	A mm	B mm	Thick mm
ALS6464B	64	64	4.5

AISI316 STAINLESS STEEL CASTING HINGE WITH SCREW
316不锈钢带螺栓铸造合页






Code	A mm	B mm	Thick mm
ALS12640C	126	40	4.5

AISI316 STAINLESS STEEL CASTING HINGE WITH SCREW
316不锈钢带螺栓铸造合页






Code	A mm	B mm	Thick mm
ALS19065C	190	65	4.5

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢铸造合页






Code	A mm	B mm	Thickness mm
ALS8360A	80	60	3.6

STAINLESS STEEL STAMPED HINGE
不锈钢冲压合页






Code	A mm	B mm	C mm
ALS4474S	60	74	2

STAINLESS STEEL STAMPED HINGE
不锈钢冲压合页






Code	A mm	B mm	Thickness mm
ALS6674S	59	38	2


STAINLESS STEEL STAMPED HINGE
不锈钢冲压合页





Code	A mm	B mm	C mm
ALS7774S	97	38	2


STAINLESS STEEL STAMPED HINGE
不锈钢冲压合页





Code	A mm	B mm	C mm
ALS1374SA	70	41.3	2


STAINLESS STEEL STAMPED HINGE
不锈钢冲压合页





Code	A mm	B mm	C mm
ALS1874S	71	38.1	2


STAINLESS STEEL STAMPED HINGE
不锈钢冲压合页





Code	A mm	B mm	C mm
ALS1974S	76	38	2


STAINLESS STEEL STAMPED HINGE
不锈钢冲压合页





Code	A mm	B mm	C mm
ALS2074S	37	35	2


STAINLESS STEEL STAMPED HINGE
不锈钢冲压合页






Code	A mm	B mm	C mm
ALS4374S	75	40	2

STAINLESS STEEL STAMPED HINGE
不锈钢冲压合页






Code	A mm	B mm	Thickness mm
ALS7550SA	75	50	2



PULL RINGS

AISI316 STAINLESS STEEL/COPPER SQUARE FLUSH LIFT RING
316不锈钢地板拉环






Code	A mm	B mm
ALS4838A	38	48

AISI316 STAINLESS STEEL SQUARE FLUSH LIFT RING
316不锈钢地板拉环






Code	A mm	B mm	C mm	D mm
ALS5940	40	60	17	31

AISI316 STAINLESS STEEL/COPPER SQUARE FLUSH LIFT RING
316不锈钢地板拉环






Code	A mm	B mm	C mm	D mm	E mm
ALS6244B	62	44	31	50	3.3

AISI316 STAINLESS STEEL/COPPER ROUND FLUSH LIFT RING
316不锈钢圆形地板拉环






Code	A mm	B mm	C mm
ALS05050A	50	36	2.7

AISI316 STAINLESS STEEL STAMPING SQUARE FLUSH LIFT RING WITH SPRING
316不锈钢冲压地板拉环


Code	A mm	B mm
ALS04438A	44	38
ALS6555B	65	55





AISI316 STAINLESS STEEL CASTING SQUARE FLUSH LIFT RING WITH SPRING
316不锈钢铸造弹簧地板拉环


Code	A mm	B mm	C mm	D mm	E mm
ALS4538A	45	38	36	28.5	10.5
ALS6656B	66	56	54	44	14.5





AISI316 STAINLESS STEEL/COPPER SQUARE FLUSH LIFT RING
316不锈钢方形地板拉环


Code	A mm	B mm	C mm	D mm	E mm
ALS7658A	75	58	65	25.5	2.5





AISI316 STAINLESS STEEL/COPPER LOCKABLE CLAMP LATCH
316不锈钢箱包扣


Code	A mm	B mm	C mm	D mm
ALS11238A	112	38	50	50





AISI316 STAINLESS STEEL/COPPER LOCK LATCH
316不锈钢方形箱包扣


Code	A mm	B mm	C mm	D mm
ALS18225A	82.5	25.4	27.8	28





AISI316 STAINLESS STEEL LOCK LATCH
316不锈钢锁扣


Code	A mm	B mm	C mm	D mm
ALS18225B	82.5	25.4	27.8	28





AISI316 STAINLESS STEEL LOCK LATCH
316不锈钢锁扣






Code	A mm	B mm
ALS6030A	60	30
ALS9039A	90	39
ALS11039B	110	39

AISI316 STAINLESS STEEL/COPPER LOCK LATCH
316不锈钢锁扣






Code	A mm	B mm	C mm	D mm
ALS19039A	93	26	15	69

AISI316 STAINLESS STEEL FLUSH LIFT RING
316不锈钢方D型拉环






Code	A mm	Bmm	Cmm	Dmm
ALS19006A	27	29	44	40
ALS19008B	34	36	55	49.5
ALS19010C	44	47.5	70	65

AISI316 STAINLESS STEEL PULL HANDLE LASHING FLUSH D LIFT RING
316不锈钢方拉手捆扎平齐吊环






Code	A mm	Bmm	Cmm	Dmm
ALS10666A	66	106	86	30

AISI316 STAINLESS STEEL AIR VENT
316不锈钢通风盖






Code	A mm	Bmm	Cmm	Dmm	Emm
ALS4342A	43.3	10.5	42.4	Ø3	0.7
ALS5855A	58	12.8	55.1	Ø4	0.8

316 STAINLESS STEEL DOOR STOP HOLDER
316不锈钢门吸






Code	A mm	Bmm	Cmm	Dmm
ALS6050E-W	60	50	19.5	48
ALS6050E-B	60	50	19.5	48
ALS8850E-W	88	50	19.5	48
ALS8850E-B	88	50	19.5	48



LOCK & LATCH

AISI316 STAINLESS STEEL TURNING LOCK WITH GASKET
316不锈钢地板锁/护片款


Code	A mm	B mm	C mm	D mm
ALS6250E	61.5	50.5	11.5	37.5





AISI316 STAINLESS STEEL TURNING LOCK WITH KEY
316不锈钢带钥匙地板锁/护片款


Code	A mm	B mm	C mm	D mm
ALS6250S	61.5	50.5	11.5	37.5





AISI316 STAINLESS STEEL TURNING LOCK WITH BUCKLE PLATE
316不锈钢地板锁/护套款


Code	A mm	B mm	C mm	D mm
ALS6250B	60	50.5	5.5	37.5





AISI316 STAINLESS STEEL TURNING LOCK WITH KEY
316不锈钢带钥匙地板锁/护套款

Code	A mm	B mm	C mm	D mm
ALS6250C	60	50.5	5.5	37.5






AISI316 STAINLESS STEEL TURNING LOCK WITH KEY(UPGRADED WATERPROOF)
316不锈钢带钥匙防水地板锁

NEW






Code	A mm	B mm	C mm	D mm
ALS6250D	61.5	50.5	11 .5	67.5

AISI316 STAINLESS STEEL TURNING LOCK (UPGRADED WATERPROOF)
316不锈钢防水地板锁

NEW






Code	A mm	B mm	C mm	D mm
ALS6250N	61.5	50.5	11.5	67.5

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢红心地板锁






Code	A mm	B mm	C mm
ALS6482A	60	82	15

AISI316 STAINLESS STEEL TURNING LOCK WITH KEY
316不锈钢带钥匙红心地板锁






Code	A mm	B mm	C mm
ALS6482B	60	82	19

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢地板锁






Code	A mm	B mm	C mm
ALS6472A	64	72	13

AISI316 STAINLESS STEEL TURNING LOCK(UPGRADED WATEEPROOF)
316不锈钢防水地板锁

NEW






Code	A mm	B mm	C mm	D mm
ALS6251A	61.5	50.5	10.5	78

AISI316 STAINLESS STEEL TURNING LOCK WITH KEY(UPGRADED WATEEPROOF)
316不锈钢带钥匙防水地板锁


NEW





Code	A mm	B mm	C mm	D mm
ALS6251B	61.5	50.5	10.5	67


AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢D型弹簧锁





Code	A mm	B mm	C mm	D mm
ALS6010A	60	100	52	120
ALS6010B	86	100	76	148


AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢D型弹簧锁





Code	A mm	B mm	C mm
ALS8067A	80	67.5	110


NYLON MATERIAL TURNING LOCK
尼龙地板锁





Code	A mm	B mm	C mm	D mm	Color
ALS6253-W	62	50.5	14	37.4	White


NYLON MATERIALTURNING LOCK
尼龙地板锁





Code	A mm	B mm	C mm	D mm	Color
ALS6252-B	62	50.5	14	37.4	Black

NYLON MATERIAL TURNING LOCK WITH KEY
尼龙带钥匙地板锁






Code	A mm	B mm	C mm	D mm	Color
ALS6251P-B	62	50.5	14	37.4	Black
ALS6251P-W	62	50.5	14	37.4	White

AISI316 STAINLESS STEEL TANK VENT
316不锈钢透气孔






Code	A mm	B mm	C mm	Size
ALS1301-15	65	21	12.7	1/2 inch
ALS1301-19	65	26	19	3/4 inch
ALS1301-25	75	34	25.5	1 inch
ALS1301-32	78	42	31.7	1-1/4 inch
ALS1301-38	83	48	38	1-1/2 inch
ALS1301-50	90	59	50.8	2 inch

AISI316 STAINLESS STEEL THRU-HULL
316不锈钢全丝出水口






Code	A mm	B mm	Size
ALS1101A	54	16.5	3/8 inch
ALS1102A	59	21	1/2 inch
ALS1103A	68	26	3/4 inch
ALS1104A	74.5	33.5	1 inch
ALS1105A	78.5	42	1-1/4 inch
ALS1106A	79.5	48	1-1/2 inch
ALS1107A	95	60	2 inch
ALS1108A	110	75	2-1/2 inch
ALS1109A	130	88	3 inch

AISI316 STAINLESS STEEL THRU-HULL WITH HOSE
316不锈钢半丝出水口






Code	A mm	B mm	C mm	Size
ALS1101B	52.5	16.5	11	3/8 inch
ALS1102B	52.5	16.5	12.5	1/2 inch
ALS1103B	58.5	26	20	3/4 inch
ALS1104B	70	33	27	1 inch
ALS1105B	72.5	42	33.5	1-1/4 inch
ALS1106B	78.5	48	39.5	1-1/2 inch
ALS1107B	91	59.5	52	2 inch

AISI316 STAINLESS STEEL THRU-HULL WITH HOSE
316不锈钢加长半丝出气口






Code	A mm	B mm	C mm	Size
ALS1201A	87	16.5	14	1/2 inch
ALS1202A	96	26	18	3/4 inch
ALS1203A	95.5	33	24.5	1 inch
ALS1204A	87	42	32	1-1/4 inch
ALS1205A	97	48.5	38	1-1/2 inch

TITANIUM ALLOY THRU-HULL
钛合金全丝出水口






Code	A mm	B mm	Size
ALS2101A	54	16.5	3/8 inch
ALS2102A	59	21	1/2 inch
ALS2103A	68	26	3/4 inch
ALS2104A	74.5	33.5	1 inch
ALS2105A	78.5	42	1-1/4 inch
ALS2106A	79.5	48	1-1/2 inch
ALS2107A	95	60	2 inch
ALS2108A	110	75	2-1/2 inch
ALS2109A	130	88	3 inch

TITANIUM ALLOY THRU-HULL WITH HOSE
钛合金半丝出水口

Code	A mm	B mm	C mm	Size
ALS2001B	52.5	16.5	11	3/8 inch
ALS2002B	52.5	16.5	12.5	1/2 inch
ALS2003B	58.5	26	20	3/4 inch
ALS2004B	70	33	27	1 inch
ALS2005B	72.5	42	33.5	1-1/4 inch
ALS2006B	78.5	48	39.5	1-1/2 inch
ALS2007B	91	59.5	52	2inch






THRU HULL OUTLET WITH CHECK VALVE
带止回阀半丝出水口

Code	Size	A mm	B mm	C mm	D mm	E mm
ALS2021-16	5/8 inch	15.8	48.0	79.7	33.2	44.4
ALS2021-18	3/4 inch	19.0	48.0	79.7	33.2	44.4
ALS2021-25	1 inch	25.4	48.0	79.7	33.2	44.4
ALS2021-30	1-1/8 inch	28.5	48.0	79.7	33.2	44.4
ALS2021-32	1-1/4 inch	31.7	59.9	94.4	40.3	44.4
ALS2021-38	1-1/2 inch	38.1	59.9	94.4	40.3	44.4
ALS2021-50	2 inch	50.8	82.5	117.6	55.8	53.9
ALS2021-38B	1-1/2 inch	38.1	82.5	120.6	55.8	63.5

Material: Stainless Steel+Nylon






THRU-HULL WITH HOSE
直半丝出水口

Code	Size	A mm	B mm	C mm	D mm	E mm
ALS2122-16	5/8 inch	15.8	48.0	79.7	33.2	44.4
ALS2122-18	3/4 inch	19.0	48.0	79.7	33.2	44.4
ALS2122-25	1 inch	25.4	48.0	79.7	33.2	44.4
ALS2122-30	1-1/8 inch	28.5	48.0	79.7	33.2	44.4
ALS2122-32	1-1/4 inch	31.7	59.9	94.4	40.3	44.4
ALS2122-38	1-1/2 inch	38.1	59.9	94.4	40.3	44.4
ALS2122-50	2 inch	50.8	82.5	117.6	55.8	53.9
ALS2122-38B	1-1/2 inch	38.1	82.5	120.6	55.8	63.5

Material: Stainless Steel+Nylon






90° HALF-WIRE BEND OUTLET WITH CHECK VALVE
带止回阀90°半丝弯出水口

Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm
ALS1540-16	5/8 inch	15.8	48.0	73.4	33.2	50.8	64.2
ALS1540-18	3/4 inch	19.0	48.0	73.4	33.2	50.8	64.2
ALS1540-25	1 inch	25.4	48.0	76.2	33.2	50.8	64.2
ALS1540-30	1-1/8 inch	28.5	48.0	71.3	33.2	44.9	64.2
ALS1540-30B	1-1/8 inch	28.5	48.0	76.2	33.2	50.8	91.1
ALS1540-32	1-1/4 inch	31.7	59.9	76.2	40.3	50.8	94.7
ALS1540-38	1-1/2 inch	38.1	59.9	88.1	40.3	50.8	94.9
ALS1540-50	2 inch	50.8	82.5	89.9	56.3	74.9	113.0


Material: Stainless Steel+Nylon





90° HALF-FILAMENT BEND OUTLET
90°半丝弯出水口






Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm
ALS1440-16	5/8 inch	15.8	48.0	73.4	33.2	50.8	64.2
ALS1440-18	3/4 inch	19.0	48.0	73.4	33.2	50.8	64.2
ALS1440-25	1 inch	25.4	48.0	76.2	33.2	50.8	64.2
ALS1440-30	1-1/8 inch	28.5	48.0	71.3	33.2	44.9	64.2
ALS1440-30B	1-1/8 inch	28.5	48.0	76.2	33.2	50.8	91.1
ALS1440-32	1-1/4 inch	31.7	59.9	76.2	40.3	50.8	94.7
ALS1440-38	1-1/2 inch	38.1	59.9	88.1	40.3	50.8	94.9
ALS1440-50	2 inch	50.8	82.5	89.9	56.3	74.9	113.0

Material: Stainless Steel+Nylon

NYLON PLASTIC BOAT THRU HULL WITH FLARING
尼龙塑料出水口带喇叭口

NEW






Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm
ALS2330-25	1 inch	25.4	48	88	33	57	64
ALS2330-30	1-1/8 inch	28.5	48	88	33	51	91
ALS2330-38	1-1/2 inch	38.1	60	102	40	58	95

PLASTIC DECK THRU-HULL WITH HOSE
ABS出水口






Code	A mm	B mm	C mm	Size
ALS0620-16	73.5	23	16	5/8 inch
ALS0620-20	80	26.5	18.5	3/4 inch
ALS0620-25	93	33	25	1 inch
ALS0620-32	97	41	31.5	1-1/4 inch
ALS0620-38	102	46.5	38	1-1/2 inch
ALS0620-50	130	57	51	2 inch

PLASTIC DECK 90° THRU-HULL WITH HOSE
ABS半丝弯出水口






Code	A mm	B mm	C mm	D mm	E mm	F mm	Color
ALS1901A	80	80	101	25.5	50	50	White
ALS1902A	80	80	101	25.5	50	50	Black

AISI316 STAINLESS STEEL TANK VENT
316不锈钢出气口






Code	A mm	B mm	C mm	D mm	E mm
ALS2880A	82	16	12	64	27


AISI316 STAINLESS STEEL 90° TANK VENT
316不锈钢90°出气口





Code	A mm	B mm	C mm	D mm	E mm
ALS2880B	68.4	15.6	11.7	47.9	23


AISI316 STAINLESS STEEL TANK VENT WITH CAP
316不锈钢大盖出气口





Code	A mm	B mm	C mm	D mm	E mm
ALS2881A	84	16	12	46	26

AISI316 STAINLESS STEEL 90° TANK VENT WITH CAP
316不锈钢90°大盖出气口






Code	A mm	B mm	C mm	D mm	E mm
ALS2881B	82	16	12	46	26

AISI316 STAINLESS STEEL 90° TANK VENT
316不锈钢90°出气口


NEW





Code	A mm	B mm	C mm	D mm
ALS2022S-16	80	30	60	16


AISI316 STAINLESS STEEL TANK VENT
316不锈钢出气口





Code	A mm	B mm	C mm	D mm
ALS10482	104	72	82	59


AISI316 STAINLESS STEEL REMOVABLE 90°COCKPIT DRAIN
316不锈钢可拆卸弯地漏





Code	A mm	B mm	C mm	D mm	E mm	F mm	Size
ALS1401A-32	79	80	103	32.5	56.5	50	32mm
ALS1402A-38	79	80	103	38.5	56	50	38mm

AISI316 STAINLESS STEEL 90° COCKPIT DRAIN
316不锈钢一体弯地漏






Code	A mm	B mm	C mm	D mm	E mm	Size
ALS1501A-32	79	80	103	32.5	56	32mm
ALS1502A-38	79	80	103	38.5	56	38mm

AISI316 STAINLESS STEEL REMOVABLE COCKPIT DRAIN
316不锈钢可拆卸直地漏






Code	A mm	B mm	C mm	D mm	Size
ALS1602A-38	82	58	38	60	38mm

AISI316 STAINLESS STEEL COCKPIT DRAIN
316不锈钢不可拆卸直地漏






Code	A mm	B mm	C mm	D mm	Size
ALS1602B-22	46.4	26	23	25.6	23mm
ALS1602B-25	53.0	27.5	25.6	28.1	25mm

AISI316 STAINLESS STEEL COCKPIT DRAIN
316不锈钢焊接直地漏






Code	A mm	B mm	C mm	Size
ALS1601A-50	82	51.5	80	50mm

AISI316 STAINLESS STEEL REMOVABLE COCKPIT DRAIN
316不锈钢可拆卸焊接直地漏






Code	A mm	B mm	C mm	Size
ALS1601B-50	82	51.5	80	50mm

AISI316 STAINLESS STEEL COCKPIT DRAIN SCUPPER WITH BALL
316不锈钢浮球地漏






Code	A mm	B mm	C mm	D mm	E mm
ALS1701A-38	92	115	40	57	41

AISI316 STAINLESS STEEL INTAKE STRAINER
316不锈钢海底门






Code	A mm	B mm	C mm	D mm	E mm	Size
ALS1801A	90	82	16.5	11	65	3/8 inch
ALS1802A	90	82	21	12.5	66	1/2 inch
ALS1803A	107	104	26	18.5	80	3/4 inch
ALS1804A	106	106	33	25.5	76	1 inch
ALS1805A	103	117	42	32	78	1-1/4 inch
ALS1806A	109	133	47.5	38	80	1-1/2 inch
ALS1807A	124	152	60	50	91	2 inch
ALS1808A	153	198	75	63.5	112	2-1/2 inch
ALS1809A	178	240	88	76	130	3 inch



AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座


Code	A mm	B mm	C mm	D mm
ALS9364A	93	64	115	25





AISI316 STAINLESS STEEL HEAVY ANTENNA BASE
316不锈钢天线座重型

Code	A mm	B mm	C mm	D mm
ALS9364B	96	57	148	25





AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座

Code	A mm	B mm
ALS1220B	22.6	66
ALS1225B	25.6	66





AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座


Code	A mm	B mm
ALS1250C	25	66





AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座






Code	A mm	B mm	C mm
ALS8050D	154	21.6	25

AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座






Code	A mm	B mm	C mm	D mm
ALS7025E	19	25	77	38

AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座






Code	A mm	B mm	C mm	D mm
ALS7025F	25	33	80	77.5

AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座






Code	A mm	B mm	C mm	D mm
ALS7022F	20	25	70.5	104.5

AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座






Code	A mm	B mm	C mm	D mm
ALS7425Q	74	32	19.8	86

AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座

Code	A mm	B mm	C mm
ALS7696A	85	25	110








FOLDING STEP

AISI316 STAINLESS STEEL MARINE FOLDING STEP
316不锈钢方形马蹄蹬/脚踏






Code	A	B	C	D	E	F	G	H (mm)
ALS12043A	137	109	120	100	32.4	54.4	11	23.5

AISI316 STAINLESS STEEL MARINE FOLDING STEP
316不锈钢直孔马蹄蹬/脚踏






Code	Amm	B mm	C mm
ALS12548B	125	84	46

AISI316 STAINLESS STEEL MARINE FOLDING STEP
316不锈钢沉孔马蹄蹬/脚踏






Code	A mm	B mm	C mm	D mm	E mm	F mm
ALS12580	127	107	80	40	85.5	90
ALS162120	165	140	120	44	112	110

316 STAINLESS STEEL DOUBLE MARINE FOLDING STEP
316不锈钢双足马蹄蹬/脚踏






Code	A mm	B mm	C mm	D mm	E mm	F mm
ALS195110	195	110	90	200	90	161

AISI316 STAINLESS STEEL BOAT HOOK
316不锈钢船篙头






Code	A mm	B mm	C mm	D mm	E mm
ALS17034A	170	35	33	28	4.5
ALS19034A	188	50	40	35	4.5
ALS19037A	188	37	36	31	4.5

AISI316 STAINLESS STEEL ROW LOCK
316不锈钢桨叉

Code	A mm	B mm	C mm	D mm	E mm	G mm
ALS1501-6	150	35	56	70	5.5	19





304 STAINLESS STEEL BOAT MEGAPHONE
304不锈钢船用喇叭

Code	Specs	Current	Power	KHz	SPL
ALS-HS-12V	Single	3.5A	42W	345Hz	125dB(A)
ALS-HS-24V	Single	1.75A	42W	345Hz	125dB(A)
ALS-HD-12V	Dual	7A	84W	370Hz	125dB(A)
ALS-HD-24V	Dual	3.5A	84W	370Hz	125dB(A)




316 STAINLESS STEEL SEAWATER STRAINER
316不锈钢海水过滤器

Code	Size	Height	Base Diameter	Window Diameter	Inlet/Outlet Diameter	Weight
ALS-SW0025	1inch	125mm	122mm	93mm	32mm	3.3Kg
ALS-SW0038	1.5inch	200mm	145mm	115mm	46mm	5.3Kg
ALS-SW0050	2inch	214mm	160mm	140mm	60mm	8Kg
ALS-SW0063	2.5inch	270mm	195mm	165mm	73mm	12.9Kg
ALS-SW0076	3inch	290mm	200mm	165mm	85mm	15.5Kg
ALS-SW0100	4inch	355mm	215mm	165mm	115mm	22.0Kg



316 STAINLESS STEEL SEAWATER STRAINER
316不锈钢侧进侧出海水过滤器


Code	Size	A mm	B mm	C mm	D mm	E mm
ALS-SW00385	1-1/4 inch	206.4	276	134.5	50	38.5
ALS-SW00455	1-1/2 inch	206.4	276	134.5	57.4	45.5
ALS-SW00560	2 inch	206.4	276	134.5	67.1	56





316 STAINLESS STEEL SEAWATER STRAINER
316不锈钢底进侧出海水过滤器

Code	Size	A mm	B mm	C mm	D mm	E mm
ALS-SW11560	2 inch	207.6	270.5	141	67	56.8
ALS-SW11720	2-1/2 inch	207.6	270.5	141	85	72.4








DECK PLATE

MARINE GRADE 316 STAINLESS STEEL,
MIRROR POLISHE.

AISI316 STAINLESS STEEL DECK INSPECTION PLATE
AISI316不锈钢甲板圆盘


Code	A mm	B mm	Size
ALS3103A	123	81.8	3 inch
ALS3104A	147	106	4 inch
ALS3105A	173	133	5 inch
ALS3106A	196.5	161.8	6 inch





AISI316 STAINLESS STEEL DECK INSPECTION PLATE
AISI316不锈钢甲板圆盘


Code	A mm	B mm	Size
ALS3203A	81.8	123	3 inch
ALS3204A	106	147	4 inch
ALS3205A	133	173	5 inch
ALS3206A	161.8	196.5	6 inch





316 STAINLESS STEEL ROUND AIR LOUVER VENT(SLIDE KHOB OPENING)
316不锈钢圆形百叶风口（滑动孔）


Code	A mm	B mm	C mm	D mm	Size
ALS1702-5	125	81.5	3.5	3	5 inch





316 STAINLESS STEEL ROUND VENT PLATES
316不锈钢圆形百叶风口

Code	A mm	B mm	C mm	D mm	Size
ALS1701-4	101	65	3.5	3	4 inch
ALS1701-5	125	81.5	3.5	5.5	5 inch





ABS PLASTIC DECK HATCH COVER FOR BOAT
船用ABS塑料甲板舱口盖

Code	Internal diameter	External diameter	Size
ALS6703K-6	152.4mm	203.2mm	6″
ALS6703K-8	203.2mm	254mm	8″




ABS PLASTIC DECK HATCH COVER FOR BOAT
船用ABS塑料甲板舱口盖

Code	Internal diameter	External diameter	Size
ALS6704K-6	160mm	200mm	6″



ABS DECK INSPECTION PLATE
ABS甲板盖






Code	Color	Size	A mm	B mm
ALS-004-01	White	4"	101	143
ALS-006-01	White	6"	151	198
ALS-008-01	White	8"	180	250

INDEPENDENT PACKING BOX

ABS DECK INSPECTION PLATE
ABS甲板盖






Code	Color	Size	A mm	B mm
ALS-104-01	Black	4"	101	143
ALS-106-01	Black	6"	151	198
ALS-108-01	Black	8"	180	250

INDEPENDENT PACKING BOX

ABS DECK INSPECTION PLATE
ABS甲板盖






Code	A mm	B mm	C mm	D mm	E mm	Size
ALS1302-4	143	100	13	10	5	4"
ALS1302-5	170	128	10	11	5	5"
ALS1302-6	197	152	15	10	5	6"


ABS DECK INSPECTION PLATE
ABS甲板盖






Code	A mm	B mm	C mm	D mm	F mm	Size
ALS1303-4	143	100	13	10	5	4"
ALS1303-5	170	128	10	11	5	5"
ALS1303-6	197	152	15	10	5	6"

ABS PLASTIC DECK HATCH COVER FOR BOAT
船用ABS塑料甲板舱口盖



Code	A mm	B mm	C mm	D mm
ALS270-375-01	270	375	192	291


ABS PLASTIC DECK HATCH COVER FOR BOAT
船用ABS塑料甲板舱口盖





Code	A mm	B mm	C mm	D mm
ALS370-375-01	370	375	290	295


ABS PLASTIC DECK HATCH COVER FOR BOAT
船用ABS塑料甲板舱口盖





Code	A mm	B mm	C mm	D mm
ALS315-440-01	315	440	240	358


ABS PLASTIC DECK HATCH COVER FOR BOAT
船用ABS塑料甲板舱口盖





Code	A mm	B mm	C mm	D mm
ALS245-607-01	243	607	525	168


ABS PLASTIC DECK HATCH COVER FOR BOAT
船用ABS塑料甲板舱口盖





Code	A mm	B mm	C mm	D mm
ALS460-510-01	460	510	383	436

ABS PLASTIC DECK HATCH COVER FOR BOAT
船用ABS塑料甲板舱口盖






Code	A mm	B mm	C mm	D mm
ALS354-607-01	353	606	278	524



DECK FILLER

AISI316 STAINLESS STEEL DECK FILLER (WITH KEYLESS CAP)
316不锈钢翻盖直油箱体






Code	A mm	B mm	Model
ALS1038A - FUEL	38	85	FUEL
ALS1050A - FUEL	50	85	FUEL
ALS1138A - DIESEL	38	85	DIESEL
ALS1150A - DIESEL	50	85	DIESEL
ALS1238A - WASTE	38	85	WASTE
ALS1250A - WASTE	50	85	WASTE
ALS1338A - GAS	38	85	GAS
ALS1350A - GAS	50	85	GAS
ALS1438A - WATER	38	85	WATER
ALS1450A - WATER	50	85	WATER

Support for lettering

AISI316 STAINLESS STEEL DECK FILLER(WITH KEY)
316不锈钢带钥匙油箱体






Code	A mm	B mm	Model
ALS2038A-FUEL	38	86	FUEL
ALS2050A-FUEL	50	86	FUEL
ALS2138A-DIESEL	38	86	DIESEL
ALS2150A-DIESEL	50	86	DIESEL
ALS2238A-WASTE	38	86	WASTE
ALS2250A-WASTE	50	86	WASTE
ALS2338A-GAS	38	86	GAS
ALS2350A-GAS	50	86	GAS
ALS2438A-WATER	38	86	WATER
ALS2450A-WATER	50	86	WATER

AISI316 STAINLESS STEEL DECK FILLER
316不锈钢小舌头油箱体






Code	A mm	B mm	Model
ALS3038A-FUEL	38	86	FUEL
ALS3050A-FUEL	50	86	FUEL
ALS3138A-DIESEL	38	86	DIESEL
ALS3150A-DIESEL	50	86	DIESEL
ALS3238A-WASTE	38	86	WASTE
ALS3250A-WASTE	50	86	WASTE
ALS3338A-GAS	38	86	GAS
ALS3350A-GAS	50	86	GAS
ALS3438A-WATER	38	86	WATER
ALS3450A-WATER	50	86	WATER

AISI316 STAINLESS STEEL 45° DECK FILLER
316不锈钢45°弯翻盖油箱体


Code	A mm	B mm	Model
ALS4038A-FUEL	38	85	FUEL
ALS4050A-FUEL	50	105	FUEL
ALS4138A-DIESEL	38	85	DIESEL
ALS4150A-DIESEL	50	105	DIESEL
ALS4238A-WASTE	38	85	WASTE
ALS4250A-WASTE	50	105	WASTE
ALS4338A-GAS	38	85	GAS
ALS4350A-GAS	50	105	GAS
ALS4438A-WATER	38	85	WATER
ALS4450A-WATER	50	105	WATER





AISI316 STAINLESS STEEL 45° DECK FILLER
316不锈钢45°小舌头油箱体


Code	A mm	B mm	Model
ALS5038A-FUEL	38	85	FUEL
ALS5050A-FUEL	50	105	FUEL
ALS5138A-DIESEL	38	85	DIESEL
ALS5150A-DIESEL	50	105	DIESEL
ALS5238A-WASTE	38	85	WASTE
ALS5250A-WASTE	50	105	WASTE
ALS5338A-GAS	38	85	GAS
ALS5350A-GAS	50	105	GAS
ALS5438A-WATER	38	85	WATER
ALS5450A-WATER	50	105	WATER





AISI316 STAINLESS STEEL 45° DECK FILLER
316不锈钢45°小舌头油箱体

Code	A mm	B mm	Model
ALS6038A-FUEL	38	88	FUEL
ALS6050A-FUEL	50	105	FUEL
ALS6138A-DIESEL	38	88	DIESEL
ALS6150A-DIESEL	50	105	DIESEL
ALS6238A-WASTE	38	88	WASTE
ALS6250A-WASTE	50	105	WASTE
ALS6338A-GAS	38	88	GAS
ALS6350A-GAS	50	105	GAS
ALS6438A-WATER	38	88	WATER
ALS6450A-WATER	50	105	WATER







MARINE GAS GRILL

304 STAINLESS STEEL MARINE GAS GRILL
304不锈钢船用燃气烧烤架



Code	Material	Size	Process
ALS-BBQ60A	304 S.S.	23.7"x12.6"x10.7"	Mirror Polished
ALS-BBQ60B	304 S.S.	23.7"x12.6"x10.7"	Matte Finish

304 STAINLESS STEEL MARINE GAS GRILL
304不锈钢船用燃气烧烤架



Code	Material	Size	Process
ALS-BBQ50A	304 S.S.	19.7"x12.6"x10.7"	Mirror Polished
ALS-BBQ50B	304 S.S.	19.7"x12.6"x10.7"	Matte Finish

304 STAINLESS STEEL INCLINED BRACKET
304不锈钢倾斜支架

Code	Material	Size	Process
ALS-BBQ01	304 S.S.	(14.5"-20")xDia 1.65"	Mirror Polished



304 STAINLESS STEEL UPRIGHT SUPPORT
304不锈钢直立支架

Code	Material	Size	Process
ALS-BBQ02	304 S.S.	(28.7"-34.6")xDia 1.65"	Mirror Polished



304 STAINLESS STEEL INCLINED BRACKET
304不锈钢倾斜支架

Code	Material	Size	Process
ALS-BBQ03	304 S.S.	12.2"xDia 1.65"	Mirror Polished



304 STAINLESS STEEL SUPPORTING PLATFORM
304不锈钢支撑平台

Code	Material	Size	Process
ALS-BBQ04	304 S.S.	40x32x36 cm	Mirror Polished






FISHING ROD HOLDER& CUP HOLDER

304/316 STAINLESS STEEL HEAVY ROUND FLUSH MOUNT ROD HOLDER WITH CAP
304/316不锈钢圆形带帽重型鱼竿座






Code	A mm	B mm	Degree
ALS1030A-15	225	42.5	15°
ALS1060A-30	225	42.5	30°
ALS1090A-90	225	42.5	90°

304/316 STAINLESS STEEL HEAVY OVAL FLUSH MOUNT ROD HOLDER WITH CAP
304/316不锈钢椭圆带帽重型鱼竿座






Code	A mm	B mm	Degree
ALS1030B-15	225	42.5	15°
ALS1060B-30	225	42.5	30°
ALS1090B-90	225	42.5	90°

304/316 STAINLESS STEEL FLUSH MOUNT ROD HOLDER WITH GASKET AND CAP
304/316不锈钢薄款带垫片鱼竿座






Code	A mm	B mm	C mm	Degree
ALS1130A-15	221.5	53.3	75	15°
ALS1160A-30	221.5	53.3	75	30°
ALS1190A-90	221.5	53.3	75	90°

304/316 STAINLESS STEEL HEAVY OVAL FLUSH MOUNT ROD HOLDER
304/316不锈钢重型椭圆鱼竿座


Code	A mm	B mm	Degree	Color
ALS1130B-15-W	225	42.5	15°	White
ALS1160B-30-W	225	42.5	30°	White
ALS1190B-90-W	225	42.5	90°	White
ALS1130B-15-B	225	42.5	15°	Black
ALS1160B-30-B	225	42.5	30°	Black
ALS1190B-90-B	225	42.5	90°	Black





304/316 STAINLESS STEEL HEAVY ROUND FLUSH MOUNT ROD HOLDER
304/316不锈钢重型圆形鱼竿座


Code	A mm	B mm	Degree	Color
ALS1130C-15-W	225	42.5	15°	White
ALS1160C-30-W	225	42.5	30°	White
ALS1190C-90-W	225	42.5	90°	White
ALS1130C-15-B	225	42.5	15°	Black
ALS1160C-30-B	225	42.5	30°	Black
ALS1190C-90-B	225	42.5	90°	Black





304/316 STAINLESS STEEL FLUSH MOUNT ROD HOLDER WITH DRAIN AND CAP
304/316不锈钢带帽排水管鱼竿座


Code	A mm	B mm	Degree
ALS1230A-15	223	42.5	15°
ALS1260A-30	223	42.5	30°
ALS1290A-90	223	42.5	90°
NOTE	Rod holder with drain		





304/316 STAINLESS STEEL FLUSH MOUNT ROD HOLDER WITH DRAIN
304/316不锈钢不带帽排水管鱼竿座


Code	A mm	B mm	Degree
ALS1230B-15	223	42.5	15°
ALS1260B-30	223	42.5	30°
ALS1290B-90	223	42.5	90°
NOTE	Rod holder with drain		





304/316 STAINLESS STEEL SLIDE MOUNT ROD HOLDER WITH BRACKETS
304/316不锈钢可拆卸式鱼竿座


Code	A mm	B mm
ALS1310A	258	50.8





304/316 STAINLESS STEEL MOUNTED ROD HOLDER WITH WELD BRACKETS
304/316不锈钢不可拆卸鱼竿座


Code	A mm	B mm	C mm
ALS1310B	257	50.8	84.5





304/316 STAINLESS STEEL HEAVY 360° ADJUSTABLE ROD HOLDER
304/316不锈钢重型底座360°可旋转鱼竿座






Code	A mm	B mm	C mm
ALS18290A-360	346	64.5	32.5
NOTE	Rod holder with drain		

304/316 STAINLESS STEEL 360° ADJUSTABLE ROD HOLDER
304/316不锈钢360°可旋转鱼竿座






Code	A mm	B mm	C mm
ALS18290B-360	312	70	40
NOTE	Rod holder with drain		

304/316 STAINLESS STEEL CLAMP-ON ADJUSTABLE ROD HOLDER
304/316不锈钢夹持式可调鱼竿座






Code	A mm	B mm	C mm
ALS1943A	265	51	19mm-26mm
ALS1943B	265	51	25mm-32mm
ALS1943C	265	51	38mm-50mm

304/316 STAINLESS STEEL CLAMP ON ADJUSTABLE ROD HOLDER
304/316不锈钢侧面旋转管夹鱼竿座






Code	A mm	B mm	C mm
ALS1409A	303	44	25mm-32mm

304/316 STAINLESS STEEL CLAMP-ON ROD HOLDER
304/316不锈钢管夹鱼竿座






Code	A mm	B mm	C mm
ALS1409B	235	51	19mm-26mm
ALS1409C	235	51	25mm-32mm
ALS1409D	235	51	32mm-50mm

304/316 STAINLESS STEEL CLAMP-ON ROD HOLDER
304/316不锈钢黑边管夹鱼竿座


Code	A mm	B mm	C mm
ALS1509A	235	50.5	19mm-26mm
ALS1509B	237	50.5	25mm-32mm
ALS1509C	237	50.5	32mm-50mm





304/316 STAINLESS STEEL CLAMP-ON ROD HOLDER
304/316不锈钢白边喇叭口鱼竿座

Code	A mm	B mm	C mm
ALS1609A	260	54.5	19mm-26mm
ALS1609B	260	54.5	25mm-32mm
ALS1609C	260	54.5	32mm-50mm






304/316 STAINLESS STEEL CLAMP-ON ROD HOLDER WITH TUBE INSERT
304/316不锈钢带护套鱼竿座

NEW

Code	A mm	B mm	C mm
ALS1709A	280	41.5	19mm-25mm
ALS1709B	280	41.5	25mm-32mm
ALS1709C	280	41.5	32mm-50mm






304/316 STAINLESS STEEL CLAMP-ON ROD HOLDER WITH TUBE INSERT
304/316不锈钢带护套鱼竿座

NEW


Code	A mm	B mm	C mm
ALS1909A	280	41.5	19mm-25mm
ALS1909B	280	41.5	25mm-32mm
ALS1909C	280	41.5	32mm-50mm





304/316 STAINLESS STEEL OUTRIGGER ROD HOLDER
304/316不锈钢T型鱼竿座


Code	A mm	B mm	C mm
ALS2950A	395mm	20°	45.5





304/316 STAINLESS STEEL ADJUSTABLE OUTRIGGER ROD HOLDER
304/316不锈钢T形可调节鱼竿座


Code	A mm	B mm
ALS2240A	407	45.5





304/316 STAINLESS STEEL CLAMP-ON ADJUSTABLE ROD HOLDER
304/316不锈钢夹持式可调鱼竿座






Code	A mm	B mm	C mm
ALS22143A	257	42.5	19mm-25mm

304/316 STAINLESS STEEL SLIDE MOUNT ROD HOLDER
304/316不锈钢滑动安装鱼竿座






Code	A mm	B mm	C mm
ALS2302A	220	45.5	96
NOTE	Rod holder with drain		

304/316 STAINLESS STEEL FLUSH MOUNT ROD HOLDER
304/316不锈钢鱼竿座






Code	A mm	B mm	Degree
ALS2215A	212	42.5	15°
ALS2290A	212	42.5	90°

304/316 STAINLESS STEEL 3 TUBE ROD HOLDER
304/316不锈钢3联鱼竿座






Code	A mm	B mm
ALS3011A	292	220

304/316 STAINLESS STEEL 4 TUBE ROD HOLDER
304/316不锈钢4联鱼竿座






Code	A mm	B mm
ALS4011B	417	220

304/316 STAINLESS STEEL 5 TUBE ROD HOLDER
304/316不锈钢5联鱼竿座





Code	A mm	B mm
ALS5011C	528	220

Code	A mm	B mm
ALS6011D	667	220


Code	A mm	B mm
ALS8011E	918	220

Code	A mm	B mm
ALS3601A	920	256


Code	A mm	B mm	C mm	Rod
ALS2813A	340	230	42	3rod
ALS2814B	469	234	42	4rod

Code	A mm	B mm	C mm	Rod
ALS3099S2	270	235	42	2rod
ALS3099S3	340	230	42	3rod


304/316 STAINLESS STEEL 6 TUBE ROD HOLDER
304/316不锈钢6联鱼竿座




304/316 STAINLESS STEEL 8 TUBE ROD HOLDER
304/316不锈钢8联鱼竿座




304/316 STAINLESS STEEL 4 TUBE ROD HOLDER
304/316不锈钢单体4联鱼竿座



304/316 STAINLESS STEEL 3 TUBE/4 TUBE ROD HOLDER
304/316不锈钢3联/4联鱼竿座




304/316 STAINLESS STEEL HEAVY DUTY 3 TUBE/2 TUBE ROD HOLDER
304/316不锈钢重型3联/2联鱼竿座





ALUMINIUM ALLOY MULTIPLE ROD HOLDER
铝合金多杆鱼竿座






Code	A mm	B mm	Rod
ALS6590AA3	343	235	3
ALS6590AA4	470	235	4
ALS6590AA5	597	235	5
ALS6590AA6	724	235	6

304/316 STAINLESS STEEL ROD HOLDER WITH CUP
304/316不锈钢杯托鱼竿座






Code	A mm	B mm
ALS6570S15	79	15°
ALS6570S30	79	30°
ALS6570S90	79	90°

304/316 STAINLESS STEEL 5 TUBE ROD HOLDER WITH CUP
304/316不锈钢5管杯托鱼竿座






Code	A mm	B mm	C mm	D mm	E mm
ALS6570S	292	50	257	394.5	38


304/316 STAINLESS STEEL 5 TUBE ROD HOLDER
304/316不锈钢5管鱼竿座





Code	Tube	A mm	B mm	C mm
ALS6579S4	4	590	135	160
ALS6579S5	5	780	135	160
ALS6579S6	6	940	135	160
ALS6579S7	7	1120	135	160


304/316 STAINLESS STEEL 5 TUBE ROD HOLDER
304/316不锈钢5管鱼竿座



Code	A mm	B mm	C mm
ALS2315A	835	260	32

304/316 STAINLESS STEEL 5 TUBE ADJUSTABLE ROD HOLDER
304/316不锈钢5管可调鱼竿座

Code	A mm	B mm	C mm
ALS2315B	835	260	32



304/316 STAINLESS STEEL TRIDENT OUTRIGGER ROD HOLDER
304/316不锈钢多杆支架鱼竿座

Code	Rod holder I.D.	Length
ALS3682A	44.5mm	632mm



304/316 STAINLESS STEEL ADJUSTABLE 3 TUBE ROD HOLDER
304/316不锈钢可调式ALSEE 3钓竿架

Code	Rod holder I.D.	Length
ALS22145A	22.5mm	44.5mm



304/316 STAINLESS STEEL ADJUSTABLE 3 TUBE ROD HOLDER
304/316不锈钢可调节鱼竿座

Code	Rod holder I.D.	Length
ALS3412A	22.5mm	44.5mm




304/316 STAINLESS STEEL 4 TUBE ADJUSTABLE ROD HOLDER
304/316不锈钢夹持杆座鱼竿座

Code	Length	Width	Base
ALS2472A	414mm	254mm	120mm *68.5mm




304/316 STAINLESS STEEL 1 WAY ROD HOLDERS
316不锈钢简易鱼竿支架




Code	A mm	B mm
ALS5133A	510	74

304/316 STAINLESS STEEL 3 WAY ROD HOLDERS
304/316不锈钢简易鱼竿支架



Code	A mm	B mm	C mm
ALS5133B-Left	507	433	45°
ALS5133B-Right	507	433	45°

304/316 STAINLESS STEEL 3 WAY ADJUSTABLE ROD HOLDERS
304/316不锈钢可调节简易三杆鱼竿支架



Code	A mm	B mm
ALS5133C-Left	523	425
ALS5133C-Right	523	425

304/316 STAINLESS STEEL 3 WAY ADJUSTABLE ROD HOLDERS
304/316不锈钢可调节三杆鱼竿支架



Code	A mm	B mm
ALS5133D	255	343


304/316 STAINLESS STEEL 3 WAY ADJUSTABLE ROD HOLDERS
304/316不锈钢可调节三杆鱼竿支架



Code	A mm	B mm
ALS5133E	440	420

STAINLESS STEEL WISHBONE OUTRIGGER BASES FISHING ROD HOLDER
304/316不锈钢可调节带腿鱼竿座


Code	A mm	B mm	C mm	Pipe Thinkness
ALS496-42	42	496	545	1.5mm
ALS496-51	50.8	496	545	1.5mm





304/316 STAINLESS STEEL DOUBLE WIRE CLAMP ON ROD HOLDER
304/316不锈钢管夹鱼竿座


Code	A mm	B mm
ALS3381A-25	172	25
ALS3882B-30	172	32





304/316 STAINLESS STEEL FLARED WELD ON ROD HOLDER WITH BLADE
304/316不锈钢带支架鱼竿座


Code	A mm	B mm	C mm	D mm
ALS26048A	257	50.8	107.5	44.5





304/316 STAINLESS STEEL FLARED WELD ON ROD HOLDER
304/316不锈钢单管鱼竿座

Code	A mm	B mm	C mm
ALS26048C	260	50.8	44.5






ALUMINIUM ALLOY FLARED WELD ON ROD HOLDER WITH BLADE
铝合金带支架鱼竿座

Code	A mm	B mm	C mm	D mm
ALS26048B	215	50.8	107.5	44.5


Support private customization





ALUMINIUM ALLOY FLARED WELD ON ROD HOLDER
铝合金单管鱼竿座





Code	A mm	B mm	C mm
ALS26048D	215	54	48

Support private customization


PLASTIC FLUSH MOUNT ROD HOLDER WITH CAP AND GASKET
塑料鱼竿座



Code	Tube Length	Width Length
ALS02043A	192mm	40.5mm

PLASTIC CLAMP OPENING ADJUSTABLE ROD HOLDER
塑料鱼竿座






Code	A mm	B mm	C mm	D mm
ALS22413A	240	54.8	135	15

PLASTIC REMOVABLE 2 TUBE ROD HOLDER
可拆卸2联塑料鱼竿座






Code	A mm	B mm	C mm	D mm	E mm	Coler
ALS27112A	191	270	90	14	50	Black
ALS27112B	191	270	90	14	50	White

PLASTIC REMOVABLE 3 TUBE ROD HOLDER
可拆卸3联塑料鱼竿座






Code	A mm	B mm	C mm	D mm	E mm	Coler
ALS27113A	300	270	90	14	50	Black
ALS27113B	300	270	90	14	50	White

PLASTIC REMOVABLE 4 TUBE ROD HOLDER
可拆卸4联塑料鱼竿座


Code	A mm	B mm	C mm	D mm	E mm	Coler
ALS27114A	441	271	90	14	46	White
ALS27114B	441	271	90	14	46	Black





ALUMINUM ALLOY 3 TUBE ROD HOLDER
新款铝合金三联鱼竿座


Code	A mm	B mm	C mm	Coler
ALS30213A	302	216	37	Blue
ALS30213B	302	216	37	Silver





ALUMINUM ALLOY 4 TUBE ROD HOLDER
新款铝合金四联鱼竿座


Code	A mm	B mm	C mm	Coler
ALS30214A	435	216	37	Blue
ALS30214B	435	216	37	Silver





RAIL MOUNT ROD HOLDER
鱼竿筒

Code	Size mm	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	N.W (kg)	G.W (kg)
ALS1206A	36*200	200	51.5	36	67	57	79	3	18	0.055	0.095








STEERING WHEEL

304/316 STAINLESS STEEL STEERING WHEEL
304/316不锈钢方向盘






Code	A mm	B mm	C mm	Size
ALS0125S	275	83.4	25°	11.5″
ALS0126S	340	98.1	25°	13.5″
ALS0128S	390	109.2	25°	15.5″

304/316 STAINLESS STEEL SPORT WHEEL WITH KNOB
304/316不锈钢带握把方向盘






Code	A mm	B mm	C mm	Size
ALS0130S	275	83.4	25°	11.5″
ALS0132S	340	98.1	25°	13.5″
ALS0138S	390	109.2	25°	15.5″

304/316 STAINLESS STEEL SPORT STEERING WHEEL WITH BLACK KNOB
304/316不锈钢运动方向盘带黑色把手






Code	A mm	B mm	C mm	Size
ALS0151S	340	82.5	25°	13.5″
ALS0153S	390	91.5	25°	15.5″

304/316 STAINLESS STEEL SPORT STEERING WHEEL WITH SILVER KNOB
304/316不锈钢运动方向盘带银色把手


Code	A mm	B mm	Size
ALS1473SF	340	80	13.5″
ALS1073SF	390	84.9	15.5″





304/316 STAINLESS STEEL STEERING WHEEL WITH BLACK KNOB
304/316不锈钢方向盘带黑色旋钮


Code	A mm	B mm	Size	Nut thread
ALS8319-A	340	126.5	13.5″	5/8″-18
ALS8320-B	390	126.5	15.5″	5/8″-18
ALS8321-C	340	126.5	13.5″	1/2″-20
ALS8322-D	390	126.5	15.5″	1/2″-20





304/316 STAINLESS STEEL STEERING WHEEL WITH SILVER KNOB
304/316不锈钢方向盘带银色旋钮


Code	A mm	B mm	Size	Nut thread
ALS8323-A	340	126.5	13.5″	5/8″-18
ALS8324-B	390	126.5	15.5″	5/8″-18
ALS8325-C	340	126.5	13.5″	1/2″-20
ALS8326-D	390	126.5	15.5″	1/2″-20





304/316 STAINLESS STEEL STEERING WHEEL
304/316不锈钢方向盘


Code	A mm	B mm	Size
ALS0162S	340	56.9	13.5″





304/316 STAINLESS STEEL STEERING WHEEL PU FOAM
304/316不锈钢PU发泡方向盘


Code	A mm	B mm	C mm	Size
ALS0221S	290	83.4	25°	11.5″
ALS0225S	355	98.1	25°	13.5″
ALS0227S	410	109.2	25°	15.5″





304/316 STAINLESS STEEL STEERING WHEEL PU FOAM WITH SILVER KNOB
304/316不锈钢PU发泡方向盘带银色握把






Code	A mm	B mm	C mm	Size
ALS04010S	290	83.4	25°	11.5″

304/316 STAINLESS STEEL STEERING WHEEL PU FOAM WITH BLACK KNOB
304/316不锈钢PU发泡方向盘带黑色握把






Code	A mm	B mm	C mm	Size
ALS4011S	290	83.4	25°	11.5″
ALS4017S	355	98.1	25°	13.5″
ALS4019S	410	109.2	25°	15.5″

304/316 STAINLESS STEEL STEERING WHEEL PU FOAM
304/316不锈钢PU发泡方向盘(不锈钢中心盖)






Code	A mm	B mm	C mm	Size
ALS5011S	290	83.4	25°	11.5″
ALS5017S	355	98.1	25°	13.5″
ALS5019S	410	109.2	25°	15.5″

The lid can be customized with logo

304/316 STAINLESS STEEL PU FOAM STEERING WHEEL
304/316不锈钢PU发泡方向盘






Code	A mm	B mm	Color	Size
ALS07110S	355	55	Black	13.5″
ALS07120S	355	55	White	13.5″

304/316 STAINLESS STEEL EMBOSSED STEERING WHEEL PU FOAM
304/316不锈钢PU压花发泡方向盘






Code	A mm	B mm	Size
ALS07130S	355	55	13.5″

304/316 STAINLESS STEEL / ALUMINUM ALLOY PU FOAM STEERING WHEEL
304/316不锈钢/铝合金PU发泡方向盘

Code	A mm	B mm	Size	Style
ALS8320-A	355	92	13.5″	with knob
ALS8321-B	355	92	13.5″	without knob

Support for custom LOGO





ALS8320-A



ALS8321-B

304/316 STAINLESS STEEL PU FOAM STEERING WHEEL
304/316不锈钢PU发泡方向盘

Code	Size	Dish
ALS9989SB	13.5″	15 degree



ABS PLASTIC STEERING WHEEL
ABS塑料方向盘

Code	Size	Dish
ALS8011SB	13.5″	15 degree




304/316 STAINLESS STEEL STEERING WHEEL GENUINE LEATHER
304/316不锈钢真皮方向盘

Code	Size	Dish
ALS09010S	13.5″	90 degree




304/316 STAINLESS STEEL MARINE RUDDER
304/316不锈钢5轴方向舵




Code	A mm	B mm	Spoke	Size
ALS7500S	609.6	22	1/2"*5	24"
ALS7501S	660.4	22	1/2"*5	26"
ALS7502S	711.2	22	1/2"*5	28"
ALS7503S	762	22	1/2"*5	30"
ALS7504S	812.8	22	1/2"*5	32"
ALS7505S	863.6	22	1/2"*5	34"
ALS7506S	914.4	22	1/2"*5	36"

304/316 STAINLESS STEEL MARINE RUDDER
304/316不锈钢6轴方向舵



Code	A mm	B mm	Spoke	Size
ALS7600S	609.6	22	1/2"*6	24"
ALS7601S	660.4	22	1/2"*6	26"
ALS7602S	711.2	22	1/2"*6	28"
ALS7603S	762	22	1/2"*6	30"
ALS7604S	812.8	22	1/2"*6	32"
ALS7605S	863.6	22	1/2"*6	34"
ALS7606S	914.4	22	1/2"*6	36"


304/316 STAINLESS STEEL SIMPLE STEERING WHEEL
304/316不锈钢舵机方向盘



Code	A mm	B mm	Size
ALS9798S	340	35	13.5"
ALS9799S	390	35	15.5"

316 STAINLESS STEEL KNOB FOR STEERING WHEEL WITH BEARINGS
316 不锈钢方向盘旋钮带轴承

Code	A mm	B mm	Size
ALS06140N	25.4	18.8	1"



304/316 STAINLESS STEEL KNOB FOR STEERING WHEEL
304/316不锈钢方向盘旋钮

NEW

Code	A mm	B mm	Size
ALS06110S	25.4	18.8	1"
ALS06120S	25.4	18.8	1"
ALS06130S	25.4	18.8	1"



BOAT OUTBOARD ROTARY STEERING SYSTEM
船用转向系统

Code	Steering Cable	Tapered shaf
ALS6106S	5FT-50FT	3/4"






MARINE LADDER

304/316 STAINLESS STEEL TELESCOPING MARINE DROP LADDER(EXTEND HIGE)
304/316不锈钢伸缩可折叠下水梯

HOT SALE






Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L1042	2	595 -- 342	255

Under Platform Pivoting Front Retaining Cover






Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L1043	3	889 -- 372	255

Under Platform Pivoting Front Retaining Cover






Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L1044	4	1147 -- 404	255

Under Platform Pivoting Front Retaining Cover


304/316 STAINLESS STEEL TELESCOPING MARINE DROP LADDER
304/316不锈钢伸缩式升降梯/手动梯





Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L2022	2	595 -- 342	255

Deck Ladder Flip-up Hinge Pressde Finger Grip Grad Handle





Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L2023	3	868 -- 378	255


Deck Ladder Flip-up Hinge Pressde Finger Grip Grad Handle



Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L2024	4	1150 -- 397	255

Deck Ladder Flip-up Hinge Pressde Finger Grip Grad Handle


304/316 STAINLESS STEEL TELESCOPIC MARINE DROP LADDER WITH WIDE STEP
304/316不锈钢双踏板折叠梯





Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L3803	3	889 -- 372	255

Deck Ladder Fli-up Hinge






Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L3804	4	1156 -- 404	255

Deck Ladder Fli-up Hinge

304/316 STAINLESS STEEL TELESCOPING MARINE LADDER WITH SLIDE MOUNT
304/316不锈钢隐藏式折叠伸缩下水梯






Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L4102	2	597 -- 349	255

Under Platform Robust Slide Swing Pivot - Easy Mount






Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L4103	3	889 -- 373	255

Under Platform Robust Slide Swing Pivot - Easy Mount






Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L4104	4	1155 -- 394	255

Under Platform Robust Slide Swing Pivot - Easy Mount

304/316 STAINLESS STEEL FOLDING TELESCOPIC MARINE LADDER WITH PLATFORM
304/316不锈钢防滑平台折叠伸缩下水梯






Code	Stop	A mm	B mm	C mm
ALS-L5102	2	584	458	360
ALS-L5103	3	889	458	360
ALS-L5104	4	1197	458	360

Under Platform Robust Slide Swing Pivot - Easy Mount

304/316 STAINLESS STEEL TELESCOPIC MARINE LADDER WITH PLATFORM
304/316不锈钢防滑平台折叠梯






Code	Step	A mm	B mm	C mm
ALS-L9112	2	592	458	360
ALS-L9113	3	879	458	360
ALS-L9114	4	1197	458	360

Thick solid glass reinforced plastic

304/316 STAINLESS STEEL FOLDING TELESCOPIC MARINE LADDER WITH HANDRAIL
304/316不锈钢4节扶手拱桥梯

Code	Step	A mm	B mm	C mm
ALS-L6104S	4	1678	1187	381

Built in Grab Rails Wide Step






304/316 STAINLESS STEEL FOLDING TELESCOPIC MARINE LADDER WITH HANDRAIL
304/316不锈钢伸缩扶手梯

Code	Step	A mm	B mm	C mm
ALS-L9223	3	868	408	254
ALS-L9224	4	1160	408	254

Built in Grab Rails Wide Step






304/316 STAINLESS STEEL FOLDING MARINE LADDER
304/316不锈钢塑料踏板折叠梯

Code	Step	A mm	B mm
ALS-L7101	2+1	600	200
ALS-L7102	2+2	879	235
ALS-L7103	3+2	1085	235
ALS-L7104	2+3	1085	255
ALS-L7105	3+3	1316	255

Flip - up Pivot Mount Solid TEAK step terads






304/316 STAINLESS STEEL FOLDING MARINE LADDER WITH TEAK TREADS
304/316不锈钢带柚木踏板折叠梯

Code	Step	A mm	B mm
ALS-L7201	2+1	600	200
ALS-L7202	2+2	879	235
ALS-L7203	3+2	1085	235
ALS-L7204	2+3	1085	255
ALS-L7205	3+3	1316	255


Flip - up Pivot Mount Solid TEAK step terads





304/316 STAINLESS STEEL BOARDING LADDER FOR INFLATABLE BOATS
304/316不锈钢充气船登梯


Code	Step	A mm	B mm	C mm
ALS-L8212SA3	3	874	323	255
ALS-L8212SA4	4	1154	323	255





304/316 STAINLESS STEEL TELESCOPIC BOAT LADDER
304/316不锈钢伸缩船梯






Code	Step	A mm	B mm
ALS-L7326SA	3	678	232

304/316 STAINLESS STEEL FOLDING BOARDING LADDER
304/316不锈钢扶手折叠登船梯






Code	Step	A mm	B mm
ALS-L88030	2+1	720	255
ALS-L88031	2+2	920	255
ALS-L88032	2+3	1300	255
ALS-L88033	3+3	1500	255

Folding Pivot Mount Standoffs

304/316 STAINLESS STEEL TELESCOPIC BOARDING LADDER WITH HANDRAIL
304/316不锈钢扶手登船梯






Code	Step	A mm	B mm
ALS-L8903	3	889	255
ALS-L8904	4	1150	255

304/316 STAINLESS STEEL TELESCOPIC DIVE LADDER
304/316不锈钢伸缩式潜水梯






Code	Step	A mm (Extended -- Stowed)	B mm (Width)	C mm (Centrum)
ALS-L8303	3	870 --404	340	70
ALS-L8304	4	458.2 --1150	340	70

Deck Mount Flip - up Hinge

304/316 STAINLESS STEEL TELESCOPIC DIVE LADDER
304/316不锈钢伸缩式潜水梯






Code	Step	A mm (Extended -- Stowed)	B mm (Width)	C mm (Centrum)
ALS-L8403	3	870 --404	340	70
ALS-L8404	4	458.2 -- 1150	340	70

Quick Release Robust Design

304/316 STAINLESS STEEL TELESCOPIC DIVE LADDER
304/316不锈钢伸缩式潜水梯

Code	Step	A mm (Extended -- Stowed)	B mm (Width)	C mm (Centrum)
ALS-L8503	3	404 --870	340	70
ALS-L8504	4	458.2 -- 1150	340	70


Quick Release Robust Design





304/316 STAINLESS STEEL TELESCOPIC MARINE LADDER WITH BOX
304/316不锈钢隐藏厢式梯


Code	Step	A mm	B mm	C mm
ALS-L8603	3	880	337	453





304/316 STAINLESS STEEL SWIM PLATFORM UNDERSIDE LADDER WITH CARRY HANDLE
304/316不锈钢游泳平台底侧梯带提手


Code	Step	A mm (Extended -- Stowed)	B mm (Width)	C mm (Centrum)
ALS-L8335S3	3	1200 -- 433	294	255
ALS-L8335S4	4	1475 -- 475	294	255





304/316 STAINLESS STEEL PONTOON BOAT LADDER
304/316不锈钢浮桥船梯


Code	Step	A mm	B mm	C mm
ALS-L3136SA4	2+2	1130	760	340
ALS-L3136SA5	3+2	1410	1025	340





304/316 STAINLESS STEEL TELESCOPIC BOAT LADDER
304/316不锈钢伸缩船梯

Code	Step	A mm	B mm	C mm
ALS4878SA4	4	889	368	255





304/316 STAINLESS STEEL FOLDING TELESCOPIC BOAT LADDER WITH HANDRAILS
304/316不锈钢折叠伸缩船梯带扶手



Code	Step	Extended	Stowed	Width
ALS-L4158SA	4	1300mm(51.2")	650mm(25.6")	290mm(11.5")

304/316 STAINLESS STEEL TELESCOPING DROP MARINE LADDER
304/316不锈钢伸缩式升降梯/手动梯



Code	Step	Extended	Stowed	Width
ALS-L8603	3	700mm(27.5")	305mm(12")	292mm(11.5")
ALS-L8604	4	925mm(36.4")	315mm(12.5")	279mm(11")

Fits Swim Platforms Flip-up Hinge

304/316 STAINLESS STEEL TELESCOPING UNDER PLATFORM MARINE LADDER
304/316不锈钢伸缩式平台梯



Code	Step	Length	Width	Centrum W
ALS-L8703	3	596mm(23.5")	344mm(13.5")	255mm(10")
ALS-L8704	4	920mm(36.3")	368mm(14.5")	255mm(10")

Fits Swim Platforms Flip-up Hinge

304/316 STAINLESS STEEL BOAT LADDER
304/316不锈钢船梯



Code	Step	Extended	Stowed	Width
ALS-L7103SA	4	1240mm (48.8")	710mm(27.9")	290mm(11.4")

304/316 STAINLESS STEEL TELESCOPIC BOAT LADDER WITH ANTI-SLIP STEPS
304/316不锈钢带防滑台阶的伸缩船梯



Code	Step	Extended	Stowed	Width
ALS-L7331SA1	3	860mm (33.8")	373mm(14.7")	295mm(11.6")
ALS-L7341SA1	4	1135mm (44.7")	405mm(15.9")	295mm(11.6")

304/316 STAINLESS STEEL TEAK PLATFORM WITH 3 STEP LADDERS
304/316不锈钢带3节船梯的柚木平台

Item No.	Width mm	Length mm	Ladder
ALS-TW1001	450	400	Without ladder
ALS-TW1002	450	400	3 steps



Without ladder



3 steps

304/316 STAINLESS STEEL TEAK PLATFORM WITH LADDERS
304/316不锈钢带船梯的柚木平台

Item No.	Width mm	Length mm	Ladder
ALS-TW1003	350	500	2 steps
ALS-TW1004	350	500	3 steps



304/316 STAINLESS STEEL TEAK PLATFORM WITH LADDERS
304/316不锈钢带船梯的柚木平台

Item No.	Width mm	Length mm	Ladder
ALS-TW1005	420	660	2 steps
ALS-TW1006	420	660	3 steps



304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台

Item No.	Width mm	Length mm
ALS-1140SA	380	840



304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台

Item No.	Width mm	Length mm
ALS-38100	380	1000



304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-1340SA	410	1270

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-1440SA	600	1090

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-1540SA	600	1310

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-3140SA	450	500

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-3240SA	450	800

Item No.	Width mm	Length mm
ALS-3340SA	360	450

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-3440SA	650	950

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-3540SA	450	1780

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-3640SA	500	1900

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-3740SA	600	1750 - 2600

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-7140SA	520+/-50mm	1150

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-7140SAXL	625+/-50mm	1400

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-7840SAN	480	700

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-7340SA	420	685

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-7840SA	520+/-50mm	1150

Item No.	Width mm	Length mm
ALS-3541SA	300	500

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-4240SAN	330	550

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-7140SALN	520+/-50mm	1150

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-7841SA	420	685

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-7840SA1	480	700

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台









HANDDRAILS

AISI316 STAINLESS STEEL HANDLE
316不锈钢船用把手



Code	Lmm	Dmm
ALS2401A	143	43

AISI316/304 STAINLESS STEEL OVAL HANDRAIL
316/304不锈钢椭圆形扶手



Code	LengthxHeight	Tube Dia
ALS-RH-1208	8"(200mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-1212	12"(300mm)	1"x3/4"(25.4x18.8mm)

AISI316/304 STAINLESS STEEL OVAL HANDRAIL
316/304不锈钢椭圆形扶手



Code	LengthxHeight	Tube Dia
ALS-RH-1308	8"(200mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-1310	10"(260mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-1312	12"(300mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-1316	16"(400mm)	1"x3/4"(25.4x18.8mm)

AISI316/304 STAINLESS STEEL OVAL HANDRAIL
316/304不锈钢椭圆形扶手



Code	Length	Base size	Tube Dia
ALS-RH-1409	9"	1-5/8" x 2-1/2"	25.4 mm
ALS-RH-1412	12"	1-5/8" x 2-1/2"	25.4 mm

AISI316/304 STAINLESS STEEL ROUND HANDRAIL
316/304不锈钢圆形扶手

Code	Length	Tube Dia	Stud
ALS-RH-1512	12"(300mm)	7/8"(22 mm)	1/4"
ALS-RH-1518	18"(450mm)	7/8"(22 mm)	1/4"
ALS-RH-1524	24"(600mm)	7/8"(22 mm)	1/4"



AISI316/304 STAINLESS ROUND HANDRAIL
316/304不锈钢圆形扶手

Code	Length	Tube Dia
ALS-RH-1608	8"(200mm)	7/8"(22 mm)
ALS-RH-1612	12"(300mm)	7/8"(22 mm)
ALS-RH-1616	16"(400mm)	7/8"(22 mm)
ALS-RH-1620	20"(500mm)	7/8"(22 mm)
ALS-RH-1624	24"(600mm)	7/8"(22 mm)
ALS-RH-1632	32"(800mm)	7/8"(22 mm)
ALS-RH-1640	40"(1000mm)	7/8"(22 mm)



AISI316/304 STAINLESS STEEL ROUND HANDRAIL WITH ROUND BASE
316/304不锈钢圆形扶手带圆形底座

Code	Length	Tube Dia
ALS-RH-1708	8"(200mm)	7/8"(22 mm)
ALS-RH-1712	12"(300mm)	7/8"(22 mm)
ALS-RH-1720	20"(500mm)	7/8"(22 mm)
ALS-RH-1732	32"(800mm)	7/8"(22 mm)
ALS-RH-1740	40"(1000mm)	7/8"(22 mm)



AISI316/304 STAINLESS STEEL ROUND GRAB RAIL
316/304不锈钢圆形扶手

Code	Length	Tube Dia	Degree
ALS-RH-1812	12"(300mm)	12"(300mm)	45dr
ALS-RH-1818	18"(450mm)	18"(450mm)	45dr
ALS-RH-1824	24"(600mm)	24"(600mm)	45dr
ALS-RH-1830	30"(750mm)	30"(750mm)	45dr
ALS-RH-1836	36"(900mm)	36"(900mm)	45dr
ALS-RH-1912	12"(300mm)	12"(300mm)	90dr
ALS-RH-1918	18"(450mm)	18"(450mm)	90dr
ALS-RH-1924	24"(600mm)	24"(600mm)	90dr
ALS-RH-1930	30"(750mm)	30"(750mm)	90dr
ALS-RH-1936	36"(900mm)	36"(900mm)	90dr



AISI316/304 STAINLESS STEEL OVAL HANDRAIL ROUND BASE SCREWED
316/304不锈钢椭圆形扶手带圆底座

Code	Length	Base Size	Tube Dia
ALS-RH-2009	9"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2012	12"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2016	16"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2018	18"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2024	24"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)



AISI316/304 STAINLESS STEEL OVAL HANDRAIL WITH BASE
316/304不锈钢圆形扶手带底座



Code	Length	Base Size	Tube Dia
ALS-RH-2109	9"	55x32.4mm	1"(25.4mm)
ALS-RH-2112	12"	55x32.4mm	1"(25.4mm)
ALS-RH-2116	16"	55x32.4mm	1"(25.4mm)
ALS-RH-2118	18"	55x32.4mm	1"(25.4mm)
ALS-RH-2124	24"	55x32.4mm	1"(25.4mm)

AISI316/304 STAINLESS STEEL OVAL HANDRAIL
316/304不锈钢椭圆形扶手



Code	Length	Base Size	Tube Dia
ALS-RH-2212	12"	2.48"x1.26"(63x32mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2216	16"	2.48"x1.26"(63x32mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2218	18"	2.48"x1.26"(63x32mm)	1"x3/4"(25.4x18.8mm)

AISI316/304 STAINLESS STEEL S/S HEAVY DUTY OVAL HANDRAIL
316/304不锈钢S/S重型椭圆形扶手



Code	Length	Tube Dia
ALS-RH-2385	8-5/8"	1"x3/4"(25.4x18.8mm)
ALS-RH-2312	12"	1"x3/4"(25.4x18.8mm)
ALS-RH-2316	16"	1"x3/4"(25.4x18.8mm)
ALS-RH-2318	18"	1"x3/4"(25.4x18.8mm)
ALS-RH-2324	24"	1"x3/4"(25.4x18.8mm)

AISI316/304 STAINLESS STEEL HEAVY DUTY OVAL HANDRAIL
316/304不锈钢重型椭圆形扶手



Code	Length	Tube Dia
ALS-RH-2485	8-5/8"	1"3x4"(25.4x18.8mm)
ALS-RH-2412	12"	1"3x4"(25.4x18.8mm)
ALS-RH-2416	16"	1"3x4"(25.4x18.8mm)
ALS-RH-2418	18"	1"3x4"(25.4x18.8mm)
ALS-RH-2424	24"	1"3x4"(25.4x18.8mm)

AISI316/304 STAINLESS STEEL ROUND HANDRAIL WITH FINGER GRIP
316/304不锈钢圆形手柄带手指夹

Code	Length	Tube Dia
ALS-RH-2510	10-1/4"(250mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2514	14"(350mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2518	18"(450mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2520	20"(500mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2525	25-3/4"(655mm)	1"x3/4"(25.4x18.8mm)



316/304 STAINLESS STEEL CASTED OVAL HANDRAIL HEAVY
316/304不锈钢重型铸造椭圆形把手

Code	Length	Tube Dia	Stud
ALS-RH-2612	12"	13x13mm	M6
ALS-RH-2618	18"	13x13mm	M6
ALS-RH-2624	24"	13x13mm	M6
ALS-RH-2718	18"	20x40mm	M6
ALS-RH-2724	24"	20x40mm	M6
ALS-RH-2730	30"	20x40mm	M6
ALS-RH-2736	36"	20x40mm	M6
ALS-RH-2748	48"	20x40mm	M6
ALS-RH-2760	60"	20x40mm	M6



AISI316/304 STAINLESS STEEL HANDRAIL
316/304不锈钢扶手


Code	LengthxHeight	Diameter
ALS-RH-2825	270x130mm	25mm
ALS-RH-2925	270x130mm	25mm





LARGE EYE CRANE HOOK
大眼货钩






Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6101-0.2	0.2T	18	92	18	7	200	0.091
ALS6101-0.3	0.3T	19	102	17	7.5	300	0.127
ALS6101-0.5	0.5T	28	119	17	9.5	500	0.210

SWIVEL EYE CRANE HOOK
圈式旋转货钩






Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6102-150	3/16"	15.8	17.6	11	90	150	0.082
ALS6102-350	1/4"	22	23.9	16.9	114	350	0.155
ALS6102-650	5/16"	27	26.7	20.5	138	650	0.237
ALS6102-1000	3/8"	28	32.8	23.5	158	1000	0.436
ALS6102-1500	1/2"	36	37.8	31	190	1500	0.711

SWIBEL JAW CRANE HOOK
叉式旋转货钩






Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6103-150	3/16"	9.5	17.6	11	90	150	0.090
ALS6103-350	1/4"	12.5	24	16.9	114	350	0.167
ALS6103-650	5/16"	15	26	20.5	138	650	0.259
ALS6103-1000	3/8"	17.5	32.8	23	158	1000	0.456
ALS6103-1500	1/2"	36	37.8	31	190	1500	0.748

S320 CRANE HOOK
S320 货钩






Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6104-0.5	0.5T	16.5	90	16	8	500	0.111
ALS6104-0.75	0.75T	18.5	101.5	18.5	9	750	0.204
ALS6104-1	1.0T	23	114.5	21	11	1000	0.286
ALS6104-1.5	1.5T	28	129.5	21.5	12	1500	0.418
ALS6104-2	2.0T	32	153	26	15	2000	0.656
ALS6104-3	3.0T	38	182	31.5	17.5	3000	1.257

CRANE HOOK WITH LATCH
羊角滑钩


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WT(kg)
ALS6105-0.5	1/4"	99	22	14.5	11	10	0.218
ALS6105-0.7	5/16"	113.5	25	18.5	12.5	12	0.328
ALS6105-0.9	3/8"	129.5	28	22	14.5	14	0.468
ALS6105-1.5	1/2"	155.5	33.5	27	16	16	0.778





QUICHK RELEASE HOOK
释放钩


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WT(kg)
ALS6109-4	4"	100	20	10	9	4.5	23	0.090





OVAL SWIVEL SNAP HOOK
椭圆环单头钩


Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6201-1	3/8"*65	11.5	3.5	9	65	30	0.022
ALS6201-2	1/2"*72	13.5	4	9.5	72	50	0.029
ALS6201-3	5/8"*82	17.5	4.5	10	82	100	0.042
ALS6201-4	3/4"91	21.5	5	11.5	91	120	0.048
ALS6201-5	1"*100	26.5	5.5	12	100	150	0.062
ALS6201-6	1-1/4"*126	34	6	14	126	180	0.099





ROUND RING SWIVEL SNAP HOOK
圆环单头钩


Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6202-1	1/2"*63	14.5	3.5	9	63	30	0.022
ALS6202-2	5/8"*71	17.5	4	9.5	71	50	0.029
ALS6202-3	3/4"*81	22	4.5	10	81	100	0.042
ALS6202-4	1"*90	26	5	11	90	120	0.048
ALS6202-5	1-1/8"*97	29	5.5	12	97	150	0.061
ALS6202-6	1-1/4"*119	34.5	6	14	119	180	0.095





SQUARE RING SWIVEL SNAP HOOK
方环单头钩


Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6203-1	5/8"*59	17.5	3.5	9	59	30	0.022
ALS6203-2	3/4"*66	23.5	4	9.5	66	50	0.029
ALS6203-3	1"*73	25.5	4.5	10	73	100	0.042
ALS6203-4	1-1/8"*80	31.5	5	11	80	120	0.049
ALS6203-5	1-1/4"*85	36.5	5.5	12	85	150	0.061
ALS6203-6	1-1/2"*105	42.5	6	14	105	180	0.099





DOUBLE END SNAP HOOK
双头钩






Code	Size	Amm	Bmm	WLL(kg)	WT(kg)
ALS6204-76	76mm	76	8.5	40	0.035
ALS6204-90	90mm	90	10	50	0.060
ALS6204-100	100mm	100	10	90	0.068
ALS6204-115	115mm	115	12	110	0.091

AISI316 STAINLESS STEEL TIE DOWN CLEAT
316不锈钢绳栓






Code	A mm	B mm	C mm	Size
ALS013A	67	10	10	2inch
ALS013B	112	13	20	4inch
ALS013C	151	18	25	6inch

EGG SHAPE SPRING HOOK
蛋形钩






Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WLL(kg)	WT(kg)
ALS6205-40	40	40	19	2	5.8	8.2	8.8	80	0.012
ALS6205-50	50	50	24	2.2	8.3	11.9	11.5	100	0.023
ALS6205-70	70	70	33	2.6	9.8	14.5	15.5	300	0.054
ALS6205-100	100	100	49	3.5	15.6	21.4	22.7	500	0.138

SWIVEL SNAP HOOK
万向钩






Code	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
ALS6206-0	69	7.5	16.0	50	0.030
ALS6206-1	88	9.5	19.5	70	0.063
ALS6206-2	101	14.0	21.0	120	0.092
ALS6206-3	118	16.5	27.0	150	0.135

FIXED EYE SNAP HOOK
固定弹簧钩






Code	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6207-0	55	12	7	3.8	50	0.017
ALS6207-1	72	16	12	4.8	70	0.042
ALS6207-2	83	19	12	5.3	120	0.059
ALS6207-3	101	22	16	6.5	150	0.089


SQUARE SPRING SNAP HOOK
简易方环万向钩





Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6208-1	1"*65	66	27	4.2	9	12	60	0.028


BULL SWIVEL SNAP HOOK
牛头钩





Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6209-1	1"*100	100	17.5	155	27	7	300	0.152


QUICK LINK
快速连接环





Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6210-3.5	3.5mm	29	10	5	3.5	80	0.008
ALS6210-4	4mm	32	11.5	5.5	3.8	250	0.013
ALS6210-5	5mm	39	13	6.5	6.5	325	0.021
ALS6210-6	6mm	46	14.5	7.5	7.5	400	0.033
ALS6210-7	7mm	51	16.5	8.5	8.5	600	0.054
ALS6210-8	8mm	59	17.5	10.5	10.5	700	0.076
ALS6210-9	9mm	64	18	11.5	11.5	1000	0.104
ALS6210-10	10mm	70	20.5	12.5	12.5	1150	0.136
ALS6210-11	11mm	78	23	14	14	1200	0.216
ALS6210-12	12mm	83	24	14.5	14.5	1250	0.242
ALS6210-14	14mm	97	26.5	17	17	1400	0.352


CARABINER HOOK
登山扣





Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6211-4	4X40	40	6.5	6	3.8	40	0.008
ALS6211-5	5X50	50	8	7	4.8	50	0.016
ALS6211-6	6X60	60	9	8	5.8	70	0.026
ALS6211-7	7X70	70	10.5	8	6.8	100	0.042
ALS6211-8	8X80	80	12	9	7.8	125	0.065
ALS6211-9	9X90	90	13	10	8.8	140	0.093
ALS6211-10	10X100	100	15	12	9.8	200	0.125
ALS6211-11	11X120	120	18	16	10.8	250	0.178
ALS6211-12	12X140	140	20	19	11.8	300	0.248
ALS6211-13	13X160	160	22	25	12.8	350	0.352
ALS6211-14	14X180	180	22	35	13.8	450	0.505

CARABINER HOOK WITH LOCK NUT
带螺母登山扣






Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6212-4	4X40	40	6.5	6	3.8	40	0.009
ALS6212-5	5X50	50	8	7	4.8	50	0.018
ALS6212-6	6X60	60	9	8	5.8	70	0.029
ALS6212-7	7X70	70	10.5	8	6.8	100	0.047
ALS6212-8	8X80	80	12	9	7.8	125	0.068
ALS6212-9	9X90	90	13	10	8.8	140	0.98
ALS6212-10	10X100	100	15	12	9.8	200	0.135
ALS6212-11	11X120	120	18	16	10.8	250	0.189
ALS6212-12	12X140	140	20	19	11.8	300	0.269
ALS6212-13	13X160	160	22	25	12.8	350	0.365
ALS6212-14	14X180	180	22	35	13.8	450	0.515

CARABINER HOOK WITH EYELET
带圈登山扣






Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6213-4	4X40	40	5	6	3.8	40	0.009
ALS6213-5	5X50	50	6.5	7	4.8	50	0.018
ALS6213-6	6X60	60	7.5	8	5.8	70	0.029
ALS6213-7	7X70	70	9	8	6.8	100	0.047
ALS6213-8	8X80	80	10	9	7.8	125	0.068
ALS6213-9	9X90	90	11	10	8.8	140	0.096
ALS6213-10	10X100	100	13	12	9.8	200	0.135
ALS6213-11	11X120	120	15	16	10.8	250	0.189
ALS6213-12	12X140	140	18	19	11.8	300	0.269
ALS6213-13	13X160	160	20	25	12.8	350	0.365
ALS6213-14	14X180	182	22	35	13.8	450	0.515

SIMPLE SPRING SNAP HOOK
简易弹簧钩






Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WLL(kg)	WT(kg)
ALS6215-6	6X60	60	32	14	5.8	2.6	9	70	0.028
ALS6215-8	8X80	80	45	18	7.8	3	12	125	0.068
ALS6215-10	10X100	100	57	23	9.8	4	15	200	0.137
ALS6215-12	12X120	120	68	28	11.8	4.4	18	300	0.299
ALS6215-14	14X140	140	79	32	13.8	4.4	21	450	0.357
ALS6215-16	16X160	160	91	37	15.8	5	24	800	0.532
ALS6215-18	18X180	180	102	47	17.8	5	27	1000	0.742
ALS6215-20	20X200	200	120	59	19.8	5	29	1200	1.011

TRIGGER SWIVEL SNAP HOOK
剪刀钩






Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6216-12	1/2"*65	65	15.5	10.5	4.2	7	90	0.018

QUICK KEY SNAP HOOK
快挂钩






Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WT(kg)
ALS6217-35	35mm	35	14.5	7	6.5	1.6	0.008

WIRE EYE STRAP
棒材骆驼背






Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm
ALS6218-4	4	40	11	1.7	7	32
ALS6218-5	5	50	13	2.0	9	44
ALS6218-6	6	58	16	2.5	10	44
ALS6218-8	8	63	17	3.6	13	47
ALS6218-10	10	77	22	4.6	16.5	51

DIAMOND EYE PLATE
菱形门扣


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WT(kg)
ALS6301-5	5mm	36	60	21	2.5	14	5	0.029
ALS6301-6	6mm	40	65	26	2.5	16	6	0.038
ALS6301-8	8mm	50	80	32	3	20	8	0.069
ALS6301-10	10mm	60	100	38	3	26	10	0.120





SQUARE EYE PLATE
方形门扣


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WT(kg)
ALS6302-5	5mm	30	35	21	2.5	14	5	0.029
ALS6302-6	6mm	35	40	26	2.5	16	6	0.035
ALS6302-8	8mm	40	50	32	3	20	8	0.068





ROUND EYE PLATE
圆形门扣


Code	Size	Amm	Cmm	Dmm	Emm	Fmm	WT(kg)
ALS6303-5	5mm	33	21	2.5	14	5	0.019
ALS6303-6	6mm	40	26	2.5	16	6	0.038
ALS6303-8	8mm	50	32	3	20	8	0.068





OVAL EYE PLATE
椭圆形门扣


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WT(kg)
ALS6304-5	5mm	15	45	21	2.5	14	5	0.017
ALS6304-6	6mm	20	60	26	2.5	16	6	0.033
ALS6304-8	8mm	25	80	32	3	20	8	0.064





DIAMOND EYE PLATE WITH RING
带圆环菱形门扣


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	L mm	WT(kg)
ALS6305-5	5mm	36	60	21	2.5	14	5	30	0.046
ALS6305-6	6mm	40	65	26	2.5	16	6	35	0.067
ALS6305-8	8mm	50	80	32	3	20	8	45	0.135
ALS6305-10	10mm	60	100	38	3	26	10	50	0.236





SQUARE EYE PLATE WITH RING
带圆环方形门扣


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	L mm	WT(kg)
ALS6306-5	5mm	30	35	21	2.5	14	5	30	0.038
ALS6306-6	6mm	35	40	26	2.5	16	6	35	0.064
ALS6306-8	8mm	40	50	32	3	20	8	45	0.134





ROUND EYE PLATE WITH RING
带圆环圆形门扣






Code	Size	Amm	Cmm	Dmm	Emm	Fmm	L mm	WT(kg)
ALS6307-5	5mm	33	21	2.5	14	5	30	0.036
ALS6307-6	6mm	40	26	2.5	16	6	35	0.068
ALS6307-8	8mm	50	32	3	20	8	45	0.135

OBLONG EYE PLATE WITH RING
带圆环椭圆形门扣






Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	L mm	WT(kg)
ALS6308-5	5mm	15	45	21	2.5	14	5	30	0.034
ALS6308-6	6mm	20	60	26	2.5	16	6	35	0.062
ALS6308-8	8mm	25	80	32	3	20	8	45	0.131

FIXED EYE SNAP SHACKLE
固定弹簧卸扣






Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
ALS6401-35	35mm	12.5	7.5	35	100	0.013
ALS6401-52	52mm	17	11	52	450	0.043
ALS6401-69	69mm	21.5	15.5	69	650	0.085
ALS6401-96	96mm	26	19	96	950	0.209

SWIVEL EYE SNAP SHACKLE
圈式旋转弹簧卸扣






Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
ALS6402-70	70mm	16	12.5	70	450	0.057
ALS6402-87	87mm	20	16.5	87	650	0.111
ALS6402-128	128mm	28	23.5	128	950	0.297

SWIVEL JAW SNAP SHACKLE
叉式旋转弹簧卸扣






Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
ALS6403-70	70mm	15.5	10	70	450	0.063
ALS6403-87	87mm	20	13	87	650	0.145
ALS6403-128	128mm	28	20	120	950	0.339

ROUND SWIVEL SNAP SHACKLE
圆环旋转弹簧卸扣






Code	Size	Amm	Bmm	WLL(kg)	WT(kg)
ALS6404-20	20x65	14	21	270	0.041
ALS6404-25	25x76	15	26	340	0.071

PELICAN SHACKLE
枪式弹簧卸扣






Code	Size	Amm	Bmm	Cmm	WT(kg)
ALS6405-6	M6	77.5	14	11	0.068
ALS6405-8	M8	104.5	16	13.5	0.131
ALS6405-10	M10	126	19	15.5	0.216

KEY PIN SHACKLE
钥匙销卸扣






Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
ALS6406-5	5mm	13	40	5	100	0.029
ALS6406-6	6mm	15	42	6	150	0.051
ALS6406-8	8mm	21.5	61	8	250	0.111

KEY PIN SHACKLE WITH BAR
带档钥匙销卸扣






Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6407-5	5mm	13	12.5	40	5	100	0.035
ALS6407-6	6mm	15	15	42	6	150	0.062
ALS6407-8	8mm	21.5	21.5	61	8	250	0.122

JIS TYPE D SHACKLE
日式D形卸扣






Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6408-4	4mm	4	8	14	4	24	60	0.008
ALS6408-5	5mm	5	10	17.5	5	30	80	0.016
ALS6408-6	6mm	6	12	21	6	35	100	0.025
ALS6408-8	8mm	8	16	28	8	43.5	200	0.054
ALS6408-10	10mm	10	20	35	10	56	320	0.109
ALS6408-12	12mm	12	24	45.5	12	66	520	0.185
ALS6408-14	14mm	14	28	49	14	75.5	700	0.290
ALS6408-16	16mm	16	32	56	16	88	800	0.433
ALS6408-18	18mm	18	36	63	18	99.5	950	0.638
ALS6408-20	20mm	20	40	70	20	109	1100	0.850
ALS6408-22	22mm	22	44	77	22	120	1500	1.160
ALS6408-24	24mm	24	50	84	24	135	2100	1.537
ALS6408-28	28mm	28	56	98	28	148	3000	2.360
ALS6408-32	32mm	32	64	112	32	168	5000	3.400
ALS6408-38	38mm	38	76	133	38	148	8000	6.100

EU TYPE D SHACKLE
欧式D形卸扣






Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6409-4	4mm	4	8	16	4	60	0.008
ALS6409-5	5mm	5	10	20	5	80	0.016
ALS6409-6	6mm	6	12	24	6	100	0.025
ALS6409-8	8mm	8	16	32	8	200	0.059
ALS6409-10	10mm	10	20	40	10	320	0.115
ALS6409-12	12mm	12	24	48	12	520	0.198
ALS6409-14	14mm	14	28	56	14	700	0.306
ALS6409-16	16mm	16	32	64	16	800	0.461
ALS6409-18	18mm	18	36	72	18	950	0.672
ALS6409-20	20mm	20	40	80	20	1100	0.875
ALS6409-22	22mm	22	44	90	22	1500	1.257
ALS6409-25	25mm	25	50	100	24	2100	1.655
ALS6409-28	28mm	28	56	112	28	3000	2.496

EU TYPE BOW SHACKLE
欧式弓形卸扣






Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WLL(kg)	WT(kg)
ALS6410-4	4mm	4	12	8	16	4	24	60	0.008
ALS6410-5	5mm	5	17	10	20	5	30	80	0.016
ALS6410-6	6mm	6	20	12	24	6	35	100	0.026
ALS6410-8	8mm	8	27	16	32	8	44.5	200	0.061
ALS6410-10	10mm	10	33	20	40	10	56	320	0.117
ALS6410-12	12mm	12	39	24	48	12	66	520	0.208
ALS6410-14	14mm	14	46.5	28	56	14	75.5	700	0.317
ALS6410-16	16mm	16	52.5	32	64	16	85.5	800	0.480
ALS6410-18	18mm	18	62	36	72	18	97	950	0.696
ALS6410-20	20mm	20	65	40	80	20	110	1100	0.933
ALS6410-22	22mm	22	76	44	90	22	119	1500	1.223
ALS6410-25	25mm	25	79.5	50	100	24	136	2100	1.693
ALS6410-28	28mm	28	89	56	112	28	148	3000	2.660

LONG D SHACKLE
长D卸扣






Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6411-4	4mm	4	8	30	4	24	70	0.015
ALS6411-5	5mm	5	10	37.5	5	30	140	0.018
ALS6411-6	6mm	6	12	45	6	35	230	0.031
ALS6411-8	8mm	8	16	60	8	43.5	340	0.077
ALS6411-10	10mm	10	20	75	10	56	700	0.157
ALS6411-12	12mm	12	24	90	12	66	1200	0.251

US BOW SHACKLE
美式弓形卸扣






Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6414-4	3/16"*6	4.8	9.5	22	6	350	0.02
ALS6414-6	1/4"*8	6.2	11.5	28.5	7.8	500	0.038
ALS6414-8	5/16"*10	8	13	30.5	9	750	0.073
ALS6414-10	3/8"*12	9.3	16.5	36.5	11	1000	0.138
ALS6414-11	7/16"*14	11	19	42.5	12.5	1500	0.19
ALS6414-12	1/2"*16	12.5	20	47.5	15.5	2000	0.31
ALS6414-16	5/8"*20	15.8	26.5	60	19	3250	0.62
ALS6414-20	3/4"*22	19	31.5	71	22	4750	0.97
ALS6414-22	7/8"*24	22	36.5	84	25	6500	1.37
ALS6414-25	1"*28	25.2	42.6	95	28	8500	2.08

US TYPE D SHACKLE
美式D形卸扣






Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6413-5	3/16"*6	4.8	9.5	19.0	6.0	350.0	0.018
ALS6413-6	1/4"*8	6.2	11.5	22.0	7.8	500.0	0.036
ALS6413-8	5/16"*10	8.0	13.0	26.0	9.0	750.0	0.070
ALS6413-10	3/8"*12	9.3	16.5	31.5	11.0	1000.0	0.133
ALS6413-11	7/16"*14	11.0	19.0	36.5	12.5	1500.0	0.174
ALS6413-12	1/2"*16	12.5	20.0	41.0	15.5	2000.0	0.285
ALS6413-16	5/8"*20	15.8	26.5	50.5	19.0	3250.0	0.570
ALS6413-20	3/4"*22	19.0	31.5	60.0	22.0	4750.0	0.870
ALS6413-22	7/8"*24	22.0	36.5	71.0	25.0	6500.0	1.240
ALS6413-25	1"*28	25.2	42.6	81.0	28.0	8500.0	1.900

TWISTED SHACKLE
扭体卸扣


Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6412-4	4mm	4	4	8	22	90	0.015
ALS6412-5	5mm	5	5	10	27.5	120	0.018
ALS6412-6	6mm	6	6	12	33	175	0.031
ALS6412-8	8mm	8	8	16	44	300	0.077
ALS6412-10	10mm	10	10	20	55	580	0.157
ALS6412-12	12mm	12	12	24	66	700	0.254





EYE&EYE END SWIVEL
圈圈旋转环


Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6501-4	4mm	48	11.8	9.8	3.8	80	0.020
ALS6501-5	5mm	60	13.8	14.5	4.8	100	0.034
ALS6501-6	6mm	68	15.8	16.8	5.5	150	0.048
ALS6501-8	8mm	88	20	21	7.4	300	0.111
ALS6501-10	10mm	107	23	26	9.3	500	0.202
ALS6501-12	12mm	122	25	27	11.2	1000	0.325
ALS6501-14	14mm	145	31.8	33.2	12	1200	0.518
ALS6501-16	16mm	175	38	44	15	1500	0.810
ALS6501-20	20mm	203	44	47.8	18.8	2100	1.480





EYE&JAW END SWIVEL
圈叉旋转环


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	WLL(kg)	WT(kg)
ALS6502-4	4mm	50	11.8	9.8	3.8	8	10.5	3.8	80	0.022
ALS6502-5	5mm	60	13.8	14.5	4.8	10	11	4.8	100	0.038
ALS6502-6	6mm	66.5	15.8	16.8	5.5	12	11.5	5.8	150	0.056
ALS6502-8	8mm	88	20	21	7.4	16	17	7.8	300	0.129
ALS6502-10	10mm	106	23	26	9.3	20	19	9.8	500	0.238
ALS6502-12	12mm	124	25	27	11.2	24	22	11.8	1000	0.372
ALS6502-14	14mm	145	31.8	33.2	12	28	26	13.8	1500	0.600
ALS6502-16	16mm	179	38	44	15	32	38	15.8	1500	0.940
ALS6502-20	20mm	203	44	47.8	18.8	40	38	19.8	2100	1.710





JAW&JAW END SWIVEL
叉叉旋转环


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6503-4	4mm	51	8	10.5	3.8	3.8	80	0.025
ALS6503-5	5mm	60	10	11	4.8	4.8	100	0.041
ALS6503-6	6mm	65.5	12	11.5	5.8	5.5	150	0.062
ALS6503-8	8mm	88.5	16	17	7.8	7.4	300	0.144
ALS6503-10	10mm	106.5	20	19	9.8	9.3	500	0.281
ALS6503-12	12mm	124	24	22	11.8	11.2	1000	0.438
ALS6503-14	14mm	443	28	26	13.8	13	1500	0.671
ALS6503-16	16mm	182	32	38	15.8	15	1500	1.071
ALS6503-20	20mm	205	40	38	19.8	18.8	2100	1.828





DIN580 EYE SCREW
DIN580 吊环螺丝






Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6701-6	M6	16	16	6	11	39	70	0.020
ALS6701-8	M8	19.5	19.5	7.6	14	49	140	0.045
ALS6701-10	M10	24.5	24.5	9.4	17	59.5	230	0.086
ALS6701-12	M12	29	29	11.5	22	73	340	0.148
ALS6701-16	M16	35	34	13.6	26.5	86.5	700	0.255
ALS6701-20	M20	40	38.5	15.3	29.5	96.5	1200	0.378
ALS6701-24	M24	50	50	20	37.5	127	1800	0.780

DIN582 EYE NUT
DIN582吊环螺母






Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6702-6	M6	16	16	6	28	70	0.020
ALS6702-8	M8	19.5	20	8	35	140	0.043
ALS6702-10	M10	24.5	24.5	9.4	42.5	230	0.076
ALS6702-12	M12	29	29	11.5	51.5	340	0.130
ALS6702-16	M16	35	35	13.6	61.5	700	0.210
ALS6702-20	M20	40	39	15.3	70.5	1200	0.310
ALS6702-24	M24	50	49	19.3	88	1800	0.700

JIS1168 EYE SCREW
JIS1168 日式吊环螺丝






Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6703-3	M3	7	7	3	9	23	20	0.003
ALS6703-4	M4	10	10	4	11	29	30	0.007
ALS6703-5	M5	13	11.5	5	11.5	35	40	0.013
ALS6703-6	M6	16.5	12	5	14	41	50	0.015
ALS6703-8	M8	20	15	5.7	15	47	80	0.026
ALS6703-10	M10	25	19	7	18	58	150	0.052
ALS6703-12	M12	30	22.5	9	21	69	220	0.094
ALS6703-16	M16	36	28	11	27	87	450	0.179
ALS6703-20	M20	40	32	15	31	101	630	0.334
ALS6703-24	M24	50	41	18	36	122	950	0.638

JIS1169 EYE NUT
JIS1169 日式吊环螺母






Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6704-4	M4	10	10	4	21	30	0.007
ALS6704-5	M5	13	12	5	26.5	40	0.011
ALS6704-6	M6	16.5	12	5	31	50	0.015
ALS6704-8	M8	20	15	5.7	39	80	0.025
ALS6704-10	M10	25	19	7	47.5	150	0.050
ALS6704-12	M12	30	22.5	9	57.5	220	0.093
ALS6704-16	M16	36	28	11	68	450	0.164
ALS6704-20	M20	40	32	15	78	630	0.291
ALS6704-24	M24	50	41	18	102	950	0.573

HX LONG EYE BOLT
HX长吊环螺栓


Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6705-6	M6X60	85	60	55	13	80	0.025
ALS6705-8	M8X80	111	80	75	15	150	0.058
ALS6705-10	M10X100	137	100	85	17	250	0.120





EUTOPEAM OPEN BODY TURNBUCKLE (HOOK&EYE)
欧式开体花兰（钩圈型）


Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
ALS6801-4	M4	58	8	7	25	0.022
ALS6801-5	M5	70	9	8	40	0.035
ALS6801-6	M6	90	10	9	100	0.063
ALS6801-8	M8	120	14	13	200	0.135
ALS6801-10	M10	150	16	15	300	0.242
ALS6801-12	M12	200	18	15	500	0.467
ALS6801-16	M16	250	21	20	800	0.984
ALS6801-20	M20	300	25	22	1200	1.989





EUTOPEAM OPEN BODY TURNBUCKLE (HOOK&HOOK)
欧式开体花兰（钩钩型）


Code	Size	Amm	Cmm	WLL(kg)	WT(kg)
ALS6802-4	M4	58	7	25	0.022
ALS6802-5	M5	70	8	40	0.035
ALS6802-6	M6	90	9	100	0.063
ALS6802-8	M8	120	13	200	0.135
ALS6802-10	M10	150	15	300	0.242
ALS6802-12	M12	200	15	500	0.467
ALS6802-16	M16	250	20	800	0.984
ALS6802-20	M20	300	22	1200	1.989





EUTOPEAM OPEN BODY TURNBUCKLE (EYE&EYE)
欧式开体花兰（圈圈型）


Code	Size	Amm	Bmm	WLL(kg)	WT(kg)
ALS6803-4	M4	58	8	25	0.022
ALS6803-5	M5	70	9	40	0.035
ALS6803-6	M6	90	10	100	0.063
ALS6803-8	M8	120	14	200	0.135
ALS6803-10	M10	150	16	300	0.242
ALS6803-12	M12	200	18	500	0.467
ALS6803-16	M16	250	21	800	0.984
ALS6803-20	M20	300	25	1200	1.989





EUROPEAN TYPE CLOSED BODY TURNBUCKLE(JAW&JAW)
欧式封闭花兰（叉叉型）






Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6804-5	M5	80	7.5	5	10	250	0.052
ALS6804-6	M6	95	8	6	10	350	0.083
ALS6804-8	M8	105	11	8	11.5	700	0.154
ALS6804-10	M10	125	12	9	14	1000	0.279
ALS6804-12	M12	150	15	12	21	1500	0.475
ALS6804-14	M14	165	15	14	21	1600	0.633
ALS6804-16	M16	190	17.5	16	26	2300	1.090
ALS6804-20	M20	210	19.5	19	29	3000	1.784

CAM BUKLE
织带扣





Code	Size	Amm	Bmm	Cmm	WT(kg)
ALS7001-25	25mm	50.5	25.5	14.3	0.068
ALS7001-38	38mm	50.5	38.5	14.3	0.089

CAM BUKLE PLATE
织带压板






Code	Size	Amm	Bmm	Cmm	WT(kg)
ALS7002-25	25mm	65.8	25.5	5.8	0.045

EUROPEAN THIMBLE
欧式套环






Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WT(kg)
ALS7201-2	2mm	2	0.8	7	12	17	0.001
ALS7201-2.5	2.5mm	2.5	0.8	8	13	20	0.002
ALS7201-3	3mm	3	0.8	10	15	22	0.002
ALS7201-4	4mm	4	1	11	17	24	0.004
ALS7201-5	5mm	5	1	13	20	30	0.005
ALS7201-6	6mm	6	1	15	23	35	0.007
ALS7201-7	7mm	7	1	15	25	40	0.011
ALS7201-8	8mm	8	1.2	18	28	44	0.017
ALS7201-10	10mm	10	1.2	23	35	57	0.038
ALS7201-12	12mm	12	1.5	27	40	65	0.048
ALS7201-14	14mm	14	2	34	50	72	0.068
ALS7201-16	16mm	16	2	38	58	76	0.083
ALS7201-18	18mm	18	2	40	62	87	0.104
ALS7201-20	20mm	20	2	45	71	100	0.133
ALS7201-22	22mm	22	2	52	80	110	0.160
ALS7201-24	24mm	24	2	56	90	120	0.270

PIPE THIMBLE
管式套环


Code	Size	Amm	Bmm	Cmm	Dmm	WT(kg)
ALS7202-6	6mm	6.5	16	43	1.5	0.021
ALS7202-8	8mm	8.5	17	48	1.5	0.027
ALS7202-10	10mm	10.5	20	60	1.9	0.061
ALS7202-12	12mm	12.5	22	70	1.9	0.083
ALS7202-15	15mm	15.5	25	82	2.1	0.138





DIN741 WIRE ROPE CLIP
DIN741 卡头


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Mmm	WT(kg)
ALS7301-2	2	17	9.5	9.5	7	21	M3	0.008
ALS7301-3	3	21	10	10	9	21	M4	0.011
ALS7301-4	4	21	10	10	9	23.5	M4	0.012
ALS7301-5	5	23	10	10	10	26	M5	0.016
ALS7301-6	6	25	11.5	11.5	13	29	M5	0.021
ALS7301-8	8	29	13	14	15.5	33	M6	0.034
ALS7301-10	10	33	15	16.5	19.5	43	M8	0.065
ALS7301-12	12	40	18	18	23	50	M10	0.093
ALS7301-16	16	49	24.5	25	28	65	M12	0.220
ALS7301-20	20	53	27.5	30	32	77	M12	0.281





US MALLEABLE CLIP
美式玛钢型卡头


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Mmm	WT(kg)
ALS7302-2	1/16	17	11	9.5	7.5	18.5	M3	0.015
ALS7302-3	1/8	21.5	13	11.5	11	25	M5	0.015
ALS7302-5	3/16	26.5	15	13	14.5	31	M6	0.030
ALS7302-6	1/4	31.5	18	15	17	40	M8	0.055
ALS7302-8	5/16	33.5	18	15.5	18.5	43	M8	0.062
ALS7302-10	3/8	40	20	22	22.5	51	M10	0.118
ALS7302-12	1/2	49.5	24.5	22.5	26.5	67	M12	0.198
ALS7302-16	5/8	56.5	26	28	32.5	72	M12	0.251
ALS7302-20	3/4	59.5	30.5	33.5	34	84	M14	0.368





JIS TYPE WIRE ROPE CLIP
日式卡头


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Mmm	WT(kg)
ALS7303-2	2	15	12	9	8	20	M3	0.006
ALS7303-3	3	16	14	12	8	21	M3	0.009
ALS7303-4	4	17	15.5	11.5	8	22	M4	0.018
ALS7303-5	5	23	18.5	14	12	28.5	M5	0.024
ALS7303-6	6	27	20.5	17	14.5	33	M6	0.037
ALS7303-8	8	33	27	20	17.5	40	M8	0.083
ALS7303-10	10	43	33.5	23	21	50	M10	0.147
ALS7303-12	12	49.5	37.5	26.5	25.5	64	M12	0.227
ALS7303-16	16	59	45	36.5	32	70	M14	0.407





STAINLESS STEEL U BOLT
不锈钢U形螺栓






Code	A mm	B mm	C mm	D mm	E mm	WT(kg)
ALS0430SA	4	30	62	5	30	0.035
ALS0548SA	5	48	78	6	36	0.048
ALS06421SA	6	42	80	8	36	0.072
ALS06422SA	6	42	90	8	36	0.080
ALS0840SA	8	40	80	10	35	0.114
ALS0852SA	8	52	100	10	45	0.133
ALS10351SA	10	35	90	12	50	0.199
ALS10352SA	10	35	110	12	50	0.219
ALS1080SA	10	80	135	12	50	0.243
ALS1265SA	12	65	130	14	60	0.340
ALS1285SA	12	85	150	14	60	0.380

STAINLESS STEEL U BOLT
不锈钢U形螺栓






Code	A mm	B mm	C mm	D mm
ALS2863S1	9.5	75.4	127.0	35.8
ALS2864S1	9.5	54.0	101.6	35.8
ALS2865S1	9.5	66.7	114.3	35.8
ALS2866S1	12.7	73.0	120.6	46.0
ALS2867S1	12.7	54.0	109.5	46.0
ALS2868S1	12.7	85.7	133.3	46.0
ALS2869S1	12.7	104.8	160.3	46.0
ALS2871S1	15.8	139.7	203.2	48.2
ALS2872S1	15.8	88.9	155.6	48.2

STAINLESS STEEL U BOLT BOW EYE
不锈钢U形栓带耳朵






Code	A	B mm	C mm	D mm	WT(kg)
ALS0430S2	M4	30	64	30	0.021
ALS0548S2	M5	40	80	35	0.033
ALS06421S2	M6	40	80	35	0.046
ALS06422S2	M6	40	90	35	0.049
ALS0840S2	M8	25	60	35	0.034
ALS0852S2	M8	40	80	35	0.077
ALS10351S2	M8	50	90	35	0.0835
ALS10352S2	M8	50	100	35	0.088
ALS1080S2	M10	40	90	50	0.098
ALS1265S2	M10	55	130	50	0.196
ALS1285S2	M12	65	150	60	0.295










RV ACCESSORIES


GRAVITY WATER INLET OF RV
房车重力加水口



Code	Color	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm
ALS6801R-W	White	112	112	45	40	77	80	80



GRAVITY WATER INLET OF RV
房车重力加水口




Code	Color	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm
ALS6802R-W	White	112	112	45	40	77	80	80
ALS6802R-B	Black	112	112	45	40	77	80	80



GRAVITY WATER INLET OF RV
房车重力加水口

Code	Color	Amm	Bmm
ALS6803R-W	White	75	76.5





METAL HOSE OF EXTERNAL SINGLE KNOB SHOWER
外置单旋钮淋浴器金属软管

Code	Color	Size mm	Opening mm
ALS6804R- W	White	267x157x107	231x118
ALS6804R- B	Black	267x157x107	231x118



EXTERNAL DOUBLE KNOB SHOWER METAL HOSE
外置双旋钮淋浴器金属软管

Code	Color	Size mm	Opening mm
ALS6805R-W	White	267x157x107	231x118
ALS6805R-B	Black	267x157x107	231x118



PLASTIC HOSE OF EXTERNAL DOUBLE KNOB SHOWER
外置双旋钮淋浴器塑料软管

Code	Color	Size mm	Opening mm
ALS6806R-W	White	267x157x107	231x118
ALS6806R-B	Black	267x157x107	231x118



SHOWER HEAD
淋浴器喷头



Code	Size mm	Weight（kg）
ALS6807R	130x65x50	0.13

FOLDING FAUCET
折叠水龙头



Code	Two types
ALS6808R	Single handle faucet
ALS6809R	Duble handle faucet


SINGLE COOLING FAUCET
单冷水龙头



Code	Two types	Opening mm	Weight (kg)
ALS6810R	Cold water supply	34 mm	1.7kg

PLASTIC FUEL FILLETR FOR RV
房车加油口






Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Color
ALS6811R-W	85	70	34	38	40	50	White
ALS6811R-B	85	70	34	38	40	50	Black

PLASTIC FUEL FILLETR FOR RV
房车加油口






Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Color
ALS6812R-W	85	70	34	38	40	50	White
ALS6812R-B	85	70	34	38	40	50	Black

COLOR RV CUP HOLDER
彩色房车杯托


Code	A mm	B mm	C mm	Color
ALS6813R-R	98	108	9.5	Red
ALS6813R-B	98	108	9.5	Blue
ALS6813R-G	98	108	9.5	Green
ALS6813R-W	98	108	9.5	White





RV CUP HOLDER
房车杯托


Code	A mm	B mm	C mm	Note
ALS6814R-S	98	108	9.5	All Polished
ALS6814R-A	98	108	9.5	Top Polished





CUP HOLDER - ADJUSTABLE
杯托 - 带管夹可调节

Code	A mm	B mm	C mm	D mm
ALS6815R-S	101.6	20.6	98.5	60-100
ALS6815R-A	114.3	20.6	111.1	60-100










CUP HOLDER -FOLDING
杯托-可折叠






Code	A mm	B mm	C mm	D mm
ALS6816R-S	101.6	20.6	98.5	60-100
ALS6816R-A	114.3	20.6	111.1	60-100

STAINLESS STEEL RV YACHT CUP HOLDER
不锈钢房车游艇杯架






Code	A mm	B mm	C mm	D mm	E mm	N.W(Kg)	G.W(Kg)
ALS8586C	86	61	85	58	4.5	0.220	0.255

CUP HOLDER -FIXED
杯托-固定式






Code	A mm	B mm
ALS6817S	98.5	89

CUP HOLDER -FIXED
杯托-固定式






Code	A mm	B mm
ALS6818S	89	80.5

CUP HOLDER -FIXED
杯托-固定式





Code	A	B	Rings
ALS6819R-S	5/16" * 4-1/8"	5/16" * 2"	1
ALS6819R-M	5/16" * 4-1/8"	5/16" * 2"	2
ALS6819R-L	5/16" * 4-1/8"	5/16" * 2"	3

SHOP PORTHOLE
RV PORTHOLE








PORTHOLE

BLACK PLASTIC ROUND BOAT PORTHOLE
黑色塑料圆船舷窗







Code	Size mm	Color
ALSPP1-01	215*147	Black
ALSPP1-02	265*197	Black

WHITE PLASTIC ROUND BOAT PORTHOLE
白色塑料圆船舷窗






Code	Size mm	Color
ALSPP2-01	215*147	White
ALSPP2-02	265*197	White



Code	Shape	Color
ALSPP3-01	Oval shape porthole	White
ALSPP3-02	Oval shape porthole	Black



Code	Shape	Color
ALSPP4-01	Rectangular shape porthole	White
ALSPP4-02	Rectangular shape porthole	Black

PLASTIC OVAL DECK PORTHOLE
塑料椭圆形甲板舷窗






PLASTIC RECTANGLE DECK PORTHOLE
塑料矩形甲板舷窗






316L STAINLESS STEEL PORTHOLE
316L不锈钢舷窗





Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S)：适合玻璃钢船/木船/各类房车	Super Thin Model: for Aluminium/Steel boat 超级薄款型:适合铝合金船/玻璃钢船/壁厚较薄的房车		Suitable Hull Thickness(mm) 适合壁厚		
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Super Thin (ST) 超级薄款型	Standard 标准型	Super Think 超级厚款
ALS-Eye-S-S ALS-Eye-S-ST	150X345	105X300	6~16	26~36	
ALS-Eye-M-S ALS-Eye-M-ST	200X460	148X408	6~16	26~36	
ALS-Eye-B-S ALS-Eye-B-ST	250X575	203X526	6~16	26~36	






Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S)：适合玻璃钢船/木船/各类房车	Super Thin Model: for Aluminium/Steel boat 超级薄款型:适合铝合金船/玻璃钢船/壁厚较薄的房车		Suitable Hull Thickness(mm) 适合壁厚		
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Super Thin (ST) 超级薄款型	Standard 标准型	Super Think 超级厚款
ALS-Oval-S-S ALS-Oval-S-ST	150X345	101X297	6~16	26~36	
ALS-Oval-M-S ALS-Oval-M-ST	200X400	150X350	6~16	26~36	38~48
ALS-Oval-B-S ALS-Oval-B-ST	250X560	202X511	6~16	26~36	


316L STAINLESS STEEL PORTHOLE
316L不锈钢舷窗






Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S)：适合玻璃钢船/木船/各类房车	Super Thin Model: for Aluminium/Steel boat 超级薄款型:适合铝合金船/玻璃钢船/壁厚较薄的房车		Suitable Hull Thickness(mm) 适合壁厚		
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Super Thin (ST) 超级薄款型	Standard 标准型	Super Think 超级厚款
ALS-ROUND-S-S ALS-ROUND-S-ST	D200	D161	6~16	22-32	
ALS-ROUND-M-S ALS-ROUND-M-ST	D250	D205	6~16	28-38	
ALS-ROUND-B-S ALS-ROUND-B-ST	D300	D260	6~16	22-32	





Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S)：适合玻璃钢船/木船/各类房车	Super Thin Model: for Aluminium/Steel boat 超级薄款型:适合铝合金船/玻璃钢船/壁厚较薄的房车		Suitable Hull Thickness(mm) 适合壁厚		
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Super Thin (ST) 超级薄款型	Standard 标准型	Super Think 超级厚款
ALS-Rectangular-S-S ALS-Rectangular-S-ST	150x345	102x296	6~16	26~36	
ALS-Rectangular-M-S ALS-Rectangular-M-ST	200x460	152x411	6~16	26~36	
ALS-Rectangular-B-S ALS-Rectangular-B-ST	250x575	202x526	6~16	26~36	

ALUMINIUM ALLOY HATCH
铝合金天窗







Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S)：适合玻璃钢船/木船/各类房车	Super Thin Model: for Aluminium/Steel boat 超级薄款型:适合铝合金船/玻璃钢船/壁厚较薄的房车		Suitable Hull Thickness(mm) 适合壁厚	
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Standard 标准型	Super Thin (ST) 超级薄款型
ALS325x325	325x325	260x260xR45	33~55	3~23
ALS375x375	375x375	310x310xR45	33~55	3~23
ALS425x425	425x425	360x360xR45	33~55	3~23
ALS475x475	475x475	410x410xR45	33~55	3~23
ALS525x525	525x525	460x460xR45	33~55	3~23
ALS575x575	575x575	510X510XR45	33~55	3~23
ALS625x625	625x625	560X560xR45	33~55	3~23
ALS675x675	675x675	610x610xR45	33~55	3~23
ALS725x725	725x725	660x660xR45	33~55	3~23








Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S)：适合玻璃钢船/木船/各类房车	Super Thin Model: for Aluminium/Steel boat 超级薄款型:适合铝合金船/玻璃钢船/壁厚较薄的房车		Suitable Hull Thickness(mm) 适合壁厚	
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Standard 标准型	Super Thin (ST) 超级薄款型
ALS-D425	D425	D360		
ALS-D475	D475	D410		
ALS-D525	D525	D460		
ALS-D575	D575	D510		
ALS-D625	D625	D560		
ALS-D675	D675	D610		

ALUMINIUM ALLOYHATCH
铝合金天窗






Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S)：适合玻璃钢船/木船/各类房车	Super Thin Model: for Aluminium/Steel boat 超级薄款型:适合铝合金船/玻璃钢船/壁厚较薄的房车		Suitable Hull Thickness(mm) 适合壁厚	
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Standard 标准型	Super Thin (ST) 超级薄款型
ALS-S	650x540	580x470x45		
ALS-M	578x640	513x575x45		
ALS-B	577x695	508x625x45		








Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S)：适合玻璃钢船/木船/各类房车	Super Thin Model: for Aluminium/Steel boat 超级薄款型:适合铝合金船/玻璃钢船/壁厚较薄的房车		Suitable Hull Thickness(mm) 适合壁厚	
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Standard 标准型	Super Thin (ST) 超级薄款型
ALS425x525	425x525	360x460xR45	33~55	3~23
ALS425x575	425x575	360x510xR45	33~55	3~23
ALS425x625	425x625	360x560xR45	33~55	3~23
ALS425x675	425x675	360x610xR45	33~55	3~23
ALS475x575	475x575	410x510xR45	33~55	3~23
ALS475x625	475x625	410x560xR45	33~55	3~23
ALS475x675	475x675	410x610xR45	33~55	3~23
ALS525x625	525x625	460x560xR45	33~55	3~23
ALS525x675	525x675	460c610xR45	33~55	3~23
ALS575x675	575x675	510x610xR45	33~55	3~23
ALS575x725	575x725	510x660xR45	33~55	3~23
ALS625x725	625x725	560x660xR45	33~55	3~23

ALUMINIUM ALLOY HATCH
铝合金天窗





Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S)：适合玻璃钢船/木船/各类房车	Super Thin Model: for Aluminium/Steel boat 超级薄款型:适合铝合金船/玻璃钢船/壁厚较薄的房车		Suitable Hull Thickness(mm) 适合壁厚	
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Standard 标准型	Super Thin (ST) 超级薄款型
ALS-FH350x350	350x350	300x300xR75	33~55	3~23
ALS-FH400x400	400x400	350x350xR75	33~55	3~23
ALS-FH450x450	450x450	400x400xR75	33~55	3~23
ALS-FH500x500	500x500	450x450xR75	33~55	3~23
ALS-FH550x550	550x550	500x500xR75	33~55	3~23





DELUXE FLIP UP SEAT
豪华翻转座椅

Code	Color	Size	Wight
ALS-S101	Blue/Beige	24.5"x20"x15"	9.5kg



DELUXE FLIP UP SEAT
豪华翻转座椅

Code	Color	Size	Wight
ALS-S102	Light Gray/Dark Gray	24.5"x20"x15"	9.5kg



OCEAN COMFORT SEAT
海洋舒适座椅

Code	Color	Size	Wight
ALS-S103	White/Gray	21.2"x 23"x 23"	7.85kg



PU YACHT SEAT
PU游艇座椅

Code	Color	Size	Wight
ALS-S104	White/Blue	60x50x60cm	13.3kg



DELUXE UPHOLSTERED
豪华软垫



Code	Color	Size	Wight
ALS-S105	White	19" x 20" x 24"	9.5kg

FLIP BACK SEAT
翻转后座椅



Code	Color	Size	Wight
ALS-S106	White/Blue	23" x 24" x 23"	14.05kg

DELUXE FLIP UP SEAT
豪华翻转座椅



Code	Material	Size	Wight
ALS-S107	PU Leather	19.6"x18.9"x23.6"	5.45kg

DELUXE FLIP UP SEAT
豪华翻转座椅



Code	Material	Size	Wight
ALS-S108	Plastic frame and PU	18.1"x18.5"x21.6"	6.7kg

DELUXE FLIP UP SEAT
豪华翻转座椅



Code	Material	Size	Wight
ALS-S109	PU	27.7"x26.3"x28.9"	11.75kg

DELUXE FLIP UP SEAT
豪华翻转座椅




Code	Material	Size	Wight
ALS-S110	Plastic frame and PU	15.7"x19.3"x22.5"	3.4kg

OCEAN COMFORT SEAT
海洋舒适座椅



Code	Color	Size	Wight
ALS-S111	White/Gray	106 x 67 x 59 cm	19.1kg


316 STAINLESS STEEL FOLDING SEAT HINGE
316不锈钢折叠式座椅铰链





Code	A mm	B mm	C mm	D mm	E mm
ALS-H36027	269	362	89	6	90.19°

316 STAINLESS STEEL FOLDING SEAT HINGE
316不锈钢折叠式座椅铰链





Code	A mm	B mm	C mm	D mm	E mm	F mm
ALS-H36028	275	195	50	50	69	100

KAYAK SEAT (BACKPACK AVAILABLE)
皮划艇座位(可带背包)




Code	A cm	B cm	C cm	D cm
ALS6701K	52.5	45.5	31.5	37.5

PLASTIC ADJUSTABLE PEDALS KAYAK FOOT BRACES PEGS KIT
塑料可调踏板皮艇脚支撑钉套件






Code	Amm	Bmm	Weight
ALS6705K	39.5	3.5	300g



SEACOCK
海底阀

Medol No.	Specification	A mm	B mm	C mm	D mm	Thread
ALS-B20006	3/4"	148	75	105	4	24.1
ALS-B20010	1"	185	91.7	132	4	30.3
ALS-B20012	1-1/4"	187	99	131.5	4	39
ALS-B20014	1-1/2"	230	112.3	170	4	44.9
ALS-B20020	2"	239	129	168	4	56.7
ALS-B20024	2-1/2"	271	149	194	4	72.2
ALS-B20030	3"	334	172	243	4	85.9
ALS-B20040	4"	459	224	334	4	110.1


Flange - BSPP Internal thread - BSPT





BRONZE THRU-HULL
出水口


Medol No.	Specification	A mm	B mm	C mm	D mm	Thread-BSPP
ALS-B60006	3/4"	19	80.9	75.2	50.5	26.4
ALS-B60010	1"	25.2	83	76	57.6	33.3
ALS-B60012	1-1/4"	31	83	76.4	67	41.9
ALS-B60014	1-1/2"	39	83	76.4	72.4	47.8
ALS-B60020	2"	50.1	89.1	79.9	94.5	59.6
ALS-B60024	2-1/2"	64	395	86	109.2	75.2
ALS-B60030	3"	75	101.2	93.6	124	87.9
ALS-B60040	4"	96.6	148	135.9	155	133
ALS-B60050	5"	121.11	124	107	201.1	139.8





SCOOP STRAINER THRU-HULL
海底门


Medol No.	Specification	A mm	B mm	C mm	D mm	E mm	Thread-BSPP
ALS-B61006	3/4"	19.5	83.1	62.2	101	72.4	26.4
ALS-B61010	1"	25	89.9	67	118.3	88.5	33.3
ALS-B61012	1-1/4"	34	104	76.5	113.8	78.6	41.9
ALS-B61014	1-1/2"	38	105	75.5	112.5	78	47.8
ALS-B61020	2"	49.3	144	88.2	121.5	73.8	59.6





SEAWATER STRAINERS
海水过滤器


Medol No.	Specification	A mm	B mm	C mm	D mm	Thread-BSPT
ALS-B61606	3/4"	112.9	121	121.5	212	24.1
ALS-B61610	1"	120.8	121	122	215	30.3
ALS-B61612	1-1/4"	160	191	189	335	39
ALS-B61614	1-1/2"	161.5	191	190	335	44.9
ALS-B61620	2"	160.5	193	189	334	56.7
ALS-B61624	2-1/2"	212	217	242.5	407	72.2
ALS-B61630	3"	213	214	243	409	85.9
ALS-B61640	4"	213	215	242	435	110.1
ALS-B61650	5"	260	266.5	288	590	136





THRU-HULL LOCK UNT
内牙螺母






Medol No.	Specification	A mm	B mm	Thread-BSPT
ALS-B61206	3/4"	57	32.3	24.1
ALS-B61210	1"	56.3	37.4	30.3
ALS-B61212	1-1/4"	72.3	47	39
ALS-B61214	1-1/2"	77	54.6	44.9
ALS-B61220	2"	92	66	56.7
ALS-B61224	2-1/2"	102.9	81.5	72.2
ALS-B61230	3"	126	96	85.9
ALS-B61240	4"	149	124.7	110.1

STRAINERS
滤网






Medol No.	Specification	A mm	B mm
ALS-B61306	3/4"	92.8	74.5
ALS-B61310	1"	92.8	74.5
ALS-B61312	1-1/4"	122.9	102
ALS-B61314	1-1/2"	122.9	102

SCOOP STRAINERS
滤网






Medol No.	Specification	A mm	B mm	C mm
ALS-B61106	3/4"	118.5	82.5	29
ALS-B61110	1"	137	98	36
ALS-B61120	2"	165	131	40
ALS-B61124	2-1/2"	266	182.5	66
ALS-B61130	3"	266	182.5	66
ALS-B61140	4"	355	241	76
ALS-B61150	5"	398	301	122.8

DOUBLE BARBED FITTING
一字直通宝塔接头






Medol No.	Specification	A mm	B mm	C mm
ALS-B10011	3/16"	5.5	42	15.5
ALS-B10022	1/4"	7	44	14
ALS-B10025	5/16"	9	50	19
ALS-B10033	3/8"	10.5	50	19
ALS-B10044	1/2"	13.5	55	21.3
ALS-B10055	5/8"	17.5	52.5	20
ALS-B10066	3/4"	20.6	50	18.8
ALS-B11011	1"	26.4	65	25
ALS-B11012	1-1/4"	33.3	85.8	42.9
ALS-B11014	1-1/2"	38.7	105.9	44.7

T-BARBED FITTING
T字三通宝塔接头


Medol No.	Specification	A mm	B mm	C mm
ALS-B71002	1/4"	7	24.8	19
ALS-B71002-5	5/16"	9	28.8	21
ALS-B71003	3/8"	10.5	28.3	20
ALS-B71004	1/2"	13.5	30.5	23
ALS-B71005	5/8"	17.5	34.3	23.4
ALS-B71006	3/4"	20.6	35.6	23.4
ALS-B71010	1"	26.4	66.6	43.5
ALS-B71012	1-1/4"	33.3	62.3	39
ALS-B71014	1-1/2"	38.7	72.1	46





ELBOW BARED FITTING
90度弯头


Medol No.	Specification	A mm	B mm	C mm
ALS-B20022	1/4"	7	29	20.5
ALS-B20025	5/16"	9	31.8	20.5
ALS-B20033	3/8"	10.5	31.5	20.5
ALS-B20044	1/2"	13.5	34	22.3
ALS-B20055	5/8"	17.5	28	15.3
ALS-B20066	3/4"	20.6	35.5	19
ALS-B21010	1"	26.4	66.7	41.2
ALS-B21212	1-1/4"	33.3	74	43
ALS-B21414	1-1/2"	38.7	74	47





ELBOW BARED FITTING-1
内牙宝塔接头


Medol No.	Specification	A mm	B mm	C mm	HEX mm	Thread-BSPT
ALS-B50022	1/4"*1/4"	7.2	35	20	17	11.4
ALS-B50022-5	1/4"*5/16"	9	35	20	17	11.4
ALS-B50023	1/4"*3/8"	10.5	35	20	7	11.4
ALS-B50032-5	3/8"*5/16"	9	35	20	20.5	15
ALS-B50033	3/8"*3/8"	10	40	23	21	15
ALS-B50034	3/8"*1/2"	13.5	35	20.4	20.5	15
ALS-B50042-5	1/2"*5/16"	9	39	21	24.5	18.6
ALS-B50043	1/2"*3/8"	10.5	37.6	20.4	24	18.6
ALS-B50044-4	1/2"*1/2"	17	37.6	20.4	24	18.6
ALS-B50045-1	1/2"*5/8"	17	37.6	20.4	24	18.6
ALS-B50046-1	1/2"*3/4"	20	48	31.3	2	18.6
ALS-B50064-1	3/4"*1/2"	13	46	25.8	30	24.1
ALS-B50065-1	3/4"*5/8"	17.1	51	34	30	24.1





FEMALE & BARBED FITTING-2
内牙宝塔接头


Medol No.	Specification	A mm	B mm	C mm	HEX mm	Thread-BSPT
ALS-B50066-1	3/4"*3/4"	20	46	26.6	30	24.1
ALS-B50068	3/4"*1"	26.4	55.3	38	35	24.1
ALS-B51006	1"*3/4"	20	60	34.6	35	30.3
ALS-B51010	1"*1"	27	71	41	44.1	30.3
ALS-B51012	1"*1-1/4"	33.2	64	39.4	37	30.3
ALS-B51210	1-1/4"*1"	26	73	37	27.6	39
ALS-B51410	1-1/2"*1"	26	73	37.2	27.2	44.9
ALS-B51412	1-1/2"*1-1/4"	33.2	83.6	45	45	44.9
ALS-B51414	1-1/2"*1-1/2"	39	72.6	46.2	55	44.9
ALS-B51420	1-1/2"*2"	51.7	90.9	48.8	60.1	44.9





MALE & BARBED FITTING-1
外牙宝塔接头






Medol No.	Specification	A mm	B mm	C mm	HEX mm	Thread-BSPT
ALS-B30012	1/8"*1/4"	7	32	20	10	9.7
ALS-B30012-5	1/8"*5/16"	9	32	20	10	9.7
ALS-B30013	1/8"*3/8"	10.5	32	20.4	11	9.7
ALS-B30014	1/8"*1/2"	13.5	33	20.4	14	9.7
ALS-B30022	1/4"*1/4"	7	35.9	20.6	17	9.7
ALS-B30022-5	1/4"*5/16"	9	35	20.4	14	13.2
ALS-B30023	1/4"*3/8"	10.5	35	20.4	14	13.2
ALS-B30024	1/4"*1/2"	13.5	35	20	14	13.2
ALS-B30025	1/4"*5/8"	17.5	40	23.4	17	13.2
ALS-B30032	3/8"*1/4"	7	35.9	20.4	17	16.7
ALS-B30033	3/8"*3/8"	10.5	36	20.4	17	16.7
ALS-B30034	3/8"*1/2"	13.5	36	20	17	16.7
ALS-B30035	3/8"*5/8"	17.5	36	20	17	16.7
ALS-B30036	3/8"*3/4"	20.6	39.2	22	21	16.7

MALE & BARBED FITTING-2
外牙宝塔接头






Medol No.	Specification	A mm	B mm	C mm	HEX mm	Thread-BSPT
ALS-B30042	1/2"*1/4"	7	38	20.4	20.7	21
ALS-B30042-5	1/2"*5/16"	9	38	20	21	21
ALS-B30043	1/2"*3/8"	10.5	38	20.4	20.7	21
ALS-B30044	1/2"*1/2"	13.5	54	32.5	22	21
ALS-B30045	1/2"*5/8"	17.5	54	32.3	22	21
ALS-B30046	1/2"*3/4"	20.6	54	32.4	22	21
ALS-B30063	3/4"*3/8"	10.5	41	20.5	27	26.4
ALS-B30064	3/4"*1/2"	13.5	54	33.8	28	26.4
ALS-B30065	3/4"*5/8"	17.5	52.4	28.5	28	26.4
ALS-B30066	3/4"*3/4"	20.6	55	32.5	28	26.4
ALS-B30068	3/4"*1"	26.4	63	37.3	28	26.4
ALS-B31006	1"*3/4"	20.6	59	32.3	34	33.3
ALS-B31010	1"*1"	26.4	63	37.3	34	33.3
ALS-B31012	1"*1-1/4"	33.3	65.3	34.8	35	33.3

ELBOW TAIL 45°
45度外牙宝塔接口





Medol No.	Specification	A mm	B mm	C mm	HEX mm	Thread-BSPT
ALS-B46066	3/4"*3/4"	20.6	29	46.5	40	26.4
ALS-B46110	1"*1"	26.4	32	54	42	33.3
ALS-B46112	1-1/4"*1-1/4"	33.3	41	59.5	45	41.9
ALS-B46144	1-1/2"*1-1/2"	38.7	43	6	48.5	47.8
ALS-B46220	2"*2"	51.7	49	82.5	46.1	59.6
ALS-B46244	2-1/2"*2-1/2"	63.7	53.5	82	63	75.2
ALS-B46330	3"*3"	77	59	83	60.5	87.9

LED Navigation Light 12VDC


E011021-WHLD


E011022-WHLD



E011023-WHLD


E011024-WHLD


E011025-WHLD

Wattage: 0.9W.
Voltage: DC 12V.
Material: Plastic.
Vertical mount.
For use on boats up to 39.4 ft (12m).

Model No.	Type	Angle	Housing color	Visibility
E011021-WHLD	Green Starboard light	112.5°	White	1NM
E011021-LD	Green Starboard light	112.5°	Black	1NM
E011022-WHLD	Red Port light	112.5°	White	1NM
E011022-LD	Red Port light	112.5°	Black	1NM
E011023-WHLD	White Masthead light	225°	White	2NM
E011023-LD	White Masthead light	225°	Black	2NM
E011024-WHLD	White Stern light	135°	White	2NM
E011024-LD	White Stern light	135°	Black	2NM
E011025-WHLD	Bi-Color bow light	225°	White	1NM
E011025-LD	Bi-Color bow light	225°	Black	1NM



LED Navigation Light 12VDC


E011011-LD


E011012-LD



E011013-LD


E011014-LD


E011015-LD

Wattage: 1W
Voltage: DC 12V.
Material: Plastic and S.S.304.
LED with colored lens and black housing.
*DC24V LED lights available.
For use on boats up to 39.4 ft (12m).

Model No.	Type	Angle	Visibility
E011011-LD	Green Starboard light	112.5°	1NM
E011012-LD	Red Port light	112.5°	1NM
E011013-LD	White Masthead light	225°	2MN
E011014-LD	White Stern light	135°	2NM
E011015-LD	Bi-Color bow light	225°	1NM




LED Navigation Light 10-30VDC



E011200 E011203 E011204 E011205

IP 66.
Bi-color light 3.4W.
Wattage: Sidelight 1.7W.
Voltage: DC 10-30V.
Material: Stainless Steel
Horizontal mount. Red and Green LED in clear lenses.
For use on boats up to 65.6 ft (20m).

Model No.	Type	Angle	Visibility
E011200	Green Starboard light Red Port light	112.5° 112.5°	2NM 2NM
E011203	White Masthead light	225°	2NM
E011204	White Stern light	135°	2NM
E011205	Bi-Color Bow light	225°	2NM



LED Navigation Light 12VDC



E011006




E011007




IP 66
Bi-color light 3W
Wattage: Sidelight 1.5W.
Voltage: DC 12V
Material: Stainless Steel
Horizontal mount. Red and green led in clear lenses
For use on boats up to 39.4 ft (12m).

Model No.	Type	Angle	Visibility
E011006	Green Starboard light Red Port light	112.5° 112.5°	1NM 1NM
E011007	Bi-Color Bow light	225°	1NM



LED Navigation Light 12VDC

For use on boats up to 39.4 ft (12m)
Bi-color light 2.2W.
Wattage: Sidelight 1.5W.
Voltage: DC 12V.
Material: S.S. 316 and PC base.
Horizontal mount.



Model No.	Type	Angle	Visibility
E011090	Green Starboard light Red Port light	112.5° 112.5°	1NM 1NM
E011094	White Stern Light	135°	2NM
E011095	Bi-Color Bow light	225°	1NM




E011090



E011095 E011094

LED Navigation Light

IP 66
For use on boats up to 39.4 ft (12m).
Wattage: 1W
Voltage: DC 10-30V
Material: Stainless Steel 304
Horizontal Surface mount.




Model No.	Type	Angle	Visibility
E011070	Green Starboard light Red Port light	112.5° 112.5°	1NM 1NM
E011075	Bi-Color Bow light	225°	1NM



E011070

LED Navigation Light

IP 66
Wattage: E011026:1W*2 E011027:2W
Voltage: 12VDC.
Visibility 2NM
Horizontal mount.
For use on boats up to 65.6 ft (20m).



Model No.	Type	Angle	Material
E011026	Green Starboard light,Red Port light	112.5°	Plastic
E011026-SS	Green Starboard light,Red Port light	112.5°	SS316
E011027	Bi-Color Bow light	225°	Plastic
E011027-SS	Bi-Color Bow light	225°	SS316




E011026-SS E011026



E011027-SS

LED Navigation Light 12VDC S.S.316

IP 66
Angle:112.5°
Wattage: 1W
Voltage: DC 12V.
Material: Stainless Steel 316
For use on boats up to 39.4 ft (12m).




Model No.	Type	Visibility
E011028-SS	Green Starboard light Red Port light	1NM 1NM



E011028-SS

LED Navigation Light 12VDC

IP 66.
Angle:112.5°
Wattage: 0.8W
Material: Plastic
For use on boats up to 39.4 ft (12m).



E011003 E011004

Model No.	Type	Visibility
E011003	Green Starboard light Red Port light	1NM 1NM
E011004	Green Starboard light Red Port light	1NM 1NM




E011003



E011004

LED Navigation Light 10-30VDC USCG 2NM

IP 66.
Angle:112.5°
Wattage: 2W
Material: Plastic.
Vertical mount.
For use on boats up to 65.6 ft (20m).



Model No.	Type	Housing	Visibility
E011005-WHC	Green Starboard light Red Port light	White	2NM
E011005-BKC	Green Starboard light Red Port light	Black	2NM
E011005-CP	Green Starboard light Red Port light	Plastic Plating Silver	2NM



E011005-CP




E011005-WHC



E011005-BKC

LED Stern Light 12VDC

IP 66.
Angle:135°
For use on boats up to 65.6 ft (20m).
Wattage: 2.2W.
Voltage: 12VDC.
Material: S.S.304.




Model No.	Type	Lighting color	Visibility
E011053	Round Stern Light	Cool White	2NM
E011053W	Round Stern Light	Warm White	2NM
E011055	Round Stern Light	Bule	/



E011053

Navigation Light 12VDC

IP 65.
Angle:112.5°
Voltage: 12VDC.
Material: Plastic
For use on boats up to 39.4 ft (12m).




Model No.	Type		Visibility
E011077(Tungsten lamp)	Green Starboard light Red Port light	5W	1NM 1NM
E011077-LD(LED)	Green Starboard light Red Port light	1.5W	1NM 1NM



E011077-LD

LED Bi-color Bow Light

IP65
Angle:225°
For use on boats up to 39.4 ft (12m).





Model No.	Material	Voltage	watt	Visibility
E011072	Chrome-plated zinc	12VDC	0.7W	1NM
E011073	Stainless Steel	10-30VDC	2W	2NM




E011072 E011073

LED Bi-color Bow Light 12VDC





E011502



E011512

IP65
Visibility:1NM
For use on boats up to 39.4 ft (12m)
Wattage: 1.5 W.
Voltage:12 VDC.

Model No.	Base Type	Height
E011502	Plug-in mount	12" (306mm)
E011502-B2	Plug-in mount, w/ Straight base	12" (306mm)
E011512	Fixed mount	4" (99mm)
E011512-WH	Fixed mount	4" (99mm)



E011502



E011502-B2




E011512



E011512-WH

LED Bi-color Bow Light 12VDC





IP66
Visibility:1NM
For use on boats up to 39.4 ft (12m).
Wattage: 2 W.
Voltage:12 VDC.
Material: Plastic+Stainless Steel

Model No.	Base Type		Height
E011527-12	Plug-in mount	without work light	11-1/8" (282mm)
E011527-12B3	Plug-in mount, w/ SS Straight base	without work light	11-1/8" (282mm)
E011528-12	Plug-in mount	with work light	11-1/8" (282mm)
E011528-12B3	Plug-in mount w/ SS Straight base	with work light	11-1/8" (282mm)




E011527



E011528

LED Tri-color Bow Light 12VDC

Visibility:1NM
Voltage : 12VDC
Wattage : 1.5W*2
LED Tri-Color Light use
for boats up to 39.4 ft (12m).



Model No.	Visibility	Angle
E011185D-3C	1NM	Red+Green+White=360degree



E011185D-3C

All-round And Masthead Light


Visibility:2NM
All-Round light use for boats up to 39.4 ft (12m).
Stainless steel tube.
Angle 225° /360° .

Model No.	Bulb Type	Height
E011185	Tungsten lamp	4" (99mm)
E011185D	LED	4" (99mm)
E011185L	Tungsten lamp	12"(293mm)
E011185LD	LED	12"(293mm)
E011186	Tungsten lamp	10"(259mm)
E011186D	LED	10"(259mm)



E011185

E011185L



E011186



E011185




E011185L



E011186

LED All Round Light 10-30VDC USCG 2NM

IP67
For use on boats up to 164 ft (50m).
Wattage: 3 W.
Voltage:10-30 VDC.
Material: Plastic



Model No.	Lighting Color	Certificate
E011001	White 360 °	USCG 3NM
E011001-GN	Green 360 °	USCG 2NM
E011001-RD	Red 360°	USCG 2NM



E011001


E011001-RD

E011001-GN

LED All Round Light 8-30VDC

IP67.
Visibility:3NM
LED All-Round Light use for boats up to 65.6 ft (20m).
Wattage: 3W.
Voltage:8-30 VDC.
Material: Plastic+Aluminum pole.



E011201-8A E011201-12A

Model No.	Base Type	Overall Length
E011201-8A	Adjustable base	8" (203mm)
E011201-12A	Adjustable base	12" (305mm)


E011201-12A


E011201-8A

LED All-round Light 12VDC

Model No.	Base Type	Overall Length	
E011184-4 E011184-7	Fixed mount Fixed mount	2.8" (70mm) 6" (150mm)	IP65 Visibility:2NM Wattage: 1.5 W. Voltage:12 VDC. Material: Plastic+Stainless Steel Color Temperature: Daylight white 4000-4500K LED All-Round Light use for boats up to 65.6 ft (20m).
E011284-9 E011284-25	Adjustable mount Adjustable mount	8" (205mm) 23.6" (600mm)	
E011384	Adjustable mount	14.2" (360mm)	
E011584-24	Plug-in mount	22" (557mm)	

SERIES 84
USCG 2NM


E011184-4 E011184-7 E011284-9 E011284-25 E011384 E011584-24



E011184-4 E011184-7 E011284-9 E011284-25 E011384 E011584-24

LED All-round Light 12VDC


Model No.	Base Type	Overall Length	
E011189-4	Fixed mount	4" (106mm)	IP65 Visibility:2NM Wattage: 1.5 W. Voltage:12 VDC. Material: Plastic+Stainless Steel Color Temperature: Daylight white 4000-4500K LED All-Round Light use for boats up to 65.6 ft (20m).
E011189-7	Fixed mount	7-1/2" (186mm)	
E011289-9N	Adjustable mount	9-1/4" (235mm)	
E011289-25N	Adjustable mount	25" (635mm)	
E011289-22A	Adjustable mount	21-1/2" (546mm)	
E011289-25A	Adjustable mount	25" (635mm)	
E011389-12A	Adjustable mount	12" (305mm)	
E011389-16	Adjustable mount	16" (396mm)	
E011389-16A	Adjustable mount	16" (396mm)	
E011589-24	Plug-in mount	24" (593mm)	
E011589-24B	Plug-in mount,w/Straight base	24" (593mm)	
E011589-36	Plug-in mount	36" (898mm)	
E011689	Plug-in mount	28-1/4"~44"(750-1110mm)	

SERIES 89

USCG 2NM



E011189-4 E011189-7 E011289-9N E011289-25N E011389-16 E011589-24 E011589-24B E011689



E011189-4 E011189-7 E011289-9N E011289-25N E011389-16 E011589-24 E011589-36 E011689

LED All-round Light 12-24VDC


Model No.	Base Type	Overall Length	
E011042	/	1-3/4" (71mm)	IP65 Visibility:3NM For use on boats up to 65.6 ft (20m). Wattage: 2.5 W. Material: Plastic+Stainless Steel Color Temperature: Daylight white 4000-4500K *12-24VDC Green or Red LED light available
E011142	Fixed mount	4-7/8" (124mm)	
E011142-WH	Fixed mount	4-7/8" (124mm)	
E011142-12	Fixed mount	12-1/2" (318mm)	
E011242-9	Adjustable mount	9-1/2" (248mm)	
E011242-25	Adjustable mount	25" (642mm)	
E011342-16	Adjustable mount	16" (403mm)	
E011542-24	Plug-in mount	24" (600mm)	
E011542-24B	Plug-in mount, w/ Straight base	24" (600mm)	
E011542-36	Plug-in mount	36" (905mm)	

SERIES 42

USCG 3NM



E011042 E011142 E011142-12 E011242-9 E011242-25 E011342-16 E011542-24 E011542-24B E011542-36



E011042 E011142 E011142-12 E011242-9 E011242-25 E011342-16 E011542-24 E011542-36

LED All-round Light 12-24VDC SERIES 62

Model No.	Base Type	Overall Length	
E011162-D E011162-DWH	Fixed mount Fixed mount	4-3/8" (110mm) 4-3/8" (110mm)	IP65 Visibility:2NM Wattage: 2.5 W. Material: Plastic+Stainless Steel. For use on boats up to 65.6 ft (20m).
E011262-D	Adjustable mount	9-5/8" (244mm)	
E011562-D12B	Plug-in mount W/straight base	13" (335mm)	

Straight Light Head



E011162-DWH E011162-D E011262-D E011562-D12B E011162-DWH E011262-D E011562-D12B

Angled Light Head

Model No.	Base Type	Overall Length
E011262	Adjustable mount	9-1/2" (248mm)
E011362	Adjustable mount	16" (403mm)
E011562-24WH E011562 E011562B	Plug-in mount Plug-in mount Plug-in mount, w/Angled base	24" (600mm) 24" (600mm) 24" (600mm)
E011662(Telescopic Aluminum Pole)	Plug-in mount	29-1/4"~43-3/4" (750-1110mm)



E011262 E011362 E011562-24WH E011562 E011662 E011262 E011362 E011562-24WH E011562 E011662

LED Anchor Light 12-24VDC


Model No.	Base Type	Overall Length	
E011180	Fixed mount	8" (198mm)	IP65 Visibility:2NM Wattage: 2.5 W Voltage:12-24 VDC
E011280	Adjustable mount	10" (252mm)	
E011380	Adjustable mount	16" (407mm)	
E011580 E011580-24B	Plug-in mount Plug-in mount,w/Angled base	24" (604mm) 24" (604mm)	
E011680 (Telescopic Aluminum Pole)	Plug-in mount	28-1/4"~44-3/4" (750-1110mm)	

SERIES 80

USCG 2NM



E011180 E011280 E011380 E011580 E011580-24B E011680



E011180 E011280 E011380 E011580 E011680

LED All-round Light 10-30VDC SERIES 60

Model No.	Base Type	Overall Length	
E011160-5	Fixed mount	6" (152mm)	IP65. Visibility:2NM Wattage: 1 W. Voltage:10-30 VDC. Material: Plastic+Stainless Steel pole Angle 360° .
E011260-9	Adjustable mount	9.5" (247mm)	
E011260-12A	Adjustable mount	12" (305mm)	
E011260-25A	Adjustable mount	23.6" (600mm)	
E011360-15A	Adjustable mount	15" (381mm)	
E011560-24A	Plug-in mount	22" (557mm)	
E011660	Plug-in mount	27-1/3" 41-1/3 (695-1050mm)	



Mounting Base, for Plug-in Mount Pole Lights



Model No.	Base Type	Material
E011500-SS	Straight base	Stainless Steel and PC
E011500-S	Straight base	Plastic
E011500-T	Angled base	Plastic
E011700-A2	Angled base	Plastic

Portable LED Navigaiton Lights

Battery Operated, No Wires Required



Model No.	Color	Angle	Type	Visibility	
E011206-RG	Bi-Color bow light	225°	Fixed base	1NM	Waterproof: IP66 For use on Kayak, Inflatable boat,Canoe... *Battery (not included)
E011206-WH	White	360°	Fixed base	2NM	
E011206-RGN	Bi-Color bow light	225°	Swivel base	1NM	
E011206-WHN	White	360°	Swivel base	2NM	
E011206-RGM	Bi-Color bow light	225°	Magnetic base	1NM	
E011206-WHM	White	360°	Magnetic base	2NM	
E011206-BS	Lock Base Only				

LED Replace Bulb

LED: 33pcs×0.2W 2835
Effective Wattage: 2 W.
Voltage: 10-24VDC
Material: PC+Ceramic
Type: BA15D parallel double contacts
Lighting Angle：360 degree


Model No.	Color Temperature	Type
E001174-NWH	Nature White	BA15D parallel double contacts
E001174-NWH/1	Nature White	BA15D high and low double contacts
E001174-RD	Red	/
E001174-GN	Green	/



LED Replace Bulb

Voltage: 12VDC
Material: Stainless steel
Type: Festoon LED
Lighting Angle：360 degree
Color: Nature white.
Size: Overall length

Model No.	LED	Effective Lumen	Watts	Color Temperature
E001140-WH36	16 PCS*0.2W	130LM	1.8w	Nature White 4000-4500K
E001140-WH44	24 PCS*0.2W	193LM	2.6w	Nature White 4000-4500K



E001140-WH44



E001140-WH36

LED Underwater Fishing Light 10-30VDC

IP68
Effective wattage:24W/45W
Material: PC & Aluminum.
These super bright LED lights that is your
best choice to attract prawns, squids and fish.
These underwater LED lights can penetrate up to 5m

Model No.	Color & Color Temperature	LED Power
E018006-WH	White (5500-6300 K)	60×0.5 W
E018006-GN	Green	60×0.5 W
E018006-BU	Blue	60×0.5 W
E018007-WH	White (5500-6300 K)	123×0.5 W
E018007-GN	Green	123×0.5 W
E018007-BU	Blue	123×0.5 W



E018007

LED Underwater Fishing Light 10-30VDC

IP68
Effective wattage:45W
Applied wide range voltage 10-30V.
Brighter than a 400 watt halogen light with
only 45w power consumption.
Saving 70% electricity than the conventional light.
Hexagon hollow aluminum tube is used to lower
the temperature rapidly and will prolong the life of the LED.
Double-layer waterproof design for better performance.
Material: PC & Aluminum

Model No.	Color & Color Temperature	LED Power
E018008-WH	White (5500-6300 K)	144×0.5 W
E018008-GN	Green	144×0.5 W
E018008-BU	Blue	144×0.5 W



E018008-WH E018008-GN



E018008-BU

LED Underwater Light 10-30VDC



E019018




E019019




IP68
Working Voltage: 10-30 VDC
Cover Material: S.S.316 polished
Mount Type: Surface mount
Diameter: 3"-2/3"(92.8mm)
High quality S.S.316 under water light are designed to be internal driver, easy to installed on the boat surface.

Model No.	Color	LED Power
E019018	White	6×3W
E019019	Blue	6×3W



LED Muti-color Underwater Light 12-24VDC








E019021B-C

IP68
Working Voltage: 12-24 VDC
Cover Material: S.S.316 polished
RF remote control (433 MHz)/ switch control
RGBW+7 Muti-colors 4 modes
* The master controller can connect up to 3 lights.
* The vice controller use for more than 3 lights in a boat.

Model No.	Color	LED Power
E019021B	Muti-Color	6pcs x 3W RGBW LED
E019021B-C	Master Controller with Remore controller, 3 wire connectors	
E019021-C1	Vice Controller	



LED Underwater Light

S.S.316






E019002-1




E019005

Water Proof Level: IP68
Working Voltage: 10-30 VDC
Cover Material: S.S.316 polished
Material: Stainless Steel 316
Mount Type: Surface mount
Veiwing Angle： 90°
Patent No. 2017306406244, 201721747478.6
High quality S.S.316 under water light are designed to be internal driver, easy to installed on the boat surface.

Model No.	Color	LED Power	Overall Length
E019001-1	Cool White	27X0.2W	3-5/6''(95.5mm)
E019001-W2	Warm White	27X0.2W	3-5/6''(95.5mm)
E019002-1	Blue	27X0.2W	3-5/6''(95.5mm)
E019002-RD	Red	27X0.2W	3-5/6''(95.5mm)
E019003	Green	27X0.2W	3-5/6''(95.5mm)
E019002-WB	White+Blue	24X0.2W*2	3-5/6''(95.5mm)
E019004	Cool White	39X0.2W	4-3/4''(120mm)
E019005	Blue	39X0.2W	4-3/4''(120mm)
E019005-WB	White+Blue	33X0.2W*2	4-3/4''(120mm)



E019005



E019002-1


LED Underwater Light





Working Voltage: 12 VDC
Water Proof Level: IP68
Mount Type: Surface mount

Model No.	Color	LED Power
E018005-WH	Warm White	6×0.2W
E018005-BU	Blue	6×0.2W




LED Trim Tab Trasom Underwater Light Bar 12-24VDC





Water Proof Level: IP68
Mount Type: Surface mount
High quality under water light are designed to be internal driver,
easy to installed on the boat surface.

Model No.	Color	LED Power
E019007	One pair white	21×0.2W
E019008	One pair blue	21×0.2W



LED Plug Drain Underwater Light






E019011 E019014




Water Proof Level: IP68
Material: Brass

Model No.	Color	LED Power	Voltage
E019011	White	2×0.2W	12VDC
E019012	Blue	2×0.2W	12VDC
E019014	White	1×7W	10-30VDC
E019015	Blue	1×7W	10-30VDC



E019014



E019011

LED Underwater Light 10-30VDC



E019031




E019131S




High quality underwater light are designed to be internal driver,
easy to installed on the boat surface.
Extremely bright.
Working Voltage: 10-30 VDC.
Water Proof Level: IP68.

Model No.	Color	LED Power	Cover Material
E019031	White	3×3W	PC
E019032	Blue	3×3W	PC
E019131	White	6×3W	PC
E019131S	White	6×3W	S.S.316
E019132	Blue	6×3W	PC
E019132S	Blue	6×3W	S.S.316



E019031



E019131S

LED Underwater Light 10-30VDC



E019121



E019121S



E019221



E019221S




E019321




E019321S

Extremely bright.
Working Voltage: 10-30 VDC.
Water Proof Level: IP68.
High quality under water light are designed to be internal driver,
easy to installed on the boat surface.


Model No.	Color	LED Power	Cover Material
E019021R	White	3×3W	PC
E019022	Blue	3×3W	PC
E019121	White	6×3W	PC
E019121S	White	6×3W	S.S.316
E019122	Blue	6×3W	PC
E019122S	Blue	6×3W	S.S.316
E019221	White	9×3W	PC
E019221S	White	9×3W	S.S.316
E019222	Blue	9×3W	PC
E019222S	Blue	9×3W	S.S.316
E019321	White	12×3W	PC
E019321S	White	12×3W	S.S.316
E019322	Blue	12×3W	PC
E019322S	Blue	12×3W	S.S.316



E019121




E019221



E019321

LED Oblong Courtesy Light

IP67
Wattage: 0.5W
LED power: 3x0.2W
Flush mount
Material: S.S. 316 and PC base.



Model No.	Color	Voltage
E013106-CWH	Cool White(5500-6300K)	12VDC
E013106-WH	Warm White(2900-3200K)	12VDC
E013106-BU	Blue	12VDC
E013106-CWH24	Cool White(5500-6300K)	24VDC
E013106-WH24	Warm White(2900-3200K)	24VDC
E013106-BU24	Blue	24VDC
E013106-CWHK	Cool white(5500-6300K)	12-24VDC
E013106-WHK	Warm white(2900-3200K)	12-24VDC
E013106-BUK	Blue	12-24VDC



E013106-CWH

EE013106-WH


E013106-BU

LED Oblong Courtesy Light

IP67
Wattage: 0.5W.
Voltage: 12VDC.
Flush mount.
Material: Plastic




Model No.	Material	Color Temperature	LED Power
E013106-CWHW	PC White	Cool White(5500-6300K)	3×0.2W
E013106-WHW	PC White	Warm White(2900-3200K)	3×0.2W
E013106-BUW	PC White	Blue	3×0.2W
E013106-CWHB	PC Black	Cool White(5500-6300K)	3x0.2W
E013106-WHB	PC Black	Warm White(2900-3200K)	3x0.2W
E013106-BUB	PC Black	Blue	3x0.2W


E013106-CWHW


E013106-WHB

LED Courtesy Light

IP67
Wattage: 1.2W
Mount Type: Surface mount
Material: S.S. 304




Model No.	Voltage	Color Temperature	LED Power
E012081	12VDC	Cool White(5500-6300K)	6×0.2W
E012082	12VDC	Blue	6×0.2W
E012081-24	24VDC	Cool White(5500-6300K)	6×0.2W
E012082-24	24VDC	Blue	6×0.2W


E012081


E012082

LED Courtesy Light

IP65
Working Voltage: 12 VDC
Mount Type: Surface mount
Material: PC




Model No.	Color Temperature	LED Power
E013051	Warm White(2900-3200K)	5×0.5W
E013052	Blue	5×0.5W


E013051


E013052

LED License/courtesy Light

IP67
Wattage: 0.6W.
Voltage: 12VDC.
Surface mount.
Material:PC.




Model No.	Color Temperature	Lens Type
E013008-WH	Cool White(5500-6300K)	Clear
E013108-WH	Cool White(5500-6300K)	White
E013118-WH	Blue	White
E013008-BK	Cool White(5500-6300K)	Clear
E013108-BK	Cool White(5500-6300K)	White
E013118-BK	Blue	White


E013108-WH


E013108-BK

LED Courtesy Light

IP67
Wattage: 0.4W.
Voltage: 12VDC.
Surface mount.
Material:PC+Stainless Steel.




Model No.	Color & Color Temperature	LED Power
E013107-WH	Cool White(5500-6300K)	4×0.2W
E013107-WWH	Warm White(2800-3200K)	4×0.2W


E013107-WH

LED Courtesy Light

Wattage: 0.2 W.
Working Voltage: 12 VDC
Mount Type: Flush mount



Model No.	Color Temperature	LED Power
E013101	Cool White(5500-6300K)	1×0.2W
E013101-02	Warm White(2800-3200K)	1×0.2W
E013101-BU	Blue	1×0.2W
E013101-M	Multi-Color	4×0.2W


E013101


E013101-02


E013101-BU


E013101-M

LED Courtesy Light

IP66
Working Voltage: 12 VDC
Mount Type: Flush mount
Material: Stainless Steel
Lumen:28
Mount hole 2inch (51mm)
Diameter:3inch (76mm)


Model No.	Color Temperature	LED Power
E013200	Cool White(5500-6300)	0.5W



E013200

LED Livewell Light 12VDC

IP68
Wattage: 0.2W.
Voltage : 12VDC.
Flush mount.
Material: PC



E013011 E013021

Model No.	Color Temperature	LED Power
E013011	Cool White(5500-6300K)	1×0.2W
E013012	Blue	1×0.2W
E013021	Cool White(5500-6300K)	1×0.2W
E013023	Blue	1×0.2W



E013011 E013021

Wattage:9.8W
Working Voltage:DC10-30V
Surface mount.
Material: PC
Housing Colour : White




Model No.	Color Temperature	LED Power
E012301	Cool White(5500-6300K)	33x0.5w



E012301

LED Ceiling Light

IP66
Wattage: 1W.
Working Voltage: 12 VDC
Flush mount
LED Power:6×0.2W



E012044C S.S.304 Trim ring PC Trim ring

Model No.	Color Temperature	Material
E012041C	Cool White(5500-6300K)	PC White
E012041	Warm White(2900-3000K)	PC White
E012042	Blue	PC White
E012044C	Cool White(5500-6300K)	PC+S.S.304
E012044	Warm White(2900-3000K)	PC+S.S.304
E012045	Blue	PC+S.S.304
E012046	Red	PC+S.S.304



E012045 E012041C E012046

LED Ceiling Light

IP67
Wattage: 1W.
Voltage: 12VDC.
Surface mount.
LED Power:6×0.2W




Model No.	Color Temperature	Material
E012071	Cool White(5500-6300K)	PC+S.S.304
E012072	Blue	PC+S.S.304
E012073	Warm white	PC+S.S.304



E012071 E012072

LED Ceiling Light

IP66
Wattage: 0.5W.
Working Voltage: 12 VDC
Flush mount
LED Power:3×0.2W



S.S.304 Trim ring PC Trim ring


Model No.	Color Temperature	Material
E013031	Cool White(5500-6300K)	PC
E013033	Blue	PC
E013034	Cool White(5500-6300K)	PC+S.S.304
E013035	Blue	PC+S.S.304



E013031 E013033

LED Ceiling Light 12VDC

Wattage: 3.6 W.
Mount Type: Surface mount
LED "2835":20×0.2W



Lens 3 inch Lens 4 inch Lens 5 inch


Model No.	Color Temperature	Diameter	Material	Voltage
E012013	White (5500-6300K)	106.6mm(4-1/6")	Brass	12V
E012014	White (5500-6300K)	106.6mm(4-1/6")	S.S.304	12V
E012023	White (5500-6300K)	137mm/ (5-3/8")	Brass	12V
E012024	White (5500-6300K)	137mm/ (5-3/8")	S.S.304	12V
E012024-WR	Red/White (5500-6300K)	137mm/ (5-3/8")	S.S.304	12V
E012033	White (5500-6300K)	168mm/(6-5/8")	Brass	12V
E012034	White (5500-6300K)	168mm/(6-5/8")	S.S.304	12V
E012034-24V	White (5500-6300K)	168mm/(6-5/8")	S.S.304	24V



Stainless Steel Brass

LED Ceiling Light

Wattage: 4.4 W.
Working Voltage: 12 VDC
Mount Type: Surface mount
LED "2835":24 pcs




Model No.	Color Temperature	Diameter
E012052	White (5500-6300K)	125mm/5 "



LED Ceiling Light

Wattage: 5inch 6W, 4inch 4W
Working Voltage: 10-30VDC
Mount Type: Surface mount
With blue night light switch




E012008-02 E012008

Model No.	Color Temperature	Diameter
E012008	Warm White (2900-3200K)	127mm/5"
E012008-C	Cool White (5800-6300K)	127mm/5"
E012008-02	Warm White (2900-3200K)	102mm/4"
E012008-02C	Cool White (5800-6300K)	102mm/4 "



LED Ceiling Light 12VDC

Wattage: 2.2W
Working Voltage: 12VDC
Mount Type: Surface mount




Model No.	Color Temperature	Material
E012104	Warm White (2900-3200K)	PC



LED Ceiling Light

Wattage: 3W
Working Voltage: 8-30 VDC
Mount Type: Flush spring mount






Model No.	Color Temperature	Material
E018001	RGBW (White 5500-6300K) Red, Green, Blue, White	Stainless Steel



LED Ceiling Light

Wattage: 3W
Working Voltage: 8-30 VDC
Mount Type: Flush spring mount



Model No.	Color Temperature	Material
E012001	Warm White (2800-3000K)	Stainless Steel



LED Strip Light 12VDC


IP:67
Wattage: 3W
Working Voltage: 12 VDC
Mount Type: Surface mount
Housing Material:Aluminum

Model No.	Color Temperature	Lenght
E014052	Warm White (2900-3200K)	11-7/8" /300mm



LED Strip Light

IP:67
Wattage: 1W
Working Voltage: 12 VDC
Mount Type: Flush mount
Housing Material:PC




E014031 E014033

Model No.	Color Temperature	Lenght
E014031	White (5500-6300K)	4"/ 100mm
E014032	Blue	4"/ 100mm
E014033	Blue	8"/ 203mm
E014034	White (5500-6300K)	8"/ 203mm



LED Strip Light

IP:67
Wattage: 1W
Working Voltage: 12 VDC
Mount Type: Surface mount
Housing Material:PC



E014041 E014043

Model No.	Color Temperature	Lenght
E014041	White (5500-6300K)	4-1/4 "/ 107.4mm
E014042	Blue	4-1/4 "/ 107.4mm
E014043	Blue	8-1/4 "/ 208.4mm
E014044	White (5500-6300K)	8-1/4 "/ 208.4mm




LED Strip Light

IP:67
Wattage:4W
Working Voltage: 12 VDC
Mount Type: Surface mount
Material : Plastic
Switch: ON/OFF




Model No.	Color Temperature	Lenght
E014061-NWH	White (4000-4500K)	9-3/8 "/ 240mm
E014061-WB	White+Blue	9-3/8 "/ 240mm
E014061-WR	White+Red	9-3/8 "/ 240mm
E014061-NWH1	White(4000-4500K)	9-3/8"/240 mm No Switch



LED Reading Light

Wattage: 3.1W
Working Voltage: 12 VDC
Mount Type: Surface mount




Model No.	Color Temperature	Material
E015001	Warm White (2900-3200K)	Stainless Steel



LED Reading Light

Wattage: 3.1W
Working Voltage: 12 VDC
Mount Type: Surface mount




Model No.	Color Temperature	Material
E015002	Warm White (2900-3200K)	Stainless Steel



LED Brass Reading Light

Wattage: 0.5W
Working Voltage: 12 VDC
Mount Type: Surface mount




Model No.	Color Temperature	Material
E015011	Warm White (2900-3200K)	Brass Lacquered



LED Brass Reading Light

Wattage: 3.1W
Working Voltage: 8-30 VDC
Mount Type: Surface mount



Model No.	LED&Color	Material
E015031	1x3W/Warm White	Stainless Steel
E015032	1x3W/Warm White	Brass Lacquered
E015033	12x0.2W/Warm White	Stainless Steel



LED Reading Light

Wattage: 1W
Working Voltage: 12VDC
Surface finished: Chrome
Mount Type: Surface mount
Material：Aluminum

Model No.	Color Temperature	Type
E015351	Warm White (2900-3200K)	Swivel joint
E015352	Warm White (2900-3200K)	Flex



E015351



E015352

LED Reading Light

Wattage: 2W
Working Voltage: 12VDC
Surface finished: Satin nickel
Mount Type: Surface mount
Material：Aluminum

Model No.	Color Temperature	Type
E015311-01	Warm White (2900-3200K)	Swivel joint
E015312-01	Warm White (2900-3200K)	Flex



E015311-01



E015312-01

LED Reading Light

Wattage: 2W
Working Voltage: 12VDC
Surface finished: Chrome
Mount Type: Surface mount
Material：Aluminum
* For RV use only

Model No.	Color Temperature	Type
E015401	Warm White (2900-3200K)	Flex



E015401

LED Reading Light

Wattage: 1W
Working Voltage: 12VDC
Surface finished: Chrome
Mount Type: Surface mount
Material：Aluminum
* For RV use only


Model No.	Color Temperature	Type
E015391	Warm White (2900-3200K)	Swivel joint



E015391

LED Spot Light 8-30VDC

High quality LEDs for maximum light output and energy efficiency.
Perfect beams of light to eliminate dark spot.
Extremely bright.
Effective Wattage: 27W
Working Voltage: 10-30 VDC
Modes: Flash, Fade, SOS, Dimmer
Rotation: 355° & E 70°
50M distance RF remote control
IP Rating: IP65
Patent No. 2017215246751, 2017305640263





Model No.	Color Temperature	LED
E016001-B	Cool White (5500-6300K)	12x5W
E016001-B2	Warm White (2900-3200K)	12x5W

LED Spot Light 8-30VDC

IP Rating: IP65
Effective Wattage: 21W
Working Voltage: 10-30 VDC
Mount Type: Surface mount
Rotation: 355° & E 70°
50M distance RF remote control
High quality LEDs for maximum light output and energy efficiency.
Perfect beams of light to eliminate dark spot.
Extremely bright.





Model No.	Color Temperature	LED
E016002	Cool White (5500-6300K)	9x5W





Solar power ventilator

For marine, boats, yachts, trailer, caravan Solar vent.
Waterproof design.
High quality battery can run the vent up to 30 hours with no sunlight.
Two types of blade(Intake & Exhaust) are provided with each vent.
Ventilator with rechargeable battery and switch.


Model No.	Material:	Battery	Switch
E524135	Plastic	NO	NO
E524135-B	Plastic	YES	YES
E524136	Stainless Steel	NO	NO
E524138-B	Stainless Steel	YES	YES
E524139	Plastic	YES	YES
E524140	Plastic	NO	YES


E524135


E524138


E524140


E524139





LARGE BUOYANCY INFLATABLE LIFE BUOY
大浮力充气式救生圈



Code	Type	Cerification
ALS6605W	Automatic	EC"CCS"

Support customization

DESCRIPTION
Material: TUP nylon composite cloth
Type: Automatic
Buoyancy: 150N
Color: Yellow, Red, Black, Blue, Rose, Orange



VEST LIFE JACKET
背心救生衣



Code	Type
ALS6606W	Sport Life-Jacket

Support customization

DESCRIPTION
Buoyancy> 75N
CCS approval
Suitable for yachts. Inflatable boat, motor boat,
Sailing: Kayaking, etc.
Trait
Fabric strength is high, good protection performance,
color does not fade
Color: Red, orange, blue, fluorescent green
Size :40 * 50 cm. Li :60 * 50 cm. Total :63 * 52 cm

EPE LIFE JACKET
EPE救生衣



Code	Type
ALS6607W	Sport Life-Jacket

Support customization

DESCRIPTION
Buoyancy> 90kg
CCS approval
Suitable for yachts. Inflatable boat, motor boat,
Sailing: Kayaking, etc
The fabric has high strength and good protection performance;
Color: Orange
Size :48cm* 36cm. 55 cm * 45 cm.

INFLATABLE LIFE JACKET
充气救生衣

Code	Size	Weight
ALS6608W	35cm*48cm	0.7KG

Support customization

DESCRIPTION
Material: 300D Oxford cloth
Buoyancy: 150N
Color: Red, Orange, Yellow, Green, Blue, Black



PORTABLE ADULT LIFE JACKET
双插扣救生衣

Code	Size	Weight
ALS6609W	55cm*48cm	2KG

Support customization

DESCRIPTION

Material: Oxford cloth + polyethylene foam
Buoyancy: 150N
Color: Orange, Yellow, Fluorescent green



LIFE JACKET
带领救生衣

Code	Size	Weight
ALS6610W	55cm*48cm	2KG

Support customization

DESCRIPTION

Material: Oxford cloth + polyethylene foam
Buoyancy: 150N
Color: Orange



CCS LIFE JACKET
CCS救生衣

Code	Size	Weight
ALS6611W	55cm*48cm	2KG

Support customization

DESCRIPTION

Material: Oxford cloth + polyethylene foam
Buoyancy: 150N
Color: Red



WATER SPORTS SAFETY HAT
水上运动安全帽



Code	Peculiarity	Size
ALS6612W	Portable	Uniform size

Support customization

DESCRIPTION

Material: ABS plastic +EVA material
Applicable scope: boating, fishing, water rescue, etc
Color: Red, Blue

MARINE FIRST AID BUOY
海洋急救浮标




Code	Size	Weight
ALS6613W	70cm*11.5cm*24cm	0.2kg
ALS6614W	82cm*12cm*30cm	0.2kg

Support customization

DESCRIPTION

Material: ABS plastic
Color: Orange, Blue, Yellow, Green, Red

MARINE HARDWARE STAND UP FISHING HAND PADDLE BOAT
船用五金直立式钓鱼手桨船



Code	A cm	B cm
ALS6706k	222	49

CARBON GRAIN SINGLE DOUBLE HEAD
碳纹单双头两用桨



Code	Head	Length(cm)	Blade width(cm)	Thickness(mm)	Diameter(cm)	Weight(g)
ALS6707K	Single	160~210	19.5	1.2	2.9	685
ALS6708K	Double	230	19.5	1.2	2.9	965

Material: CF + Nylon

ADULTS AND CHILDREN INFLATABLE STAND UP PADDLE BOARD
成人/儿童充气立式桨板

Code	Size	Product Dimensions	Net Weight	Maximum Pressure
ALS240A	8'	240x76x10cm	8.17kg	12-15PSI
ALS320A	10'6"	320x83x15cm	8.62kg	12-15PSI
ALS335A	11'	335x82x15cm	9.80kg	12-15PSI
ALS350A	11'6"	350x83x15cm	9.98kg	12-15PSI

Material: Drop Stitch+ PVC+ EVA **Color & Size:** Support customization



ADULTS INFLATABLE STAND UP PADDLE BOARD
成人充气立式桨板

Code	Size	Product Dimensions	Net Weight	Maximum Pressure
ALS35089A	11'6"	350x89x15 cm	9.98 kg	12-15 PSI

Material: Drop Stitch+ PVC+ EVA **Color & Size:** Support customization



ADULTS INFLATABLE STAND UP PADDLE BOARD
成人充气立式桨板

Code	Size	Product Dimensions	Net Weight	Maximum Pressure
ALS32089A	10'6"	320x89x15 cm	9.98 kg	12-15 PSI

Material: Drop Stitch+ PVC+ EVA **Color & Size:** Support customization



ADULTS INFLATABLE STAND UP PADDLE BOARD
成人充气立式桨板

Code	Size	Product Dimensions	Net Weight	Maximum Pressure
ALS32089B	10'6"	320x89x15 cm	9.98 kg	12-15 PSI

Material: Drop Stitch+ PVC+ EVA **Color & Size:** Support customization





ALUMINUM ALLOY BASE INFLATABLE BOAT
铝合金底充气钓鱼艇



Color options available







Inflatable mobile rescue boats can be equipped with outboard engines and are suitable for shallow and narrow river channels, nearshore waters, meeting the needs of water rescue, flood prevention and relief, material transportation, urban waterlogging rescue, and disaster relief. The hull is made of imported multi-layer composite mesh materials, which are wear-resistant, salt alkali resistant, corrosion-resistant, and UV resistant; Deep V hull has low water resistance and stable handling; Float double-sided hot melt process ensures airtightness and tear resistance; High frequency hot pressing production of ship accessories; Strengthen the sealing of the connection part of the power tailboard and reinforce it with nylon bolts; The float is equipped with independent compartments to enhance the safety factor of the ship.

Medol No.	External dimension(cm)	Internal dimension(cm)	Buoy(cm)	Number of gas chambers	Net weight(kg)	Load(kg)	Package size(cm)	Certification
ALS-FIB0123	230*140	138*62	40	3+1	36	400	100*57*30	CE
ALS-FIB0128	280*150	180*66	42	3+1	49	480	110*63*33	CE
ALS-FIB0133	330*150	212*66	42	3+1	64	600	115*65*40	CE
ALS-FIB0138	380*170	256*80	45	3+1	83	800	130*77*40	CE
ALS-FIB0143	430*195	290*95	50	4+1	101	1000	140*80*35	CE

ALUMINUM ALLOY BASE INFLATABLE BOAT
铝合金底充气钓鱼艇



Color options available







Inflatable mobile rescue boats can be equipped with outboard engines and are suitable for shallow and narrow river channels, nearshore waters, meeting the needs of water rescue, flood prevention and relief, material transportation, urban waterlogging rescue, and disaster relief. The hull is made of imported multi-layer composite mesh materials, which are wear-resistant, salt alkali resistant, corrosion-resistant, and UV resistant; Deep V hull has low water resistance and stable handling; Float double-sided hot melt process ensures airtightness and tear resistance; High frequency hot pressing production of ship accessories; Strengthen the sealing of the connection part of the power tailboard and reinforce it with nylon bolts; The float is equipped with independent compartments to enhance the safety factor of the ship.

Medol No.	External dimension(cm)	Internal dimension(cm)	Buoy(cm)	Number of gas chambers	Net weight(kg)	Load(kg)	Package size(cm)	Certification
ALS-FIB0233	330*150	212*66	42	3+1	66	600	115*65*40	CE
ALS-FIB0238	380*175	250*85	45	3+1	81	800	125*65*35	CE
ALS-FIB0243	430*195	295*95	50	3+1	101	1000	140*80*40	CE
ALS-FIB0247	470*195	326*95	50	5+1	108	1300	140*80*40	CE
ALS-FIB0252	520*195	337*95	50	5+1	120	1400	140*80*40	CE

MA SERIES OF SPORTS BOATS
MA系列运动艇



Color options available





Inflatable mobile rescue boats are usually used in conjunction with outboard motors. Suitable for emergency and rescue use in shallow and narrow streams, rivers, and nearshore waters.

Suitable for firefighting personnel in water rescue, flood prevention and disaster relief, transportation of materials, urban waterlogging rescue, and relocation of disaster victims.

1. The hull is made of imported multi-layer composite mesh material, which is wear-resistant, salt alkali resistant, corrosion-resistant, UV resistant, and durable.
2. The deep V-shaped design at the bottom of the ship has low water resistance, good maneuverability, and smooth driving.
3. The float adopts thermal fusion double-sided thermal fusion technology to ensure the airtightness of the flood prevention boat, increase the peeling strength and tear resistance.
4. The hull accessories adopt high-frequency hot pressing technology, which is sturdy and durable, extending the service life.
5. Strengthen and seal the joint between the power fixed stern plate and the float, and reinforce it with special nylon bolts.
6. The float design has a diaphragm and adopts a completely independent design to improve the safety factor of the hull.

Medol No.	Outer length * outer width cm	Inner length * inner width cm	Airbag diameter cm	Number of air chambers	Number of employees	Weight kg	Load kg	Adapt to the power HP	Package size cm	Certification
ALS-MA0323	230*135	135*67	37	3+1	2	38	400	4	104*57*28	CE、HIN
ALS-MA0327	270*150	167*67	42	3+1	2-3	46	450	4-6	116*70*34	CE、HIN
ALS-MA0330	300*150	190*67	42	3+1	3-4	52	550	6-12	116*65*37	CE、HIN
ALS-MA0333	330*150	220*67	42	3+1	4-5	58	650	9.8-15	116*65*37	CE、HIN
ALS-MA0336	360*176	240*82	46	3+1	5-6	67	750	12-18	129*75*37	CE、HIN
ALS-MA0338	380*176	255*82	46	3+1	6-7	75	790	15-30	129*75*37	CE、HIN
ALS-MA0342	420*186	295*90	49	3+1	8-9	105	850	30	140*82*41	CE、HIN
ALS-MA0347	470*186	324*90	49	3+1	10-12	118	920	30-40	150*80*40	CE、HIN
ALS-MA0355	550*190	400*90	50	4+1	12-15	130	1200	40-60	150*80*40	CE、HIN

INTERSHORE RESCUE BOAT(M TYPE)
近海救援船（M型）







Inflatable motorized rescue boats are typically used in connection with outboard motors. They are suitable for rescue operations in shallow and narrow streams, rivers, and nearshore waters.

They are suitable for water rescue, flood relief, material transportation, urban flood rescue, and relocation of affected people.

1. The boat body is made of imported multi-layer composite mesh material, which is abrasion-resistant, salt-alkali resistant, corrosion-resistant, UV-resistant, and durable.
2. The deep V-shaped design of the boat bottom reduces water resistance and ensures good maneuverability and stability during operation.
3. The buoyancy tubes are bonded using double-sided hot melt fusion technology, ensuring the airtightness of the flood-resistant boat and increasing its peeling strength and tear resistance.
4. The boat accessories are using high-frequency hot pressing technology, ensuring durability and extending the service life.
5. The power-fixed stern plate is reinforced and sealed at the junction with the buoyancy tube, and reinforced with special nylon bolts.
6. The buoyancy tube is designed with interval membranes, adopting a fully independent design to improve the safety coefficient of the boat.

Medol No.	External dimension(cm)	Internal dimension(cm)	Buoyansy Tube Diamater(cm)	Number of air chambers	Capacity (persons)	Weight (kg)	Payload (kg)	Adapt to the power HP	Certification
ALS-M0439	390*178	260*88	45	3+3+2	6-7	56	850	25	CE、HIN
ALS-M0442	420*178	290*88	45	3+3+2	8-9	66	1000	30	CE、HIN
ALS-M0447	470*178	340*88	45	3+3+2	9-12	73	1100	40	CE、HIN

FIBERGLASS RIB RESCUE BOAT
玻璃钢充气艇





This series is suitable for tasks such as water patrols, search and rescue, transportation liaison,etc.

Buoyancy tubes can be made of PVC, TPU, or Hyp alon material.

The boat features a deep V-shaped hull, offering high speed and strong resistance to waves, with excellent stability.

It comprises a rigid fiber glass hull, inflatable buoyancy tubes, power system, drainage system, and auxiliary devices.

It combines the advantages of high speed and strength, as well as good stability and portability of rigid ships, and has the characteristics of low waterproofness, good splash resistance, fast cruising speed, flexible maneuverability, safety and reliability, short immersion and loading operation time, and convenient transportation and storage.

Medol No.	Overall length (cm)	Overall Width (cm)	Tube Diameter (cm)	Air C hamber (cm)	Max Person (cm)	Net Weight (kg)	Max Load (kg)	Max Power (HP)
ALS-RIB250	250	160	42	3	2-3	50	320	6
ALS- RIB270	270	160	42	3	2-3	54	365	10
ALS-RIB300	300	160	42	3	3-4	62	435	15
ALS-RIB330	330	160	42	3	4-5	68	500	18
ALS-RIB360	360	175	45	3	5-6	75	570	18
ALS-RIB390	390	175	45	3	6-7	82	635	20
ALS-RIB420	420	200	50	3	7-8	220	720	30
ALS-RIB480	480	200	50	3	8-9	360	900	40
ALS-RIB520	520	210	52	3	9-10	440	1050	60
ALS-RIB580	580	245	52	3	11	530	1280	90
ALS-RIB620	620	250	52	4	12	595	1430	115
ALS-RIB680	680	285	52	5	13	700	1670	125
ALS-RIB760	760	285	52	5	14	850	1990	150
ALS-RIB860	860	288	52	5	15	1075	2390	300



RIB390



RIB390



RIB520



RIB540



RIB580



RIB580

ALUMINUM ALLOY INFLATABLE BOAT
铝合金充气艇





This series is suitable for wat er rescue operations, wat er entertainment, speed competitions, and other fields. Design concept: sturdy, lightweight, practical, comfortable, and aesthetically pleasing. Made of 5083 special aluminum alloy, treasted with spray coating, corrosion-resistant, heat-resistant, impact-resistant, syurdy and durable. Compared with fibergless bottom, it a chieves light weight construction. When equipped with an engine of the same horsepower, this model offers faster speed, more flexible operability, and excellent payload capacity.

1、Double-layer aluminum alloy anti-slipdeck, sturdy and stable. 2、Integrated beam frame for solidity and stability. 3、Deep V-shaped bott om design for better water displacement and wave breaking effect. 4、Buoyancy tubes av ailable in PVC, TPU, or Hypalon. 5、Thickened airbags for stability and safety. 6、Streamlined design for minimal water resistance and high speed. 7、Precision welding craf tsmanship using fish-scale welding. 8、Spacious bow storage locker with locking capability. 9、Reinforced hull with thick ened collision strips for impact resistance and abrasion prevention. 10、Quick drainage design topromptlyer move accumulated water from the cabin. 11、Strengthened keel for overall reinforcement. 12、Embedded inflatable valves for safety and practicality.

Medol No.	Overall length (cm)	Overall Width (cm)	Tube Diameter (cm)	Air C hamber (cm)	Max Person (cm)	Net Weight (kg)	Max Load (kg)	Max Power (HP)	Aluminium plate thickness
ALS-ALU250	250	170	43	3	2-3	50	320	6	2.5
ALS- ALU270	270	170	43	3	2-3	54	365	10	2.5
ALS-ALU300	300	170	43	3	3-4	62	435	15	2.5
ALS-ALU330	330	170	43	3	4-5	68	500	18	2.5
ALS-ALU360	360	170	43	3	5-6	75	570	18	2.5
ALS-ALU390	390	170	43	3	6-7	82	635	20	2.5
ALS-ALU420	420	201	48	3	7-8	220	720	30	3
ALS-ALU480	480	201	48	3	8-9	360	900	40	4
ALS-ALU520	520	234	52	3	9-10	440	1050	60	4
ALS-ALU580	580	234	52	3	11	530	1280	90	4
ALS-ALU620	620	250	54	5	12	595	1430	115	4
ALS-ALU680	680	250	54	5	13	700	1670	125	4
ALS-ALU760	760	300	56	5	14	850	1990	150	10+5+4
ALS-ALU860	860	300	56	5	15	1075	2390	300	10+5+4



ALU330



ALU360



ALU420



ALU480



ALU560



ALU860

INFORMATION FOR PROSPECTIVE AGENTS

We are accepting agent applications from reputable individuals and businesses,who are able to refer qualified and genuine clients to us.If you are interesed in working with ALASTIN as one of our registered agent/representatice. Kindly send the following information by email to: andyzhang@alastin-marine.com

· Your name.
· If applicable,the Name of your Business and the Name of Business/Company Owners.
· Your Resume/CV (Detailed information about you).
· If applicable,your Business/Company Profile.
· Your Contact ADDress or Business Address.
· Phone number(s).
· Email address.
· Your Website and Social Media details/URL(if any).
· Information about your Primary Market(s) (i.e.cities where most of your clients will come form).
· Your Promotinon and Marketing Tactics/Strategy.
· How did you hear about us? (e.g.family/friend,Facebook,Google search,Flyer,etc.).
· Optional: Any Additional Relevant Information.

We will notify you by email on the next steps.
Thank you in advance for your interest in working with ALASTIN!



Design and development



Marine grade raw materials



Mold manufacturing



Wax Pattern



Laser Cutting



Casting Pouring



Machining



Spectrometer Detection



Mirror Polishing



Welding



CNC Machine



Warehouse