



2016 - NOW

Technological innovation and diversified development stage (16 years to now). In order to cope with market competition, Alastin Marine continues to increase technological innovation.

2009 - 2015

Market expansion stage: With the continuous advancement of technology and the growth of market demand, we are actively expanding the market share of our products and developing overseas business.

1998 - 2008

Creation and stabilization phase (establishment to 10 years) In the early days of the company's establishment, and focused on establishing a sound organizational structure and management system.

MARINE PARTS SUPPLY

青岛阿拉斯丁户外用品有限公司
QINGDAO ALASTIN OUTDOOR PRODUCTS CO., LTD.

HIGH QUALITY PRECISION CASTING

Industry Coverage

Yachts, Healthcare, Machinery

ALASTIN[®]

E-mail: andyzhang@alastin-marine.com

Mob: +86-15865772126

Contacts: Andy Zhang

Web: www.alastinmarine.com

Address: Qingdao City, Shandong Province, China

COMPANY PROFILE

公司简介

我们是一家专业从事船锚、缆桩、鱼竿座、船梯、方向盘、合页等产品的研发、生产销售和服务的公司，位于山东省。我们致力于严格的质量控制和周到的客户服务，经验丰富的工作人员随时可以讨论您的需求，确保客户完全满意。我们拥有数控车床、盐雾测试、光谱仪测试设备，拉力机等严格控制产品质量。我们还拥有ISO/CE/SGS/TUV证书。我们的产品北美、欧洲、中东等国家和地区很受欢迎。无论是从我们的目录中选择当前产品，还是为您的项目寻求工程帮助。我们有专业的研发团队，接受OEM&ODM定制。我们以出厂价格提供稳定的供应，大量的现货库存。请随时向我们发送采购需求，项目标准，期待合作！

We are a professional company engaged in boat anchor, bollard, fishing rod holder, boat ladder, steering wheel, hinge and other products' R & D, production, sales and service, located in Shandong Province.

We are committed to strict quality control and attentive customer service, our experienced staff are always available to discuss your needs and ensure complete customer satisfaction. CNC lathes, salt spray testing, spectrometer testing equipment, tension machines and other equipment are used to strictly control product quality. With ISO/CE/SGS/TUV certificates, our products are very popular in North America, Europe, the Middle East and other countries and regions.

OEM&ODM customization is accepted. Whether selecting a current product from our catalog or seeking engineering help for your project, we have professional teams to support you. We provide a stable supply at the factory price and adequate stock. Please feel free to send us procurement requirements or project standards, looking forward to cooperation!



目录

PRODUCT CATALOG


BOAT ANCHORS 船锚	P01
ANCHOR CONNECTOR 锚链接器	P05
ANCHOR ROLLER 锚支架	P07
CHAIN STOPPER 止链器	P09
ANCHOR CHAIN&ROPE 锚链&锚绳	P11
BOAT BOLLARD& FAIRLEAD 船用缆桩&导缆器	P13
BOAT CLEAT 船用索栓	P20
BIMINI TOP FITTINGS 遮阳篷配件	P25
TOP SLIDE/JAW SLIDE 滑道/滑套	P27
DECK HINGE 山型座	P29
PIPE STANCHION 管子配件	P35
RAIL CONNECTOR 管连接器	P40
CASTING HINGE 铸造合页	P45
PULL RINGS 地板拉环	P57
LOCK&LATCH 地板锁	P61
THRU-TULL&TANK VENT 出水孔&透气孔	P65

ANTENNA BASE 天线座	P71
FOLDING STEP 脚蹬	P75
DECK PLATE 甲板盖	P77
DECK FILLER 加油口	P81
FISHING ROD HOLDER 鱼竿座	P83
STEERING WHEEL 方向盘	P97
MARINE LADDER 船用梯	P103
HANDRAILS 扶手	P117
CARGO HOOK 吊货钩	P121
RV ACCESSORIES 房车配件	P139
HATCHES 舷窗	P145
YACHT SEAT 座椅	P153
BRASS PARTS 黄铜配件	P157
LED NAVIGATION LIGHT LED导航灯	P169
WATER SUPPLIES 水上用品	P203




BOAT ANCHOR & MARINE HARDWARE

AISI316 STAINLESS STEEL BRUCE ANCHOR
316不锈钢布鲁斯锚



Code	A mm	B mm	C mm	D mm	Weight kg
ALS6001	280	102	180	130	1 kg
ALS6002	350	127	220	175	2 kg
ALS60025	400	150	230	140	2.5 kg
ALS6003	400	145	250	200	3 kg
ALS6005	470	165	310	270	5 kg
ALS6075	540	190	350	290	7.5 kg
ALS6010	595	210	385	320	10 kg
ALS6015	680	255	440	360	15 kg
ALS6020	750	300	520	390	20 kg
ALS6025	810	310	590	410	25 kg
ALS6030	860	320	590	460	30 kg
ALS6035	935	370	660	460	35 kg
ALS6040	965	370	660	460	40 kg
ALS6050	1010	375	700	500	50 kg
ALS6080	1050	460	700	547	80 kg

AISI316 STAINLESS STEEL PLOUGH ANCHOR
316不锈钢犁型锚




Code	A mm	B mm	C mm	D mm	Weight kg
ALS6105	510	340	260	220	5 kg
ALS6107	560	380	270	230	7 kg
ALS6109	600	375	280	250	9 kg
ALS6110	620	400	290	270	10 kg
ALS6112	660	430	340	300	12 kg
ALS6115	730	490	360	330	15 kg
ALS6116	735	490	360	240	16 kg
ALS6120	740	550	370	360	20 kg
ALS6122	750	550	370	390	22 kg
ALS6127	780	600	460	360	27 kg
ALS6134	800	630	480	360	34 kg
ALS6135	820	640	490	380	35 kg
ALS6140	810	653	465	425	40 kg
ALS6150	965	745	540	500	50 kg


Code	A mm	B mm	C mm	Weight kg
ALS6204	550	230	210	4 kg
ALS6205	555	250	220	5 kg
ALS6275	625	300	270	7.5 kg
ALS6208	580	290	270	8 kg
ALS6210	665	310	300	10 kg
ALS6215	755	350	330	15 kg
ALS6020	830	370	390	20 kg
ALS6230	970	400	450	30 kg
ALS6240	1100	430	490	40 kg
ALS6250	1170	450	520	50 kg
ALS6263	1270	520	565	63 kg
ALS6280	1350	600	605	80 kg
ALS62100	1500	750	700	100 kg

Support private customization


AISI316 STAINLESS STEEL DELTA ANCHOR
316不锈钢三角锚



AISI316 STAINLESS STEEL GRAPNEL ANCHOR
316不锈钢伞锚/折叠锚



AISI316 STAINLESS STEEL DANFORTH ANCHOR
316不锈钢丹弗斯锚



Code	A mm	B mm	C mm	Weight kg
ALS64005	455	550	265	5kg
ALS64075	500	650	340	7.5kg
ALS64010	520	720	358	10kg
ALS64012	580	835	370	12kg
ALS6415	620	865	400	15kg
ALS6420	650	875	445	20kg
ALS6430	760	990	590	30kg
ALS6440	830	1100	610	40kg
ALS6450	885	1150	625	50kg
ALS6470	1000	1300	690	70kg
ALS64100	1100	1400	890	100kg

Support private customization

AISI316 STAINLESS STEEL POOL ANCHOR 316不锈钢波尔锚



Code	A mm	B mm	C mm	D mm	Weight kg
ALS6512	425	315	275	240	12 kg
ALS6520	455	385	300	325	20 kg
ALS6525	480	410	320	340	25 kg
ALS6530	505	430	335	365	30 kg
ALS6535	530	460	350	390	35 kg
ALS6545	575	490	375	415	45 kg
ALS6560	665	555	425	470	60 kg
ALS65100	775	655	505	555	100 kg
ALS65120	825	700	540	595	120 kg
ALS65140	870	735	570	625	140 kg
ALS65160	905	765	590	650	160 kg

Support private customization

HOT DIP GALVANIZED BRUCE ANCHOR 热镀锌布鲁斯锚



Code	Weight kg	Code	Weight kg
ALS7001	1 kg	ALS7150	15 kg
ALS7002	2 kg	ALS7200	20 kg
ALS7035	3.5 kg	ALS7250	25 kg
ALS7005	5 kg	ALS7300	30 kg
ALS7075	7.5 kg	ALS7500	50 kg
ALS7100	10 kg	ALS7800	80 kg
ALS7112	12kg	ALS1000	100kg

HOT DIP GALVANIZED PLOUGH ANCHOR 热镀锌犁型锚



Code	Weight kg	Code	Weight kg
ALS7105	5 kg	ALS7120	20 kg
ALS7107	7 kg	ALS7122	22 kg
ALS7109	9 kg	ALS7124	24 kg
ALS71012	12 kg	ALS7127	27 kg
ALS7115	15 kg	ALS7135	35 kg

HOT DIP GALVANIZED DELTA ANCHOR 热镀锌三角锚



Code	Weight kg	Code	Weight kg
ALS7204	4 kg	ALS7220	20 kg
ALS7205	5 kg	ALS7225	25 kg
ALS7275	7.5 kg	ALS7230	30 kg
ALS7208	8 kg	ALS7232	32 kg
ALS7210	10 kg	ALS7240	40 kg
ALS7216	16 kg	ALS7250	50 kg

Support private customization

HOT DIP GALVANIZED DANFORTH ANCHOR 热镀锌丹弗斯锚



Code	Weight kg	Code	Weight kg
ALS73020	2 kg	ALS73150	15 kg
ALS73025	2.5 kg	ALS73200	20 kg
ALS73030	3 kg	ALS73250	25 kg
ALS73040	4 kg	ALS73300	30 kg
ALS73050	5 kg	ALS73400	40 kg
ALS73060	6 kg	ALS73500	50 kg
ALS73080	8 kg	ALS73700	70 kg
ALS73100	10 kg	ALS73800	80 kg
ALS73120	12 kg	ALS7301000	100 kg

Support private customization

HOT DIP GALVANIZED “A” TYPE GRAPNEL ANCHOR A型热镀锌伞锚



Code	Weight kg	Code	Weight kg
ALS74015	1.5 kg	ALS7404	4 kg
ALS74025	2.5 kg	ALS7406	6 kg
ALS74032	3.2 kg	ALS7408	8 kg


HOT DIP GALVANIZED “B” TYPE GRAPNEL ANCHOR B型热镀锌伞锚



Code	Weight kg	Code	Weight kg
ALS76007	0.7kg	ALS76075	7.5 kg
ALS76014	1.4kg	ALS76100	10 kg
ALS76023	2.3kg	ALS76120	12 kg
ALS76035	3.5kg	ALS76150	15 kg
ALS76055	5.5kg		

Code	A mm	L mm	L1 mm	R1 mm	B mm	B1 mm	NOMINAL WEIGHT(kg)
ALS75300	1190	844	595	130	328	388	300 kg
ALS75350	1250	890	625	137	344	408	350 kg
ALS75400	1310	930	650	143	360	428	400 kg
ALS75450	1360	970	675	149	376	444	450 kg
ALS75500	1410	1000	700	154	390	460	500 kg
ALS75600	1500	1060	745	164	414	490	600 kg
ALS75700	1580	1120	785	172	436	516	700 kg
ALS75800	1650	1170	820	180	456	540	800 kg
ALS75900	1720	1220	855	188	474	560	900 kg
ALS51000	1780	1260	885	194	490	580	1000 kg
ALS51250	1910	1360	955	109	526	624	1250 kg
ALS51500	2030	1450	1015	222	560	664	1500 kg
ALS52250	2330	1650	1160	254	642	760	2250 kg
ALS752500	2410	1710	1200	263	666	788	2500 kg
ALS753000	2560	1820	1275	280	708	836	3000 kg
ALS753500	2700	1920	1345	294	746	880	3500 kg
ALS754000	2820	2000	1400	308	780	920	4000 kg
ALS754500	2940	2080	1455	320	808	956	4500 kg
ALS755000	3050	2150	1510	332	836	992	5000 kg


BLACK PAINTED HALL ANCHOR 黑漆霍尔锚






ANCHOR CONNECTOR

AISI316 STAINLESS STEEL ANCHOR CONNECTOR
316不锈钢一体锚链接器



Code	Size	A mm	B mm	C mm	D mm	E mm
ALS801A-0608	6-8mm	91	10.5	7	9	15.5
ALS801B- 1012	10-12mm	118	13	12	12	19


AISI316 STAINLESS STEEL ANCHOR DOUBLE CONNECTOR
316不锈钢两段锚链接器



Code	Size	A mm	B mm	C mm	D mm	E mm
ALS802A-0608	6-8mm	91	10.5	7	9	15.5
ALS802B- 1012	10-12mm	118	13	12	12	19


AISI316 STAINLESS STEEL HEAVY ANCHOR DOUBLE CONNECTOR
316不锈钢重型两段锚链接器

Code	Size	A mm	B mm	C mm	D mm	E mm
ALS803A-0608	6-8mm	91	10.5	7	9	15.5
ALS803B- 1012	10-12mm	118	14	11	11	24
ALS803C- 1416	14-16mm	141	17	13	15	30




AISI316 STAINLESS STEEL ANCHOR DOUBLE CONNECTOR
316不锈钢两段锚链接器

Code	Size	A mm	B mm	C mm	D mm	E mm
ALS802C-0608	6-8mm	90	10	7	9	15




AISI316 STAINLESS STEEL ANCHOR TRIPLE CONNECTOR
316不锈钢三段锚链接器

Code	Size	A mm	B mm	C mm	D mm	E mm
ALS804A-0608	6-8mm	92	9	7	9	15.5
ALS804B-1012	10-12mm	119	14	11	11	24



AISI316 STAINLESS STEEL ANCHOR CONNECTOR
316不锈钢长锚链接器


Code	Size	A mm	B mm	C mm	D mm	E mm
ALS805A-0608	6-8mm	230	10	8	20.5	10
ALS805B-1012	10-12mm	304	14	12	28	12






ANCHOR ROLLER

AISI316 STAINLESS STEEL SELF-LAUNCHING BOW ROLLER
316不锈钢平底双轮锚支架




Code	A mm	B mm	C mm	D mm	E mm	Anchor Size Kg
ALS4242	480	220	80	76	205	7.5-15.5
ALS4256	580	390	80	76	205	10-20
ALS4275	776	500	88	79	215	15-30
ALS4295	953	610	95	85	225	30-50

AISI316 STAINLESS STEEL SELF-LAUNCHING BOW ROLLER
316不锈钢斜底双轮锚支架



Code	A mm	B mm	C mm	D mm	E mm	Anchor Size Kg
ALS4234	420	160	80	76	205	7.5-15
ALS4235	600	410	80	76	205	10-20
ALS4236	725	500	90	80	215	15-30
ALS4237	890	600	100	90	225	30-50


AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢锚支架



Code	A	B	C	D	E	F	G	Chain (mm)	Anchor Size (Kg)
ALS901A	380	260	65	46	295	28	8.6	6-8	5-10
ALS901B	480	310	77	60	300	36	15	8-10	10-20
ALS901C	540	330	72	68	355	45	16	10-12	20-30


AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢白色单轮锚支架

Code	A mm	B mm	C mm	D mm	E mm
ALS902A	155	71	70	49	8




AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢黑色单轮锚支架

Code	A mm	B mm	C mm	D mm	E mm
ALS903A	155	51	70	49	8




AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢白色单轮锚支架

Code	A mm	B mm	C mm
ALS1766A	170	66	52




AISI316 STAINLESS STEEL HINGED BOW ROLLER
316不锈钢锚支架

Code	Length mm	Width mm	Height mm
ALS904A	200	64	70
ALS904B	230	64	68
ALS904C	250	64	70




AISI316 STAINLESS STEEL BOW ROLLER
316不锈钢锚支架

Code	L mm	W mm
ALS905A	390	46
ALS906B	455	87



ROPE CLAMP




AISI316 STAINLESS STEEL CLEATS INOX FOR ROPES 3/6MM
316不锈钢夹绳器

Code	Amm	Bmm	Cmm	Dmm
ALS4124A	82	18	24	5.5
ALS4170A	70	17	19	5.5




AISI316 STAINLESS STEEL CLEATS INOX FOR ROPES 3/6MM
316不锈钢夹绳器

Code	Amm	Bmm	Cmm	Dmm
ALS4123A	47.7	14.5	17	5.5




AISI316 STAINLESS STEEL CLEATS INOX FOR ROPES 3/6MM
316不锈钢夹绳器

Code	Amm	Bmm	Cmm	Dmm
ALS4122A	54.5	17	19	5.5



AISI316 STAINLESS STEEL CLEATS INOX FOR ROPES 3/6MM
316不锈钢夹绳器

Code	Amm	Bmm	Cmm	Dmm
ALS4155A	55	15	18	5.5




AISI316 STAINLESS STEEL CLEATS INOX FOR ROPES
316不锈钢夹绳器

Code	Amm	Bmm	Cmm	Dmm	Emm
ALS4155B	106	23.5	5	6.8	10


AISI316 STAINLESS STEEL CAM CLEAT
316不锈钢夹绳器

Code	Amm	Bmm	Cmm
ALS4247A	46.5	23	6
ALS4263A	63	31	10




AISI316 STAINLESS STEEL ROPE CLAMP CAM CLEAT
316不锈钢带导向孔快速夹绳器

Code	Amm	Bmm	Cmm	Dmm	Emm
ALS6846	68	46	7	M5	15.5




AISI316 STAINLESS STEEL HEAVY ANCHOR CHAIN LOCK
316不锈钢重型止链器

Code	Amm	Bmm	Cmm	Dmm	Size
ALS4368A	10	66	121	9	6mm-8mm
ALS4368B	14.5	100	160	13	10mm-12mm




AISI316 STAINLESS STEEL ANCHOR CHAIN STOPPER
316山型止链器

Code	Amm	Bmm	Cmm	Dmm	Emm
ALS0608A	59.5	53.5	48	8	10.8
ALS1012B	80.2	70	62	12.5	13



AISI316 STAINLESS STEEL ANCHOR CHAIN STOPPER
316不锈钢滑槽止链器

Code	Amm	Bmm	Cmm	Dmm
ALS4510A	101.5	40.2	35.6	5



ANCHOR CHAIN & ROPE

DIN766 ANCHOR CHAIN
DIN766链环

Code	Dia mm	Internal length mm	Internal width mm	External length mm	Outer width mm	Breaking lod KN
ALS9103	3	16	5	22	11	4.1
ALS9104	4	16	6	24	15	8
ALS9105	5	18.5	6	28.6	18.4	12.5
ALS9106	6	18.5	7.2	29.6	20	16
ALS9107	7	22	8.4	36	22.5	25
ALS9108	8	24	9.6	39.6	26.6	32
ALS9109	9	27	10.8	45	28.8	40
ALS91010	10	28	12	50.6	32.2	50
ALS91011	11	31	13.2	53	35.2	63
ALS91012	12	36	14.6	61.8	39	66
ALS91013	13	36	15.6	62	41.6	80
ALS91014	14	41	18	69	46	100
ALS91016	16	45	19.2	77	51.2	125

DIN763 ANCHOR CHAIN
DIN763链环

Code	Dia mm	Internal length mm	Internal width mm	External length mm	Outer width mm	Breaking lod KN
ALS9204	4	32	8	40	16	10
ALS9205	5	35	10	45	20	14
ALS9206	6	42	12	54	24	18
ALS9207	7	49	14	63	28	25
ALS9208	8	52	16	68	32	32
ALS9209	9	59	18	77	36	40
ALS92010	10	65	20	85	40	47.5
ALS92011	11	72	22	94	44	56.5
ALS92012	12	78	24	102	48	63
ALS92013	13	82	26	108	52	100

3 STRAND POLYESTER ROPE
三股涤纶绳

Code	Dia (mm)	Cir (inch)	Density (ktex)	Breaking Strenght (KN)	Breaking Strenght (Ton)
ALS9304	4	1/2	12	2.9	0.30
ALS9306	6	3/4	27	5.6	0.57
ALS9308	8	1	48	10.0	1.02
ALS93010	10	1-1/4	76	15.6	1.59
ALS93012	12	1-1/2	110	22.3	2.28
ALS93014	14	1-3/4	148	31.2	3.18
ALS93016	16	2	195	39.8	4.06
ALS93018	18	2-1/4	245	49.8	5.08
ALS93020	20	2-1/2	303	62.3	6.36
ALS93022	22	2-3/4	367	74.7	7.62
ALS93024	24	3	437	89.6	9.14
ALS93026	26	3-1/4	512	105.0	10.71
ALS93028	28	3-1/2	594	120.0	12.24
ALS93030	30	3-3/4	682	134.0	13.67
ALS93032	32	4	778	154.0	15.71
ALS93036	36	4-1/2	982	190.0	19.39
ALS93040	40	5	1215	235.0	23.98

8&12 STRAND POLYESTER ROPE
八股&十二股涤纶绳

Code	Dia (mm)	Cir (inch)	Density (ktex)	Breaking Strenght (KN)	Breaking Strenght (Ton)
ALS94040	40	5	1215	250	25.51
ALS94044	44	5-1/2	1468	295	30.10
ALS94048	48	6	1750	346	35.31
ALS94052	52	6-1/2	2050	405	41.33
ALS94056	56	7	2380	458	46.73
ALS94060	60	7-1/2	2730	512	52.24
ALS94064	64	8	3110	599	61.12
ALS94072	72	9	3930	738	75.31
ALS94080	80	10	4850	889	90.71
ALS94088	88	11	5870	1059	108.06
ALS94096	96	12	6990	1246	127.14
ALS940104	104	13	8200	1439	146.84
ALS940112	112	14	9500	1645	167.86
ALS940120	120	15	10900	1880	191.84
ALS940128	128	16	12400	2129	217.24
ALS940136	136	17	14000	2419	246.84
ALS940144	144	18	15700	2670	272.45
ALS940160	160	20	19400	3290	335.71

MARINE DOUBLE BRAIDED ROPE
双编码头绳

Code	Structure	Color	Diameter	Length
ALS96040	Double Braided	Regular Colors	Customized	Customized


ULTRA-HIGH MOLECULAR WEIGHT
POLYTHENE
超高分子量聚乙烯编织绳

Code	Dia (mm)	Density (ktex)	Breaking force (kg)	Elongation at break (%)	Heat distortion temperature (°C)
ALS9506	6	20.0	2580	3.8	90
ALS9508	8	38.0	4020	3.8	90
ALS95010	10	48.0	4790	3.8	90
ALS95012	12	73.0	9310	3.8	90
ALS95014	14	100.6	12460	3.8	90
ALS95016	16	137.0	16030	3.8	90
ALS95018	18	173.0	20160	3.8	90
ALS95020	20	212.0	24710	3.8	90
ALS95022	22	256.0	29750	3.8	90
ALS95024	24	304.0	35210	3.8	90
ALS95026	26	357.0	41160	3.8	90
ALS95028	28	413.0	47460	3.8	90
ALS95030	30	475.0	54250	3.8	90
ALS95032	32	539.0	61460	3.8	90
ALS95034	34	608.0	69020	3.8	90
ALS95036	36	681.0	77000	3.8	90
ALS95038	38	759.0	85400	3.8	90
ALS95040	40	840.0	94500	3.8	90
ALS95042	42	926.0	103600	3.8	90
ALS95044	44	1020.0	127000	3.8	90
ALS95046	46	1110.0	123200	3.8	90
ALS95048	48	1210.0	133000	3.8	90
ALS95050	50	1310.0	143500	3.8	90



BOAT BOLLARD&FAIRLEAD


AISI316 STAINLESS STEEL DOUBLE CROSS BOLLARD
316不锈钢双十字缆桩



Code	A mm	B mm	C mm	D mm	E mm	F mm
ALS951A	310	130	190	350	50	25
ALS951B	370	150	190	410	80	38
ALS951C	500	180	280	550	100	50

Support private customization


AISI316 STAINLESS STEEL SINGLE CROSS BOLLARD
316不锈钢单十字缆桩




Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Hmm
ALS950A	100	100	150	135	42	70	70	10.2
ALS950B	135	135	190	170	50	84.5	84.5	12.2
ALS950C	195	150	250	240	80	138	98	12.2
ALS950D	240	190	300	300	100	185.5	135	14.4

Support private customization


AISI316 STAINLESS STEEL SINGLE CROSS BOLLARD
316不锈钢单十字缆桩




AISI316 STAINLESS STEEL DOUBLE CROSS BOLLARD
316不锈钢双十字缆桩




AISI316 STAINLESS STEEL SINGLE BOLLARD
316不锈钢心形缆桩



AISI316 STAINLESS STEEL BOLLARD
316不锈钢筒子缆桩



AISI316 STAINLESS STEEL BOLLARD
316不锈钢筒子缆桩



AISI316 STAINLESS CASTING BOLLARD

316不锈钢重型筒子缆桩



Code	A mm	B mm	C mm	D mm
ALS973A	125	97	122	60
ALS974B	154	121	152	76

AISI316 STAINLESS STEEL HORN BOLLARD


316不锈钢板凳缆桩



Code	A mm	B mm	C mm	Size
ALS953C	152	60	62	6"
ALS953D	203	70	77	8"
ALS953E	255	80	91	10"
ALS953F	310	90	109	12"

AISI316 STAINLESS STEEL HORN BOLLARD WITH THREAD

316不锈钢带丝杆板凳缆桩



Code	A mm	B mm	C mm
ALS957A	530	160	430

AISI316 STAINLESS STEEL BOLLARD

316不锈钢雁型缆桩



Code	A mm
ALS954A	300

AISI316 STAINLESS STEEL BOLLARD CLEAT


316不锈钢空心缆桩



Code	A mm	B mm	C mm	D mm	Size
ALS3006	150	118	19	53	6"
ALS3008	215	137	34	56	8"
ALS3010	265	150	40	68	10"
ALS3012	310	175	50	78	12"

AISI316 STAINLESS STEEL DOCK BOLLARD


316不锈钢方孔码头缆桩



Code	A mm	B mm	C mm	D mm	E mm	F mm	G mm
ALS955A	260	200	56	100	65	140	14
ALS955B	315	225	46.5	123	80	176.5	14

AISI316 STAINLESS STEEL DOCK BOLLARD SCREW

316不锈钢方孔码头缆桩定制螺丝



Code	A mm	B mm	C mm	D mm
ALS955A-Screw	14	M14	68	50
ALS955B-Screw	14	M14	68	50

AISI316 STAINLESS STEEL DOCK BOLLARD


316不锈钢斜型码头缆桩



Code	A mm	B mm	C mm	D mm
ALS956A	302	102	229	70

AISI316 STAINLESS STEEL CROSS BOLLARD


316不锈钢系缆桩



Code	A mm	B mm	C mm	D mm	E mm
ALS3013A	86	97	61	14.5	5.9

AISI316 STAINLESS STEEL CROSS BOLLARD


316不锈钢系缆桩



Code	A mm	B mm	C mm	D mm
ALS3013B	61	86	127.3	5.9



AISI316 STAINLESS STEEL HEAVY BOW CHOCK
316不锈钢重型导缆器



Code	Pair	A mm	B mm	C mm	Dmm
ALS964A	Left	280	80	85	100
	Right	280	80	85	100

AISI316 STAINLESS STEEL BOW CHOCK
316不锈钢直导缆器



Code	A mm	B mm	C mm	Size
ALS965A	100	19	27	4inch
ALS965B	125	21	32	5inch
ALS965C	152	22	32	6inch
ALS965D	203	36	38	8inch
ALS965E	254	45	40	10inch

AISI316 STAINLESS STEEL BOW CHOCK
316不锈钢斜平导缆器



Code	A mm	B mm	C mm	Size
ALS966A	125	19	23.5	5 inch
ALS966B	152	24	26.3	6 inch

A pair, Left&Right


AISI316 STAINLESS STEEL BOW CHOCK
316不锈钢斜凹导缆器



AISI316 STAINLESS STEEL BOW CHOCK
316不锈钢空心导缆器




AISI316 STAINLESS STEEL BOW CHOCK
316不锈钢空心导缆器



AISI316 STAINLESS STEEL ALSIANGLE BOW CHOCK
316不锈钢蝴蝶导缆器



AISI316 STAINLESS STEEL HAWSEPIPE
316不锈钢三角导缆器



AISI316 STAINLESS STEEL FAIRLEAD ROLLER 316不锈钢导缆轮缆桩




Code	A mm	B mm	C mm	D mm	E mm
ALS960A	200	41	57	35	43
ALS960B	250	45	80	49	44

AISI316 STAINLESS STEEL FAIRLEAD ROLLER 双轮导缆孔




Code	L mm	W mm
ALS961A	340	160

AISI316 STAINLESS STEEL HAWSE PIPE 316不锈钢椭圆导缆孔



Code	L1 mm	L2 mm	L3 mm	W1 mm	W2 mm	W3 mm	H1 mm	H2 mm
ALS962A	103	95	138	47	38	67	23	28
ALS962B	188	175	237	88	75	136	24.6	30.6

AISI316 STAINLESS STEEL HAWSE PIPE 316不锈钢方孔导缆器




Code	L1 mm	L2 mm	L3 mm	W1 mm	W2 mm	W3 mm	H1 mm	H2 mm
ALS963A	128	120	151	58	50	81	30.7	37.2



BOAT CLEAT

AISI316 STAINLESS STEEL HOLLOW BASE CLEAT 316不锈钢羊角索栓

Code	A mm	B mm	C mm	Size
ALS1004	101	36	25	4inch
ALS1005	127	39	30	5inch
ALS1006	150	46	30	6inch
ALS1008	203	53	40	8inch
ALS1010	255	64	45	10inch
ALS1012	302	70	53	12inch
ALS1015	378	78	64	15inch



AISI316 STAINLESS STEEL HEAVY DUTY BASE CLEAT 316不锈钢重型羊角索栓

Code	A mm	B mm	C mm	Size
ALS1104	100	36	27	4inch
ALS1105	125	38	29	5inch
ALS1106	152	44	30	6inch
ALS1108	203	54	38	8inch
ALS1110	254	65	44	10inch
ALS1112	304	70	53	12inch



AISI316 STAINLESS STEEL SILHOUETTE CLEAT 316不锈钢扁型索栓




Code	A mm	B mm	C mm	Size
ALS1204	100	36	25	4inch
ALS1205	125	46	25	5inch
ALS1206	152	56	28	6inch
ALS1208	203	62	31	8inch
ALS1210	254	64	40	10inch
ALS1212	302	75	50	12inch

AISI316 STAINLESS STEEL MAST CLEAT 316不锈钢连体索栓



Code	A mm	B mm	C mm	Size
ALS1304	100	13	30.2	4inch
ALS1305	125	17	35.5	5inch
ALS1306	152	19	39.5	6inch
ALS1308	203	23	45.5	8inch
ALS1310	252	24	47.6	10inch

AISI316 STAINLESS STEEL CLEAT WITH THREAD 316不锈钢带丝杆索栓



Code	A mm	B mm	C mm	D mm	Size
ALS1406	150	63	18	50	6inch
ALS1408	202	84	22.5	50	8inch
ALS1410	250	106	28.3	50	10inch

AISI316 STAINLESS STEEL HEAVY HUMPBACKED CLEAT WITH THREAD 316不锈钢带丝杆驼形索栓




Code	A mm	B mm	C mm	D mm	Size
ALS1506	150	46	16	47	6inch
ALS1508	200	58	20	47	8inch
ALS1510	250	75	24.5	47	10inch

AISI316 STAINLESS STEEL CLEAT 316不锈钢把手索栓



Code	L mm	W mm	H1 mm	H2 mm
ALS1705	165	24	36	88

AISI316 STAINLESS STEEL TIE DOWN CLEAT 316不锈钢绳栓



Code	A mm	B mm	C mm	Size
ALS013A	67	10	10	2inch
ALS013B	112	13	20	4inch
ALS013C	151	18	25	6inch


AISI316 STAINLESS STEEL CLEAT 316不锈钢索栓



Code	A mm	B mm	C mm
ALS2920	240	112.5	42
ALS2922	300	122.5	52


Note: The bottom screw is detachable

AISI316 STAINLESS STEEL FOLDING CLEAT 316不锈钢红点折叠索栓



Code	A mm	B mm	C mm	Size
ALS2045	118	42	28	4.5 inch
ALS2406	152	51	30	6 inch

AISI316 STAINLESS STEEL FOLDING CLEAT 316不锈钢折叠索栓



Code	A mm	B mm	C mm	D mm	Size
ALS2505	127	43	71	40.5	5 inch
ALS2506	155	52	85.5	49	6 inch
ALS2508	203	73	119	68	8 inch

AISI316 STAINLESS STEEL FOLDING CLEAT WITH THREAD 316不锈钢带螺丝提拉索栓



Code	L mm	W mm	H mm	Size
ALS2605	126	44	110	5inch
ALS2606	155	54	135	6inch
ALS2608	210	73	150	8inch

AISI316 STAINLESS STEEL HEAVY HUMPBACKED CLEAT 316不锈钢重型驼形索栓



Code	L1 mm	H mm	Size
ALS908	205	35	8inch
ALS910	250	45	10inch
ALS912	304	47	12inch
ALS915	385	55	15inch

AISI316 STAINLESS STEEL CLEAT "K" 316不锈钢K型索栓



Code	A mm	B mm	C mm
ALS2108A	215	43	96

AISI316 STAINLESS STEEL RING CLEAT COMBI 316不锈钢牛型索栓



Code	Lmm	Dmm	Hmm
ALS2201A	175	62	68

AISI316 STAINLESS STEEL CLEAT 316不锈钢鸭嘴型索栓



Code	Lmm	W mm
ALS2301A	253	44

AISI316 STAINLESS STEEL S STYLE CLEAT 316不锈钢S型索栓



Code	A mm	B mm	C mm	Dmm	Emm
ALSH007S	260	70	40.5	114.5	M12

AISI316 STAINLESS STEEL FIUSH POP UP CLEAT 316不锈钢隐形索栓




Code	A mm	B mm	C mm	D mm	Size
ALS2705	125	44	23	22	5inch
ALS2706	152	45	20.5	22	6inch
ALS2707	ADD OUTFALL				

AISI316 STAINLESS STEEL HEAVY POP UP CLEAT 316不锈钢大螺母隐形索栓



Code	A mm	B mm	C mm	D mm	Size
ALS2705B	125	44	23	22	5 inch
ALS2706B	152	45	20.5	22	6 inch
ALS2707	ADD OUTFALL				

AISI316 STAINLESS STEEL HEAVY POP UP CLEAT 316不锈钢大螺母隐形索栓 NEW WIDENING DESIGN FOR EASY LIFTING 加宽手柄 便于提拉



Code	A mm	B mm	C mm	D mm	Size
ALS2705C	158	58	29	19	6 inch
ALS2706C	208	70	22	21	8 inch
ALS2707C	267	81	36.5	24	10 inch

AISI316 STAINLESS STEEL FLUSH CLEAT 316不锈钢抽拉索栓



Code	A mm	B mm	C mm	Size
ALS2805	129	32	65	5inch
ALS2806	160	35	70	6 inch
ALS2808	210	45	96	8 inch
ALS2810	260	57	121	10 inch
ALS2812	310	69	125	12 inch

AISI316 STAINLESS STEEL FOLDING CLEAT 316不锈钢按压弹式索栓




Code	A mm	B mm	C mm
ALS2905A	192	112	86




BIMINI TOP FITTINGS

AISI316 STAINLESS STEEL BIMINI TOP CAP
316不锈钢单顶丝滑帽




Code	A mm	B mm	C mm	D mm	Size
ALS4019	19.6	55	6.5	3.1	3/4"
ALS4022	22.6	55	6.9	3.4	7/8"
ALS4025	25.6	58	6.9	3.4	1"
ALS4030	30.5	60.5	7.5	3.4	1-1/5"
ALS4032	32.5	60.5	7.5	3.6	1-1/4"

AISI316 STAINLESS STEEL BIMINI TOP CAP
316不锈钢三角双顶丝滑帽




Code	A mm	B mm	C mm	Size
ALS4122	22.5	58	6.9	7/8"
ALS4125	25.6	58	7	1"
ALS4130	30.5	71	7	1-1/5"
ALS4132	32.5	71	7	1-1/4"

AISI316 STAINLESS STEEL BIMINI TOP CAP
316不锈钢单顶丝滑帽




Code	A mm	B mm	C mm	Size
ALS4222	22.5	57	7	7/8"
ALS4225	25.6	57	7	1"
ALS4230	30.5	71	7	1-1/5"


AISI316 STAINLESS STEEL BIMINI TOP CAP
316不锈钢双顶丝圆滑帽




AISI316 STAINLESS STEEL BIMINI TOP CAP
316不锈钢单弯滑帽




316 STAINLESS STEEL EYE END
316不锈钢堵头



AISI316 STAINLESS STEEL BIMINI TOP CAP
316不锈钢球形滑帽



AISI316 STAINLESS STEEL STRETCH BIMINI TOP CAP
316不锈钢伸缩滑帽滑套




TOP SLIDE JAW SLIDE

AISI316 STAINLESS STEEL BIMINI TOP SLIDE
316不锈钢单顶丝滑套



Code	A mm	B mm	C mm	D mm	Size
ALS4719	19.5	25	45	7.5	3/4"
ALS4722	22.6	28	52	7.8	7/8"
ALS4725	25.6	28.5	54	8	1"
ALS4730	30.6	29	62	7.6	1-1/5"
ALS4732	32.6	30	68	8	1-1/4"

AISI316 STAINLESS STEEL BIMINI TOP SLIDE
316不锈钢不带棱角双顶丝滑套



Code	A mm	B mm	C mm	D mm	Size
ALS4822	22.5	60	30	7.5	7/8"
ALS4825	25.6	62	31	8	1"

AISI316 STAINLESS STEEL BIMINI TOP SLIDE
316不锈钢带棱角双顶丝滑套



Code	A mm	B mm	C mm	D mm	Size
ALS4922	22.6	60	30	7.5	7/8"
ALS4925	25.7	62	31	7.6	1"

AISI316 STAINLESS BIMINI TOP HANDRAIL
316不锈钢滑套



Code	Diameter
ALS4927-22	22mm
ALS4927-25	25mm

AISI316 STAINLESS BIMINI TOP CUP&TOP SLIDE
316不锈钢滑帽滑套




Code	Size
ALS4928A-22	22.5mm
ALS4928B-25	25.5mm

AISI316 STAINLESS BIMINI TOP CUP&TOP SLIDE
316不锈钢滑帽滑套




AISI316 STAINLESS STEEL BIMINI TOP SLIDE
316不锈钢螺栓管夹



Code	Size
ALS4929A-22	22.5mm
ALS4929B-25	25.5mm


Code	A mm	B mm	C mm	Size
ALS5022	22.5	64	27	7/8"
ALS5025	25.5	70	28	1"
ALS5030	30.5	78	29	1-1/5"
ALS5032	32.5	78	29	1-1/4"
ALS5038	38.6	80	30	1-1/2"
ALS5050	50.6	80	30	2"

AISI316 STAINLESS STEEL BIMINI TOP SLIDE WITH PIN
316不锈钢销子管夹




Code	A mm	B mm	C mm	Size
ALS5122	22.5	57	27	7/8"
ALS5125	25.5	70	28	1"
ALS5130	30.5	78	29	1-1/5"
ALS5132	32.5	78	29	1-1/4"

AISI316 STAINLESS STEEL HEAVY BIMINI TOP SLIDE
316不锈钢重型螺栓管夹



Code	A mm	B mm	C mm	Size
ALS5222	22.5	71	30	7/8"
ALS5225	25.5	75	31	1"
ALS5230	30.5	84	32	1-1/5"


AISI316 STAINLESS STEEL BIMINI TOP SLIDE
316不锈钢球形把手螺栓管夹



Code	A mm	B mm	C mm	D mm	Size
ALS5322	22.5	65	23	4.7	7/8"
ALS5325	25.5	67	25	4.9	1"
ALS5330	30.5	68	28	4.9	1-1/5"


DECK HINGE

316 STAINLESS STEEL DECK HINGE 90°
316不锈钢山型座




Code	Lmm	W mm
ALS5401	61	18

316 STAINLESS STEEL DECK HINGE 90°-REMOVABLE
316不锈钢销子小山型座




Code	Lmm	Dmm
ALS5402	61	18

316 STAINLESS STEEL DECK HINGE 90°-REMOVABLE
316不锈钢带环90°销子山型座




Code	Lmm	W mm
ALS5403	61	18

316 STAINLESS STEEL CONCAVE BASE DECK HINGE
316不锈钢弧型小山型座




Code	Lmm	Wmm	For pipe mm
ALS5404A	57.2	20	22.5
ALS5404B	58.5	22.8	25.5

316 STAINLESS STEEL CONCAVE BASE DECK HINGE - REMOVABLE PIN
316不锈钢弧型带销山型座




Code	Lmm	Wmm	For pipe mm
ALS5410A	57.2	20	22.5
ALS5410B	58.5	22.8	25.5

316 STAINLESS STEEL DECK HINGE 60°
316不锈钢斜螺栓山型座




Code	L mm	W mm
ALS5411A	56	18

316 STAINLESS STEEL DECK HINGE 60°-REMOVABLE PIN
316不锈钢斜销子山型座




Code	L mm	W mm
ALS5412B	61	18

316 STAINLESS STEEL DECK HINGE 90°
316不锈钢金字塔山型座




Code	A mm	B mm	C mm
ALS5413A	50.8	22.3	25
ALS5413B	50.8	32.5	28

316 STAINLESS STEEL HEAVY DUTY DECK HINGES 90°
316不锈钢重型山型座



Code	A mm	B mm
ALS5414A	53	26

316 STAINLESS STEEL DECK HINGE 90°
316不锈钢弧型大山型座




Code	L mm	W mm
ALS5415A	94.2	27.5

AISI316 STAINLESS STEEL 360° DECK SWIVEL HINGE MOUNT
316不锈钢360°旋转山型座




Code	A mm	B mm	C mm
ALS5416A	81	32	33.5
ALS5416B	90	30	34

AISI316 STAINLESS STEEL 360° DECK SWIVEL HINGE MOUNT 360°WITHING
316不锈钢360°带环山型座




Code	L mm	W mm
ALS5417A	81	32
ALS5417B	90	30

AISI316 STAINLESS STEEL 180° DECK SWIVEL HINGE MOUNT
316不锈钢180°旋转山型座




Code	L mm	W mm
ALS5418A	70	25

AISI316 STAINLESS STEEL 180° CONCAVE BASE DECK HINGE
316不锈钢180°旋转销子山型座




Code	L mm	W mm
ALS5419A	70	25

AISI316 STAINLESS STEEL 180° ROTARY RING DECK HINGE
316不锈钢180°旋转带圆环山型座



Code	L mm	W mm
ALS5420A	70	25


AISI316 STAINLESS STEEL REMOVABLE DECK HINGE
316不锈钢可拆卸山型座



Code	Lmm	Wmm
ALS5430A	70	25


AISI316 STAINLESS STEEL HANDRAIL STANCHION (FORWARD 60°)
316不锈钢前船支架

Code	D mm	L mm	W mm	H mm	Size
ALS5500A	22.5	28	40	56	7/8"
ALS5500B	25.5	30	41	58	1"



AISI316 STAINLESS STEEL HANDRAIL STANCHION (CENTER 60°)
316不锈钢中船支架

Code	D mm	L mm	W mm	H mm	Size
ALS5501A	22.5	28	40	56	7/8"
ALS5501B	25.5	30	41	58	1"




AISI316 STAINLESS STEEL HANDRAIL STANCHION (END 60°)
316不锈钢末尾船支架

Code	D mm	L mm	W mm	H mm	Size
ALS5502A	22.5	28	40	56	7/8"
ALS5502B	25.5	30	41	58	1"




AISI316 STAINLESS STEEL HANDRAIL STANCHION (FORWARD/END 60°)
316不锈钢前/后船支架

Code	D mm	L mm	W mm	H mm	Size
ALS5504A	22.5	30	36	66.2	7/8"
ALS5504B	25.5	31	35	69.2	1"




AISI316 STAINLESS STEEL HANDRAIL STANCHION (CENTER 90°)
316不锈钢中船支架




Code	L1 mm	L2 mm	W mm	H1 mm	D1 mm
ALS5411A	67	50.5	22.5	60	22.5
ALS5411B	67	50.5	22.5	60	25.5

AISI316 STAINLESS STEEL HANDRAIL STANCHION (FORWARD/END 90°)
316不锈钢前/后船支架




Code	L1 mm	L2 mm	W mm	H1 mm	D1 mm
ALS5412A	67	51.5	30	60	22.5
ALS5412B	67	51.5	30	60	25.8

AISI316 STAINLESS STEEL CENTER FITTING FOR HANDRAIL
316不锈钢通孔支架




Code	D mm	H mm
ALS5442A-22	22.5	59
ALS5442B-25	25.5	64

AISI316 STAINLESS STEEL END FITTING FOR HANDRAIL
316不锈钢盲孔支架




Code	D mm	H mm
ALS5443A-22	22.5	59
ALS5443B-25	25.5	64

AISI316 STAINLESS STEEL RECTANGLE STANCHION BASE
316不锈钢方底座支架




Code	Lmm	W mm	D1 mm	Size
ALS5482A-22	70	25	22.6	7/8"
ALS5482B-25	61.8	45.3	25.7	1"

316 STAINLESS STEEL RAIL END TUBING HANDRAIL
316不锈钢内孔羊蹄支架



Code	A mm	B mm
ALS5483A	187.5	25

AISI316 STAINLESS STEEL RAIL END
316不锈钢小羊蹄子支架




Code	D mm	L mm	Size
ALS5470A-22	22	119	7/8"

AISI316 STAINLESS STEEL RAIL END
316不锈钢羊蹄支架




Code	D mm	L mm	Size
ALS5471A-22	22.5	175	7/8"
ALS5471B-25	25.6	175	1"

AISI316 STAINLESS STEEL RAIL END
316不锈钢内孔管子支架



Code	A mm	B mm
ALS5473A	110	19.6

AISI316 STAINLESS STEEL MAST BRACKET
316不锈钢梯形管子支架




Code	A mm	B mm	C mm
ALS5474A-25	100	25	61




PIPE STANCHION

AISI316 STAINLESS STEEL HANDRAIL 30°ROUND BASE
316不锈钢30°圆管座



Code	A mm	B mm	C mm	Size
ALS5413-3022	22.5	66.3	37.8	7/8"
ALS5413-3025	25.6	72.2	36.7	1"

AISI316 STAINLESS STEEL HANDRAIL 45°ROUND BASE
316不锈钢45°圆管座



Code	A mm	B mm	C mm	Size
ALS5414-4522	22.5	66.3	37.8	7/8"
ALS5414-4525	25.6	72.2	36.7	1"


AISI316 STAINLESS STEEL HANDRAIL 60°ROUND BASE
316不锈钢60°圆管座



Code	A mm	B mm	C mm	Size
ALS5415-6022	22.5	66.3	41.1	7/8"
ALS5415-6025	25.5	72.2	40	1"
ALS5415-6030	30.5	71.5	46	1-1/5"
ALS5415-6032	32.5	71.5	46	1-1/4"


AISI316 STAINLESS STEEL HANDRAIL 90°ROUND BASE
316不锈钢90°圆管座

Code	A mm	B mm	C mm	Size
ALS5416-9022	22.5	66	44.7	7/8"
ALS5416-9025	25.5	69	44.7	1"
ALS5416-9030	30.5	72	43.2	1-1/5"
ALS5416-9032	32.5	75	43.2	1-1/4"




AISI316 STAINLESS STEEL HANDRAIL 30°RECTANGULAR BASE
316不锈钢30°方管座

Code	A mm	B mm	C mm	D mm	Size
ALS5417-3022	78.7	44	35.6	22.5	7/8"
ALS5417-3025	82	47.3	38	25.5	1"




AISI316 STAINLESS STEEL HANDRAIL 45°RECTANGULAR BASE
316不锈钢45°方管座

Code	A mm	B mm	C mm	D mm	Size
ALS5418A-4522	78.7	44	39	22.5	7/8"
ALS5418B-4525	82	47.3	43.6	25.5	1"




AISI316 STAINLESS STEEL HANDRAIL 60°RECTANGULAR BASE
316不锈钢60°方管座


Code	A mm	B mm	C mm	D mm	Size
ALS5419A-6022	79	44	39	22.5	7/8"
ALS5419B-6025	82	47.3	44	25.5	1"
ALS5419C-6030	86	52	51.6	30.5	1-1/5"
ALS5419D-6032	86	52	51	32.5	1-1/4"




AISI316 STAINLESS STEEL HANDRAIL 90°RECTANGULAR BASE
316不锈钢90°方管座

Code	A mm	B mm	C mm	D mm	Size
ALS5420A-9022	79	44	44	22.5	7/8"
ALS5420B-9025	82	47	47	25.5	1"
ALS5420C-9030	86	52	51	30.5	1-1/5"
ALS5420D-9032	87	52	53	32.5	1-1/4"




AISI316 STAINLESS STEEL HANDRAIL 45° WELDABLE ROUND BASE
 316不锈钢可焊接斜45°圆管座



Code	D1 mm	D2 mm	H mm	Size
ALS5430-22	22.5	66	13	7/8"
ALS5430-25	25.5	80	10	1"

AISI316 STAINLESS STEEL HANDRAIL 60° WELDABLE ROUND BASE
 316不锈钢可焊接斜60°圆管座



Code	D1 mm	D2 mm	H mm	Size
ALS5431-22	22.5	66	13	7/8"
ALS5431-25	25.5	80	16	1"

AISI316 STAINLESS STEEL HANDRAIL 90° WELDABLE ROUND BASE
 316不锈钢可焊接90°圆管座



Code	D1 mm	D2 mm	H mm	Size
ALS5432-22	22.5	66	16	7/8"
ALS5432-25	25.5	75	16	1"

AISI316 STAINLESS STEEL HANDRAIL 45° WELDABLE RECTANGULAR BASE
 316不锈钢可焊接45°方管座



Code	A mm	B mm	C mm	D mm	Size
ALS5435-22	78	44	12.5	22.5	7/8"
ALS5435-25	78	44	15	25.5	1"

AISI316 STAINLESS STEEL HANDRAIL 60° WELDABLE RECTANGULAR BASE
 316不锈钢可焊接60°方管座



Code	A mm	B mm	C mm	D mm	Size
ALS5436-22	78	44	13	22.5	7/8"
ALS5436-25	78	44	15	25.5	1"

AISI316 STAINLESS STEEL HANDRAIL 90° WELDABLE RECTANGULAR BASE
 316不锈钢可焊接90°方管座



Code	A mm	B mm	C mm	D mm	Size
ALS5437-22	78	44	13	22.5	7/8"
ALS5437-25	78	44	14	25.5	1"

AISI316 STAINLESS STEEL VIBRATION MILLING FLAGPOLE BASE
 316不锈钢振动研磨旗杆座



Code	A mm	B mm	C mm	D mm	Emm
ALS5042A	109	100	25.8	58	26

AISI316 STAINLESS STEEL MIRROR POLISHED FLAGPOLE BASE
 316不锈钢镜面抛光旗杆座



Code	A mm	B mm	C mm	D mm	Emm
ALS5043A	109	100	25.8	58	26

AISI316 STAINLESS STEEL 60° FLAGPOLE BASE
 316不锈钢斜60°旗杆座



Code	D mm	H mm	Size
ALS54038-25	25	69	1"
ALS54038-30	30	80	1-1/5"
ALS54038-32	32	82	1-1/4"
ALS54038-38	38	87	1-1/2"

AISI316 STAINLESS STEEL 90° FLAGPOLE BASE
 316不锈钢90°旗杆座



Code	D mm	H mm	Size
ALS54039-25	25	69	1"
ALS54039-30	30	80	1-1/5"
ALS54039-32	32	80	1-1/4"
ALS54039-38	38	80	1-1/2"

AISI316 STAINLESS STEEL 60° FLAGPOLE BASE
 316不锈钢斜60°圆筒旗杆座



Code	A mm	B mm	Size
ALS5440A-25	25	66.5	1"
ALS5440B-30	30	61	1-1/5"
ALS5440C-32	32	61	1-1/4"

AISI316 STAINLESS STEEL 90° FLAGPOLE BASE
 316不锈钢90°圆筒旗杆座



Code	A mm	B mm	Size
ALS5441A-25	25	66.5	1"
ALS5441B-30	30	61	1-1/5"
ALS5441C-32	32	61	1-1/4"

AISI316 STAINLESS STEEL FLAGPOLE BASE
 316不锈钢旗杆座


Code	D mm	L mm	W mm	H mm
ALS5481A	14	85.6	40.5	33.2
ALS5481B	20	86	42	44.4
ALS5481C	25	90.5	45	52

AISI316 STAINLESS STEEL FLAGPOLE BASE
 316不锈钢旗杆座


Code	D mm	L mm	W mm	H mm
ALS7535Q	27	101	73	149

AISI316 STAINLESS STEEL FLAGPOLE BASE
 316不锈钢旗杆座


ALS7578A

ALS8978B

Code	Amm	Bmm	Cmm	Dmm	Size
ALS7578A	75	78	25	35	25mm
ALS8978B	89	78	32	35	32mm


AISI316 STAINLESS STEEL FLAGPOLE BASE
 316不锈钢旗杆座


Code	D mm	D1 mm
ALS7696B	25.5	69


RAIL CONNECTOR

AISI316 STAINLESS STEEL SWIVEL JOINT FOR BIMINI PIPES
 316不锈钢拉抽销活节管子接头


Code	D mm	L mm	Size
ALS5459A-22	22.5	37.4	7/8"
ALS5459A-25	25.5	37.7	1"


AISI316 STAINLESS STEEL SWIVEL JOINT FOR BIMINI PIPES
 316不锈钢拉抽销活节管子接头 (带钢丝绳)


Code	D mm	L mm	Size
ALS5459B-22	22.5	37.4	7/8"
ALS5459B-25	25.5	37.7	1"


AISI316 STAINLESS STEEL SWIVEL JOINT FOR BIMINI PIPES
 316不锈钢拉抽销活节管子接头


Code	D mm	L mm	Size
ALS5459C-25	25.5	99	1"


AISI316 STAINLESS STEEL SWIVEL JOINT FOR BIMINI PIPES
 316不锈钢旋转接头活节管子接头

Code	D mm	L mm	Size
ALS5460-22	22.5	37.4	7/8"
ALS5460-25	25.5	37.7	1"




AISI316 STAINLESS STEEL 60°HANDRAIL TEE
316不锈钢60°扶手三通




Code	A mm	B mm	C mm	Size
ALS5446-22	57	48	22.5	7/8"
ALS5446-25	60	52	25.5	1"
ALS5446-30	76	76	30.5	1-1/5"
ALS5446-32	76	76	32.6	1-1/4"

AISI316 STAINLESS STEEL 60°LEFT HANDRAIL TEE
316不锈钢60°左侧三通




Code	A mm	B mm	C mm	Size
ALS5447-22	22.6	48	57	7/8"
ALS5447-25	25.5	52	60	1"

AISI316 STAINLESS STEEL 60°RIGHT HANDRAIL TEE
316不锈钢60°右侧三通




Code	A mm	B mm	C mm	Size
ALS5448-22	22.6	48	57	7/8"
ALS5448-25	25.5	52	60	1"

AISI316 STAINLESS STEEL 60°HANDRAIL TEE
316不锈钢 60°开口三通




Code	D mm	L mm	W mm	Size
ALS5451-22	22.5	48	57	7/8"
ALS5451-25	25.5	52	60	1"

AISI316 STAINLESS STEEL 90°HANDRAIL TEE
316不锈钢90°直三通




Code	A mm	B mm	C mm	Size
ALS5449-22	22.5	52	51	7/8"
ALS5449-25	25.5	53	51	1"
ALS5449-30	30.6	76	83	1-1/5"
ALS5449-32	32.5	76	88	1-1/4"

AISI316 STAINLESS STEEL 90°HANDRAIL TEE
316不锈钢90°开口三通




AISI316 STAINLESS STEEL 90°3-WAY TEE CONNECTOR
316不锈钢坐三通



Code	D mm	L mm	W mm	Size
ALS5450-22	22.5	52	52	7/8"
ALS5450-25	25.5	55	55	1"


Code	A mm	B mm	C mm	Size
ALS5454-22	49.2	22.5	49.2	7/8"
ALS5454-25	49	25.5	49	1"
ALS5454-30	49	30.6	49	1-1/5"
ALS5454-32	57	32.5	57	1-1/4"

AISI316 STAINLESS STEEL 90°4-WAY TEE CONNECTOR
316不锈钢坐四通




Code	A mm	B mm	C mm	Size
ALS5455-22	22.5	72.4	51	7/8"
ALS5455-25	25.5	71.7	51.4	1"

AISI316 STAINLESS STEEL 90°CROSS TEE CONNECTOR
316不锈钢十字通




Code	A mm	B mm	C mm	Size
ALS5456-22	22.5	72.4	72.5	7/8"
ALS5456-25	25.5	71.7	71.7	1"
ALS5456-30	30.5	75	75	1-1/5"


AISI316 STAINLESS STEEL 90°ELBOW
316不锈钢90°弯头




Code	A mm	B mm	C mm	Size
ALS5445-22	50	50	22.6	7/8"
ALS5445-25	51	51	25.7	1"
ALS5445-30	54	54	30.5	1-1/5"
ALS5445-32	55	55	32.6	1-1/4"

AISI316 STAINLESS STEEL 60° TEE CONNECTOR
 316不锈钢60°提手三通



Code	D mm	L mm	W mm	Size
ALS5459A-6022	22.5	48	57	7/8"

AISI316 STAINLESS STEEL 90° TEE CONNECTOR
 316不锈钢90°提手三通



Code	D mm	L mm	W mm	Size
ALS5459B-9022	22.5	48	57	7/8"

AISI316 STAINLESS STEEL BLIND BASE
 316不锈钢盲板底座



Code	D mm	L mm	H mm	Size
ALS5458A	25.5	87	34.2	1"

AISI316 STAINLESS STEEL SWIVEL JOINT FOR BIMINI PIPES
 316不锈钢调节弯头



Code	D1 mm	D2 mm
ALS5461A	17.5	20.2
ALS5461B	17	20
ALS5461C	19.4	22
ALS5461D	18.8	22

AISI316 STAINLESS STEEL 90°2-WAY TEE CONNECTOR
 316不锈钢90°2通三通接头



Code	D mm	Degree
ALS5457A	22.5	90°

AISI316 STAINLESS STEEL BOW FORM
 316不锈钢弓形弯头



Code	D mm	L mm	W mm	T	Size
ALS11022	22.6	63	63	110°	7/8"
ALS11025	25.6	63	63	110°	1"
ALS12022	22.6	64	64	120°	7/8"
ALS12025	25.6	64	64	120°	1"
ALS12522	22.6	64	64	125°	7/8"
ALS12525	25.6	64	64	125°	1"
ALS14022	22.6	59	59	140°	7/8"
ALS14025	25.6	59	59	140°	1"

AISI316 STAINLESS STEEL DRAIN PLUG
 316不锈钢方形堵头



Code	D mm
ALS5050B	50

AISI316 STAINLESS STEEL DRAIN PLUG
 316不锈钢子弹头堵头


Code	A mm	B mm
ALS5422A	38.5	20
ALS5425A	40	25
ALS5430A	42.6	30

316 STAINLESS STEEL DIAMOND GARBOARD DRAIN PLUG
 316不锈钢菱形堵头


Code	A mm	B mm	C mm	D mm	F mm
ALS19024	70	41.5	52.5	25.5	31

316 STAINLESS STEEL OVAL GARBOARD DRAIN PLUG
 316不锈钢椭圆堵头


Code	A	B	C	D	E	F	G	H (mm)
ALS5490A	50.3	54	19.4	13.8	25.1	37.2	39.1	5.3




CASTING HINGE

PEOPLE OF DIFFERENT SPECIFICATIONS ARE
YOUR CHOICE


AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页

Code	A mm	B mm	Thickness mm
ALS3838A	38	38	3.8
ALS4040B	40	40	3.8
ALS5050C	50	50	4.5




AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页

Code	L mm	W mm	Thickness mm
ALS08070A	80	70	5




AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页

Code	L mm	W mm	Thickness mm
ALS12090A	120	90	6




AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页

Code	L mm	W mm	Thickness mm
ALS100100A	100	100	6.4




AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页

Code	L mm	W mm	Thickness mm
ALS7575	75	75	4




AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页




Code	L mm	W mm	Thickness mm
ALS7676	76	76	3.1

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页




Code	L mm	W mm	Thickness mm
ALS7550A	75	50	4.2

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页




Code	A mm	B mm	Thickness mm
ALS7638A	76	38	4

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页




Code	A mm	B mm	Thickness mm
ALS10238A	102	38	4.5
ALS10738B	107	38	4.5

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页




Code	A mm	B mm	Thickness mm
ALS5738A	57	38	4.1
ALS7638B	76	38	4.1

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
ALS5437A	54	37	4.2
ALS7037B	70	37	4.2

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
ALS6037A	60	37	4.1

AISI316 STAINLESS STEEL CASTING FRONT POLISHED HINGE
316不锈钢正抛合页




Code	L mm	W mm	Thickness mm
ALS7040A	70	40	3.5

AISI316 STAINLESS STEEL CASTING BACK POLISHED HINGE
316不锈钢反抛合页




Code	L mm	W mm	Thickness mm
ALS7040B	70	40	3.5

AISI316 STAINLESS STEEL CASTING FRONT POLISHED HINGE
316不锈钢正抛方圆合页




Code	L mm	W mm	Thickness mm
ALS8365A	83	65	3.5

AISI316 STAINLESS STEEL CASTING BACK POLISHED HINGE
316不锈钢反抛方圓合页




Code	L mm	W mm	Thickness mm
ALS8365B	83	65	3.5

AISI316 STAINLESS STEEL CASTING FRONT POLISHED HINGE
316不锈钢正抛方圓合页



Code	L mm	W mm	Thickness mm
ALS7640A	76	40	3.5

AISI316 STAINLESS STEEL CASTING BACK POLISHED HINGE
316不锈钢反抛方圓合页



Code	L mm	W mm	Thickness mm
ALS7640B	76	40	3.5

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页



Code	L mm	W mm	Thickness mm
ALS7638C	76	38	3.1


AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
ALS7835A	78	35	4.3


AISI316 STAINLESS STEEL CASTING FRONT POLISHED HINGE
316不锈钢正抛对称合页

Code	L mm	W mm	Thickness mm
ALS17140A	171	40	4.3
ALS19065A	190	65	4.3
ALS22565A	225	65	4.3




AISI316 STAINLESS STEEL CASTING BACK POLISHED HINGE
316不锈钢反抛对称合页

Code	L mm	W mm	Thickness mm
ALS17140B	171	40	4.3
ALS19065B	190	65	4.3
ALS22565B	225	65	4.3




AISI316 STAINLESS STEEL CASTING FRONT POLISHED HINGE
316不锈钢正抛方圓合页

Code	L mm	W mm	Thickness mm
ALS11640A	116	40	3.5




AISI316 STAINLESS STEEL CASTING BACK POLISHED HINGE
316不锈钢反抛方圓合页

Code	L mm	W mm	Thickness mm
ALS11640B	116	40	3.5




AISI316 STAINLESS STEEL CASTING FRONT POLISHED HINGE
316不锈钢正抛合页

Code	A mm	B mm	Thickness mm
ALS12640A	126	40	3.5



AISI316 STAINLESS STEEL CASTING BACK POLISHED HINGE
316不锈钢反抛合页

Code	A mm	B mm	Thickness mm
ALS12640B	126	40	3.5



AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页



Code	L mm	W mm	Thickness mm
ALS11038	110	38	4.3

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页



Code	L mm	W mm	Thickness mm
ALS20038A	200	38	2.4

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页



Code	L mm	W mm	Thickness mm
ALS14041A	140	41	2.9
ALS14638B	146	38	3.2

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页




Code	A mm	B mm	Thickness mm
ALS10327A	103	27	4.3

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页



Code	A mm	B mm	Thickness mm
ALS15230A	152	30	4.5


AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢对称合页



Code	A mm	B mm	Thickness mm
ALS17038	170	18	4.5


AISI316 STAINLESS STEEL CASTING FRONT POLISHED ROUND HINGE
316不锈钢正抛圆合页

Code	L mm	W mm	Thickness mm
ALS06565A	65	65	4.4



AISI316 STAINLESS STEEL CASTING BACK POLISHED ROUND HINGE
316不锈钢反抛圆合页

Code	L mm	W mm	Thickness mm
ALS06565B	65	65	4



AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢合页

Code	L mm	W mm	Thickness mm
ALS6629A	66	29	1.8
ALS7040C	70	40	2.5



ALS7040C

ALS6629A

AISI316 STAINLESS STEEL CASTING HINGE
316不锈钢分体左/右合页

Code	L mm	W mm	Thickness mm
ALS9038L	90	40	5
ALS9038R	90	40	5




AISI316 STAINLESS STEEL CASTING HINGE 316不锈钢“丁”型合页




Code	L mm	W mm	Thickness mm
ALS10054A	100	54	5.20
ALS15175B	151	74	5.22
ALS20097C	200	97	5.23

AISI316 STAINLESS STEEL CASTING FRICTION HINGE 316不锈钢阻尼合页




Code	A mm	B mm	C mm
ALS6040SA1	72	38	4

AISI316 STAINLESS STEEL CASTING HATCH HINGE 316不锈钢铰链




Code	A mm	B mm	Thickness mm
ALS7654A	76	54.3	6.3

AISI316 STAINLESS STEEL CASTING HATCH HINGE 316不锈钢铰链




Code	A mm	B mm	Thickness mm
ALS7665B	76	65.5	6.3

AISI316 STAINLESS STEEL CASTING HATCH HINGE 316不锈钢铰链



Code	A mm	B mm	Thickness mm
ALS7165A	71	65.5	6.3

AISI316 STAINLESS STEEL CASTING HINGE 316不锈钢合页




Code	L mm	W mm	Thickness mm
ALS8959A	89	59	4

AISI316 STAINLESS STEEL CASTING HINGE WITH SCREW 316不锈钢带螺栓铸造合页



Code	L mm	W mm	Thick mm
ALS7640AS	76	40	4.3
ALS7040D	70	40	4.3
ALS7265	72	65	4.3
ALS9449	94	49	4.3

AISI316 STAINLESS STEEL CASTING HINGE WITH SCREW 316不锈钢带螺栓铸造合页



Code	L mm	W mm	Thick mm
ALS6464B	64	64	4.5

AISI316 STAINLESS STEEL CASTING HINGE WITH SCREW 316不锈钢带螺栓铸造合页




Code	A mm	B mm	Thick mm
ALS12640C	126	40	4.5

AISI316 STAINLESS STEEL CASTING HINGE WITH SCREW 316不锈钢带螺栓铸造合页




Code	L mm	W mm	Thick mm
ALS19065C	190	65	4.5

AISI316 STAINLESS STEEL CASTING HINGE 316不锈钢铸造合页




Code	L mm	W mm	Thickness mm
ALS8360A	80	60	3.6

STAINLESS STEEL STAMPED HINGE 不锈钢冲压合页




Code	A mm	B mm	C mm
ALS4474S	108.5	38.1	2

STAINLESS STEEL STAMPED HINGE 不锈钢冲压合页




Code	A mm	B mm	C mm
ALS6674S	75	74	2

STAINLESS STEEL STAMPED HINGE 不锈钢冲压合页




Code	A mm	B mm	C mm	D mm
ALS7774S	70	52.5	4	1.5

STAINLESS STEEL STAMPED HINGE 不锈钢冲压合页




Code	A mm	B mm	C mm
ALS1374SA	70	41.3	2

STAINLESS STEEL STAMPED HINGE 不锈钢冲压合页




Code	A mm	B mm	C mm
ALS1874S	71	38.1	2

STAINLESS STEEL STAMPED HINGE 不锈钢冲压合页




Code	A mm	B mm	C mm
ALS1974S	76.2	37	2

STAINLESS STEEL STAMPED HINGE 不锈钢冲压合页




Code	A mm	B mm	C mm
ALS2074S	36.5	35.7	2

STAINLESS STEEL STAMPED HINGE 不锈钢冲压合页



Code	A mm	B mm	C mm
ALS4374S	74	38.1	2

STAINLESS STEEL STAMPED HINGE 不锈钢冲压合页




Code	L mm	W mm	Thickness mm
ALS7550SA	75	50	1.5




LOCK & LATCH

AISI316 STAINLESS STEEL TURNING LOCK WITH GASKET
316不锈钢地板锁/护片款



Code	D1 mm	D2 mm	H1 mm	H2 mm
ALS6250E	61.5	50.5	11.5	37.5


AISI316 STAINLESS STEEL TURNING LOCK WITH KEY
316不锈钢带钥匙地板锁/护片款



Code	D1 mm	D2 mm	H1 mm	H2 mm
ALS6250S	61.5	50.5	11.5	37.5


AISI316 STAINLESS STEEL TURNING LOCK WITH BUCKLE PLATE
316不锈钢地板锁/护套款

Code	D1 mm	D2 mm	H1 mm	H2 mm
ALS6250B	60	50.5	5.5	37.5




AISI316 STAINLESS STEEL TURNING LOCK WITH KEY
316不锈钢带钥匙地板锁/护套款

Code	D1 mm	D2 mm	H1 mm	H2 mm
ALS6250C	60	50.5	5.5	37.5



AISI316 STAINLESS STEEL TURNING LOCK WITH KEY (UPGRADED WATEEPROOF)
316不锈钢带钥匙防水地板锁

Code	D1 mm	D2 mm	H1 mm	H2 mm
ALS6250D	61.5	50.5	11.5	67.5




AISI316 STAINLESS STEEL TURNING LOCK (UPGRADED WATEEPROOF)
316不锈钢防水地板锁

Code	D1 mm	D2 mm	H1 mm	H2 mm
ALS6250N	61.5	50.5	11.5	67.5



AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢红心地板锁



Code	A mm	B mm	C mm
ALS6482A	60	82	15

AISI316 STAINLESS STEEL TURNING LOCK WITH KEY
316不锈钢带钥匙红心地板锁




Code	A mm	B mm	C mm
ALS6482B	60	82	19

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢地板锁




Code	A mm	B mm	C mm
ALS6472A	64	72	13

AISI316 STAINLESS STEEL TURNING LOCK(UPGRADED WATEEPROOF)
316不锈钢防水地板锁




Code	D1 mm	D2 mm	H1 mm	H2 mm
ALS6251A	61.5	50.5	10.5	78

AISI316 STAINLESS STEEL TURNING LOCK WITH KEY(UPGRADED WATEEPROOF)
316不锈钢带钥匙防水地板锁




Code	D1 mm	D2 mm	H1 mm	H2 mm
ALS6251B	61.5	50.5	10.5	67

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢D型弹簧锁




Code	A mm	B mm	C mm	D mm
ALS6010A	64	100	52	120
ALS6010B	86	100	76	148

AISI316 STAINLESS STEEL TURNING LOCK
316不锈钢D型弹簧锁




Code	A mm	B mm	C mm
ALS8067A	80	67.5	110

NYLON MATERIAL TURNING LOCK
尼龙地板锁




Code	D1 mm	D2 mm	H1 mm	H2 mm	Color
ALS6253-W	62	50.5	14	37.4	White

NYLON MATERIAL TURNING LOCK
尼龙地板锁



Code	D1 mm	D2 mm	H1 mm	H2 mm	Color
ALS6252-B	62	50.5	14	37.4	Black

NYLON MATERIAL TURNING LOCK WITH KEY
尼龙带钥匙地板锁




Code	D1 mm	D2 mm	H1 mm	H2 mm	Color
ALS6251P-B	62	50.5	14	37.4	Black
ALS6251P-W	62	50.5	14	37.4	White




THRU-HULL & TANK VENT

AISI316 STAINLESS STEEL TANK VENT
316不锈钢透气孔




Code	A mm	B mm	C mm	Size
ALS1301-15	65	21	12.7	1/2 inch
ALS1301-19	65	26	19	3/4 inch
ALS1301-25	75	34	25.5	1 inch
ALS1301-32	78	42	31.7	1-1/4 inch
ALS1301-38	83	48	38	1-1/2 inch
ALS1301-50	90	59	50.8	2 inch

AISI316 STAINLESS STEEL THRU-HULL
316不锈钢全丝出水口




Code	A mm	B mm	Size
ALS1101A	54	16.5	3/8 inch
ALS1102A	59	21	1/2 inch
ALS1103A	68	26	3/4 inch
ALS1104A	74.5	33.5	1 inch
ALS1105A	78.5	42	1-1/4 inch
ALS1106A	79.5	48	1-1/2 inch
ALS1107A	95	60	2 inch
ALS1108A	110	75	2-1/2 inch
ALS1109A	130	88	3 inch

AISI316 STAINLESS STEEL THRU-HULL WITH HOSE
316不锈钢半丝出水口




Code	A mm	B mm	C mm	Size
ALS1101B	52.5	16.5	11	3/8 inch
ALS1102B	52.5	16.5	12.5	1/2 inch
ALS1103B	58.5	26	20	3/4 inch
ALS1104B	70	33	27	1 inch
ALS1105B	72.5	42	33.5	1-1/4 inch
ALS1106B	78.5	48	39.5	1-1/2 inch
ALS1107B	91	59.5	52	2 inch

AISI316 STAINLESS STEEL THRU-HULL WITH HOSE
316不锈钢加长半丝出气口




Code	A mm	B mm	C mm	Size
ALS1201A	87	16.5	14	1/2 inch
ALS1202A	96	26	18	3/4 inch
ALS1203A	95.5	33	24.5	1 inch
ALS1204A	87	42	32	1-1/4 inch
ALS1205A	97	48.5	38	1-1/2 inch

PLASTIC DECK THRU-HULL WITH HOSE
ABS出水口




Code	A mm	B mm	C mm	Size
ALS0620-16	73.5	23	16	5/8 inch
ALS0620-20	80	26.5	18.5	3/4 inch
ALS0620-25	93	33	25	1 inch
ALS0620-32	97	41	31.5	1-1/4 inch
ALS0620-38	102	46.5	38	1-1/2 inch
ALS0620-50	130	57	51	2 inch

TITANIUM ALLOY THRU-HULL
钛合金全丝出水口




Code	A mm	B mm	Size
ALS2101A	54	16.5	3/8 inch
ALS2102A	59	21	1/2 inch
ALS2103A	68	26	3/4 inch
ALS2104A	74.5	33.5	1 inch
ALS2105A	78.5	42	1-1/4 inch
ALS2106A	79.5	48	1-1/2 inch
ALS2107A	95	60	2 inch
ALS2108A	110	75	2-1/2 inch
ALS2109A	130	88	3 inch

TITANIUM ALLOY THRU-HULL WITH HOSE
钛合金半丝出水口



Code	A mm	B mm	C mm	Size
ALS2001B	52.5	16.5	11	3/8 inch
ALS2002B	52.5	16.5	12.5	1/2 inch
ALS2003B	58.5	26	20	3/4 inch
ALS2004B	70	33	27	1 inch
ALS2005B	72.5	42	33.5	1-1/4 inch
ALS2006B	78.5	48	39.5	1-1/2 inch
ALS2007B	91	59.5	52	2 inch

THRU HULL OUTLET WITH CHECK VALVE
带止回阀半丝出水口



Code	A mm	B mm	C mm	Size
ALS2021-16	73.5	23	16	5/8 inch
ALS2021-18	80	26.5	18.5	3/4 inch
ALS2021-25	93	33	25.5	1 inch

Material: stainless steel+nylon


DECK 90° THRU HULL WITH HOSE
90°半丝弯出水口



Code	A mm	B mm	C mm	D mm	E mm	F mm
ALS1440-5/8"	15.8	48	73.5	33.2	50.8	64.3
ALS1440-3/4"	19.1	48	73.5	33.2	50.8	64.3
ALS1440-1"	25.4	48	73.5	33.2	50.8	64.3
ALS1440-1-1/8"	28.5	48	76.2	33.2	44.9	64.3
ALS1440-1-1/8"A	28.5	48	71.3	33.2	50.8	91.1
ALS1440-1-1/4"	31.7	60	76.2	40.4	50.8	94.7
ALS1440-1-1/2"	38.1	60	76.2	40.4	50.8	94.7
ALS1440-2"	50.8	82	88.1	56.4	74.9	113.0

Material: stainless steel+nylon


THRU-HULL WITH HOSE
直半丝出水口



Code	A mm	B mm	C mm	D mm	E mm
ALS1439-5/8"	15.8	48	79.7	33.2	44.5
ALS1439-3/4"	19.1	48	79.7	33.2	44.5
ALS1439-1"	25.4	48	79.7	33.2	44.5
ALS1439-1-1/8"	28.5	48	79.7	33.2	44.5
ALS1439-1-1/8"A	28.5	48	94.5	40.4	44.5
ALS1439-1-1/4"	31.7	60	94.5	40.4	44.5
ALS1439-1-1/2"	38.1	60	117.6	55.9	54.0
ALS1439-2"	50.8	82	120.6	55.9	54.0


Material: stainless steel+nylon

PLASTIC DECK 90° THRU-HULL WITH HOSE
ABS半丝弯出水口




Code	A mm	B mm	C mm	D mm	E mm	F mm	Color
ALS1901A	80	80	101	25.5	50	50	White
ALS1902A	80	80	101	25.5	50	50	Black

AISI316 STAINLESS STEEL TANK VENT
316不锈钢出水口




Code	A mm	B mm	C mm	D mm	E mm
ALS2880A	82	16	12	64	27

AISI316 STAINLESS STEEL 90° TANK VENT
316不锈钢90°出水口




Code	A mm	B mm	C mm	D mm	E mm
ALS2880B	65	16	12	51	27

AISI316 STAINLESS STEEL TANK VENT WITH CAP
316不锈钢大盖出水口




Code	A mm	B mm	C mm	D mm	E mm
ALS2881A	84	16	12	36	26

AISI316 STAINLESS STEEL 90° TANK VENT WITH CAP
316不锈钢90°大盖出水口




Code	A mm	B mm	C mm	D mm	E mm
ALS2881B	82	16	12	36	26

AISI316 STAINLESS STEEL 90° TANK VENT
316不锈钢90°出气口




Code	H1 mm	H2 mm	H3 mm	D mm
ALS2022S-16	80	30	60	16

AISI316 STAINLESS STEEL TANK VENT
316不锈钢出气口




Code	H1 mm	H2 mm	D1 mm	D2 mm
ALS10482	104	72	82	59

AISI316 STAINLESS STEEL REMOVABLE 90° COCKPIT DRAIN
316不锈钢可拆卸弯地漏



Code	A mm	B mm	C mm	D mm	E mm	F mm	Size
ALS1401A-32	79	80	103	32.5	56.5	50	32mm
ALS1402A-38	79	80	103	38.5	56	50	38mm

AISI316 STAINLESS STEEL 90° COCKPIT DRAIN
316不锈钢一体弯地漏




Code	A mm	B mm	C mm	D mm	F mm	Size
ALS1501A-32	79	80	103	32.5	56	32mm
ALS1502A-38	79	80	103	38.5	56	38mm

AISI316 STAINLESS STEEL REMOVABLE COCKPIT DRAIN
316不锈钢可拆卸直地漏




Code	A mm	B mm	C mm	D mm	Size
ALS1602A-38	82	58	38	60	38mm


AISI316 STAINLESS STEEL COCKPIT DRAIN
316不锈钢不可拆卸直地漏




AISI316 STAINLESS STEEL COCKPIT DRAIN
316不锈钢焊接直地漏



AISI316 STAINLESS STEEL REMOVABLE COCKPIT DRAIN
316不锈钢可拆卸焊接直地漏



AISI316 STAINLESS STEEL COCKPIT DRAIN SCUPPER WITH BALL
316不锈钢浮球地漏



Code	A mm	B mm	C mm	D mm	Size
ALS1602B-22	46.4	26	23	25.6	23mm
ALS1602B-25	53.0	27.5	25.6	28.1	25mm

Code	A mm	B mm	C mm	Size
ALS1601A-50	82	51.5	80	50mm

Code	A mm	B mm	C mm	Size
ALS1601B-50	82	51.5	80	50mm

Code	A mm	B mm	C mm	D mm	E mm
ALS1701A-38	92	115	40	57	41

Code	A mm	B mm	C mm	D mm	E mm	Size
ALS1801A	90	82	16.5	11	65	3/8 inch
ALS1802A	90	82	21	12.5	66	1/2 inch
ALS1803A	107	104	26	18.5	80	3/4 inch
ALS1804A	106	106	33	25.5	76	1 inch
ALS1805A	103	117	42	32	78	1-1/4 inch
ALS1806A	109	133	47.5	38	80	1-1/2 inch
ALS1807A	124	152	60	50	91	2 inch
ALS1808A	153	198	75	63.5	112	2-1/2 inch
ALS1809A	178	240	88	76	130	3 inch

AISI316 STAINLESS STEEL INTAKE STRAINER
316不锈钢海底门




ANTENNA BASE

MARINE GRADE 316 STAINLESS STEEL,
HAND POLISHED.




AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座




Code	L mm	W mm	H mm	D mm
ALS9364A	93	64	112	25

AISI316 STAINLESS STEEL HEAVY ANTENNA BASE
316不锈钢天线座重型




Code	L mm	W mm	H mm	D mm
ALS9364B	96	57	121	25

AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座




AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座




Code	D mm
ALS1220B	22
ALS1225B	25

Code	D mm
ALS1250C	25

AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座



AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座



Code	L mm	W mm	D mm
ALS8050D	80	22.5	25


Code	A mm	B mm	C mm
ALS7025E	25	80	35

AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座




Code	A mm	B mm	C mm	D mm
ALS7025F	25	80	35	97

AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座



Code	A mm	B mm	C mm	D mm
ALS7022F	22	71	25.4	225

AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座



Code	L mm	W mm	D mm	H mm
ALS7425Q	74	32	25.4	86

AISI316 STAINLESS STEEL ANTENNA BASE
316不锈钢天线座




Code	D1 mm	D2 mm	H mm
ALS7696A	85	25	110






FOLDING STEP

AISI316 STAINLESS STEEL MARINE FOLDING STEP
316不锈钢方形马蹄蹬/脚踏




Code	A	B	C	D	E	F	G	H (mm)
ALS12043A	137	109	120	100	32.4	54.4	11	23.5

AISI316 STAINLESS STEEL MARINE FOLDING STEP
316不锈钢直孔马蹄蹬/脚踏




Code	A mm	B mm	C mm
ALS12548B	125	84	46

AISI316 STAINLESS STEEL MARINE FOLDING STEP
316不锈钢沉孔马蹄蹬/脚踏




Code	A mm	B mm	C mm	D mm	E mm	F mm
ALS12580	127	107	80	40	85.5	90
ALS162120	165	140	120	44	112	110

AISI316 STAINLESS STEEL BOAT HOOK
316不锈钢船篙头



Code	A mm	B mm	C mm	D mm	E mm
ALS17034A	170	35	28	4.5	4.5
ALS19034A	188	50	34	6.5	4.5
ALS19037A	188	37	31	4.5	4.5

AISI316 STAINLESS STEEL ROW LOCK
316不锈钢桨叉



Code	A mm	B mm	C mm	D mm	E mm	G mm
ALS1501-6	150	35	56	70	5.5	19




DECK PLATE

MARINE GRADE 316 STAINLESS STEEL,
MIRROR POLISHE.


AISI316 STAINLESS STEEL DECK INSPECTION PLATE AISI316不锈钢甲板圆盘

Code	D1 mm	D2 mm	Size
ALS3103A	123	81.8	3 inch
ALS3104A	147	106	4 inch
ALS3105A	173	133	5 inch
ALS3106A	196.5	161.8	6 inch




AISI316 STAINLESS STEEL DECK INSPECTION PLATE AISI316不锈钢甲板圆盘

Code	D1 mm	D2 mm	Size
ALS3203A	81.8	123	3 inch
ALS3204A	106	147	4 inch
ALS3205A	133	173	5 inch
ALS3206A	161.8	196.5	6 inch




316 STAINLESS STEEL ROUND AIR LOUVER VENT(SLIDE KHOB OPENING) 316不锈钢圆形百叶风口 (滑动孔)

Code	A mm	B mm	C mm	D mm	Size
ALS1702-5	125	81.5	3.5	3	5 inch



316 STAINLESS STEEL ROUND VENT PLATES 316不锈钢圆形百叶风口

Code	A mm	B mm	C mm	D mm	Size
ALS1701-4	101	65	3.5	3	4 inch
ALS1701-5	125	81.5	3.5	5.5	5 inch



ABS PLASTIC DECK HATCH COVER FOR BOAT 船用ABS塑料甲板舱口盖

Code	Internal diameter	External diameter	Size
ALS6703K-6	203.2mm	152.4mm	6"
ALS6703K-8	254mm	203.2mm	8"



ABS PLASTIC DECK HATCH COVER FOR BOAT 船用ABS塑料甲板舱口盖



Code	Internal diameter	External diameter	Size
ALS6704K-6	200mm	160mm	6"
ALS6704K-8	254mm	203.2mm	8"

ABS DECK INSPECTION PLATE
ABS甲板盖



Code	Color	Size	d mm	D mm
ALS-004-01	White	4"	101	143
ALS-006-01	White	6"	151	198
ALS-008-01	White	8"	180	250

INDEPENDENT PACKING BOX


ABS DECK INSPECTION PLATE
ABS甲板盖



Code	Color	Size	d mm	D mm
ALS-104-01	Black	4"	101	143
ALS-106-01	Black	6"	151	198
ALS-108-01	Black	8"	180	250

INDEPENDENT PACKING BOX

ABS DECK INSPECTION PLATE
ABS甲板盖



Code	A mm	B mm	C mm	D mm	E mm	Size
ALS1302-4	143	100	13	10	5	4"
ALS1302-5	170	128	10	11	5	5"
ALS1302-6	197	152	15	10	5	6"

ABS DECK INSPECTION PLATE
ABS甲板盖




Code	A mm	B mm	C mm	D mm	F mm	Size
ALS1303-4	143	100	13	10	5	4"
ALS1303-5	170	128	10	11	5	5"
ALS1303-6	197	152	15	10	5	6"

ABS PLASTIC DECK HATCH COVER FOR BOAT
船用ABS塑料甲板舱口盖



Code	H mm	L mm	H1 mm	L1 mm
ALS270-375-01	270	375	192	291

ABS PLASTIC DECK HATCH COVER FOR BOAT
船用ABS塑料甲板舱口盖




ABS PLASTIC DECK HATCH COVER FOR BOAT
船用ABS塑料甲板舱口盖



ABS PLASTIC DECK HATCH COVER FOR BOAT
船用ABS塑料甲板舱口盖



ABS PLASTIC DECK HATCH COVER FOR BOAT
船用ABS塑料甲板舱口盖




ABS PLASTIC DECK HATCH COVER FOR BOAT
船用ABS塑料甲板舱口盖



DECK FILLER & RV ACCESSORIES

AISI316 STAINLESS STEEL DECK FILLER (WITH KEYLESS CAP)

316不锈钢翻盖直油箱体




Code	D mm	H mm	Model
ALS1038A - FUEL	38	85	FUEL
ALS1050A - FUEL	50	85	FUEL
ALS1138A - DIESEL	38	85	DIESEL
ALS1150A - DIESEL	50	85	DIESEL
ALS1238A - WASTE	38	85	WASTE
ALS1250A - WASTE	50	85	WASTE
ALS1338A - GAS	38	85	GAS
ALS1350A - GAS	50	85	GAS
ALS1438A - WATER	38	85	WATER
ALS1450A - WATER	50	85	WATER

Support for lettering

AISI316 STAINLESS STEEL DECK FILLER(WITH KEY)


316不锈钢带钥匙油箱体



Code	D mm	H mm	Model
ALS2038A-FUEL	38	86	FUEL
ALS2050A-FUEL	50	86	FUEL
ALS2138A-DIESEL	38	86	DIESEL
ALS2150A-DIESEL	50	86	DIESEL
ALS2238A-WASTE	38	86	WASTE
ALS2250A-WASTE	50	86	WASTE
ALS2338A-GAS	38	86	GAS
ALS2350A-GAS	50	86	GAS
ALS2438A-WATER	38	86	WATER
ALS2450A-WATER	50	86	WATER

AISI316 STAINLESS STEEL DECK FILLER

316不锈钢小舌头油箱体



Code	D mm	H mm	Model
ALS3038A-FUEL	38	86	FUEL
ALS3050A-FUEL	50	86	FUEL
ALS3138A-DIESEL	38	86	DIESEL
ALS3150A-DIESEL	50	86	DIESEL
ALS3238A-WASTE	38	86	WASTE
ALS3250A-WASTE	50	86	WASTE
ALS3338A-GAS	38	86	GAS
ALS3350A-GAS	50	86	GAS
ALS3438A-WATER	38	86	WATER
ALS3450A-WATER	50	86	WATER

Code	D mm	H mm	Model
ALS4038A-FUEL	38	85	FUEL
ALS4050A-FUEL	50	105	FUEL
ALS4138A-DIESEL	38	85	DIESEL
ALS4150A-DIESEL	50	105	DIESEL
ALS4238A-WASTE	38	85	WASTE
ALS4250A-WASTE	50	105	WASTE
ALS4338A-GAS	38	85	GAS
ALS4350A-GAS	50	105	GAS
ALS4438A-WATER	38	85	WATER
ALS4450A-WATER	50	105	WATER


Code	D mm	H mm	Model
ALS5038A-FUEL	38	85	FUEL
ALS5050A-FUEL	50	105	FUEL
ALS5138A-DIESEL	38	85	DIESEL
ALS5150A-DIESEL	50	105	DIESEL
ALS5238A-WASTE	38	85	WASTE
ALS5250A-WASTE	50	105	WASTE
ALS5338A-GAS	38	85	GAS
ALS5350A-GAS	50	105	GAS
ALS5438A-WATER	38	85	WATER
ALS5450A-WATER	50	105	WATER

Code	D mm	H mm	Model
ALS6038A-FUEL	38	88	FUEL
ALS6050A-FUEL	50	105	FUEL
ALS6138A-DIESEL	38	88	DIESEL
ALS6150A-DIESEL	50	105	DIESEL
ALS6238A-WASTE	38	88	WASTE
ALS6250A-WASTE	50	105	WASTE
ALS6338A-GAS	38	88	GAS
ALS6350A-GAS	50	105	GAS
ALS6438A-WATER	38	88	WATER
ALS6450A-WATER	50	105	WATER

Code	Specs	Current	Power	KHz	SPL
ALS-HS-12V	Single	3.5A	42W	345Hz	125dB(A)
ALS-HS-24V	Single	1.75A	42W	345Hz	125dB(A)
ALS-HD-12V	Dual	7A	84W	370Hz	125dB(A)
ALS-HD-24V	Dual	3.5A	84W	370Hz	125dB(A)

AISI316 STAINLESS STEEL 45° DECK FILLER

316不锈钢45°弯翻盖油箱体




AISI316 STAINLESS STEEL 45° DECK FILLER

316不锈钢45°小舌头油箱体



AISI316 STAINLESS STEEL 45° DECK FILLER

316不锈钢45°小舌头油箱体



304 STAINLESS STEEL BOAT MEGAPHONE

304不锈钢船用喇叭





STEERING WHEEL

304/316 STAINLESS STEEL STEERING WHEEL
304/316不锈钢方向盘



Code	A mm	B mm	C mm	Size
ALS0125S	261.9	83.4	25°	11.5"
ALS0126S	235.4	98.1	25°	13.5"
ALS0128S	376.2	109.2	25°	15.5"


304/316 STAINLESS STEEL SPORT WHEEL WITH KNOB
304/316不锈钢带握把方向盘



Code	A mm	B mm	C mm	Size
ALS0130S	261.9	83.4	25°	11.5"
ALS0132S	235.4	98.1	25°	13.5"
ALS0138S	376.2	109.2	25°	15.5"


304/316 STAINLESS STEEL SPORT STEERING WHEEL WITH BLACK KNOB
304/316不锈钢运动方向盘带黑色把手

Code	A mm	B mm	C mm	Size
ALS0151S	325	82.5	25°	13.5"
ALS0153S	375	91.5	25°	15.5"




304/316 STAINLESS STEEL SPORT STEERING WHEEL WITH SILVER KNOB
304/316不锈钢运动方向盘带银色把手

Code	A mm	B mm	Size
ALS1473SF	342.9	80	13.5"
ALS1073SF	393.7	84.9	15.5"



304/316 STAINLESS STEEL STEERING WHEEL WITH BLACK KNOB
304/316不锈钢方向盘带黑色旋钮

Code	A mm	B mm	Size	Nut thread
ALS8319-A	342.9	126.5	13.5"	5/8"-18
ALS8320-B	393.7	126.5	15.5"	5/8"-18
ALS8321-C	342.9	126.5	13.5"	1/2"-20
ALS8322-D	393.7	126.5	15.5"	1/2"-20




304/316 STAINLESS STEEL STEERING WHEEL WITH SILVER KNOB
304/316不锈钢方向盘带银色旋钮

Code	A mm	B mm	Size	Nut thread
ALS8323-A	342.9	126.5	13.5"	5/8"-18
ALS8324-B	393.7	126.5	15.5"	5/8"-18
ALS8325-C	342.9	126.5	13.5"	1/2"-20
ALS8326-D	393.7	126.5	15.5"	1/2"-20




304/316 STAINLESS STEEL STEERING WHEEL 304/316不锈钢方向盘




Code	A mm	B mm	Size
ALS0162S	342.5	56.9	13.5"

304/316 STAINLESS STEEL STEERING WHEEL PU FOAM 304/316不锈钢PU发泡方向盘



Code	A mm	B mm	C mm	Size
ALS0221S	261.9	83.4	25°	11.5"
ALS0225S	235.4	98.1	25°	13.5"
ALS0227S	376.2	109.2	25°	15.5"

304/316 STAINLESS STEEL STEERING WHEEL PU FOAM WITH SILVER KNOB 304/316不锈钢PU发泡方向盘带银色握把




Code	A mm	B mm	C mm	Size
ALS04010S	261.9	83.4	25°	11.5"

304/316 STAINLESS STEEL STEERING WHEEL PU FOAM WITH BLACK KNOB 304/316不锈钢PU发泡方向盘带黑色握把



Code	A mm	B mm	C mm	Size
ALS4011S	261.9	83.4	25°	11.5"
ALS4017S	235.4	98.1	25°	13.5"
ALS4019S	376.2	109.2	25°	15.5"



304/316 STAINLESS STEEL STEERING WHEEL PU FOAM 304/316不锈钢PU发泡方向盘(不锈钢中心盖)



Code	A mm	B mm	C mm	Size
ALS5011S	261.9	83.4	25°	11.5"
ALS5017S	235.4	98.1	25°	13.5"
ALS5019S	376.2	109.2	25°	15.5"


The lid can be customized with logo

304/316 STAINLESS STEEL PU FOAM STEERING WHEEL 304/316不锈钢PU发泡方向盘



Code	A mm	B mm	Color	Size
ALS07110S	330	60	Black	13"
ALS07120S	348	53	White	13.5"

304/316 STAINLESS STEEL / ALUMINUM ALLOY PU FOAM STEERING WHEEL 304/316不锈钢/铝合金PU发泡方向盘



ALS8320-A

ALS8321-B

Code	A mm	B mm	Size	Style
ALS8320-A	343	92	13.5"	with knob
ALS8321-B	343	92	13.5"	without knob

Support for custom LOGO

304/316 STAINLESS STEEL PU FOAM STEERING WHEEL 304/316不锈钢PU发泡方向盘



Code	Size	Dish
ALS9989SB	13.5"	15 degree

ABS PLASTIC STEERING WHEEL ABS塑料方向盘




Code	Size	Dish
ALS8011SB	13.5"	15 degree

304/316 STAINLESS STEEL STEERING WHEEL GENUINE LEATHER 304/316不锈钢真皮方向盘




Code	Size	Dish
ALS09010S	13.5"	90 degree

304/316 STAINLESS STEEL SIMPLE STEERING WHEEL 304/316不锈钢5轴方向盘




Code	A mm	B mm	Spoke	Size
ALS7500S	609.6	22	1/2"*5	24"
ALS7501S	660.4	22	1/2"*5	26"
ALS7502S	711.2	22	1/2"*5	28"
ALS7503S	762	22	1/2"*5	30"
ALS7504S	812.8	22	1/2"*5	32"
ALS7505S	863.6	22	1/2"*5	34"
ALS7506S	914.4	22	1/2"*5	36"

304/316 STAINLESS STEEL SIMPLE STEERING WHEEL 304/316不锈钢6轴方向盘



Code	A mm	B mm	Spoke	Size
ALS7600S	609.6	22	1/2"*6	24"
ALS7601S	660.4	22	1/2"*6	26"
ALS7602S	711.2	22	1/2"*6	28"
ALS7603S	762	22	1/2"*6	30"
ALS7604S	812.8	22	1/2"*6	32"
ALS7605S	863.6	22	1/2"*6	34"
ALS7606S	914.4	22	1/2"*6	36"


304/316 STAINLESS STEEL SIMPLE STEERING WHEEL 304/316不锈钢舵机方向盘



Code	A mm	B mm	Size
ALS9798S	343	35	13.5"
ALS9799S	393	35	15.5"

316 STAINLESS STEEL KNOB FOR STEERING WHEEL WITH BEARINGS 316 不锈钢方向盘旋钮带轴承

Code	A mm	B mm	Size
ALS06140N	25.4	18.8	1"



304/316 STAINLESS STEEL KNOB FOR STEERING WHEEL 304/316不锈钢方向盘旋钮

Code	A mm	B mm	Size
ALS06110S	25.4	18.8	1"
ALS06120S	25.4	18.8	1"
ALS06130S	25.4	18.8	1"



BOAT OUTBOARD ROTARY STEERING SYSTEM 船用转向系统



Code	Steering Cable	Tapered shaf
ALS6106S	5FT-50FT	3/4"



MARINE LADDER

304/316 STAINLESS STEEL TELESCOPING MARINE DROP LADDER(EXTEND HIGE)
304/316不锈钢伸缩可折叠下水梯

HOT SALE 🔥🔥🔥



Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L1042	2	595 -- 342	255

Under Platform Pivoting Front Retaining Cover

Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L1043	3	889 -- 372	255

Under Platform Pivoting Front Retaining Cover

Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L1044	4	1147 -- 404	255

Under Platform Pivoting Front Retaining Cover



304/316 STAINLESS STEEL TELESCOPING MARINE DROP LADDER
304/316不锈钢伸缩式升降梯/手动梯

Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L2022	2	595 -- 342	255

Deck Ladder Flip-up Hinge Pressde Finger Grip Grad Handle



Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L2023	3	868 -- 378	255

Deck Ladder Flip-up Hinge Pressde Finger Grip Grad Handle



Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L2024	4	1150 -- 397	255

Deck Ladder Flip-up Hinge Pressde Finger Grip Grad Handle



304/316 STAINLESS STEEL SCOPIC MARINE DROP LADDER WITH WIDE STEP 304/316不锈钢双踏板折叠梯



Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L3803	3	889 -- 372	255

Deck Ladder Fli-up Hinge



Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L3804	4	1156 -- 404	255

Deck Ladder Fli-up Hinge

304/316 STAINLESS STEEL TELESCOPING MARINE LADDER WITH SLIDE MOUNT 304/316不锈钢隐藏式折叠伸缩下水梯



Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L4102	2	597 -- 349	255

Under Platform Robust Slide Swing Pivot - Easy Mount



Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L4103	3	889 -- 373	255

Under Platform Robust Slide Swing Pivot - Easy Mount

Code	Step	A mm (Extended -- Stowed)	B mm (Centrum)
ALS-L4104	4	1155 -- 394	255

Under Platform Robust Slide Swing Pivot - Easy Mount




304/316 STAINLESS STEEL FOLDING TELESCOPIC MARINE LADDER WITH PLATFORM 304/316不锈钢防滑平台折叠伸缩下水梯



Code	Step	A mm	B mm	C mm
ALS-L5102	2	584	458	360
ALS-L5103	3	889	458	360


Under Platform Robust Slide Swing Pivot - Easy Mount



304/316 STAINLESS STEEL SCOPIC MARINE LADDER WITH PLATFORM 304/316不锈钢防滑平台折叠梯

Code	Step	A mm	B mm	C mm
ALS-L9112	2	592	458	360
ALS-L9113	3	879	458	360
ALS-L9114	4	1197	458	360

Thick solid glass reinforced plastic




304/316 STAINLESS STEEL FOLDING TELESCOPIC MARINE LADDER WITH HANDRAIL
304/316不锈钢隐藏式折叠扶手伸缩挂梯



Code	Step	A mm	B mm	C mm
ALS-L6104S	4	1678	1187	381

Built in Grab Rails Wide Step


304/316 STAINLESS STEEL FOLDING TELESCOPIC MARINE LADDER WITH HANDRAIL
304/316不锈钢伸缩扶手梯



Code	Step	A mm	B mm	C mm
ALS-L9223	3	868	408	254
ALS-L9224	4	1160	408	254

Built in Grab Rails Wide Step


304/316 STAINLESS STEEL FOLDING MARINE LADDER
304/316不锈钢塑料踏板折叠梯



Code	Step	A mm	B mm
ALS-L7101	2+1	600	200
ALS-L7102	2+2	879	235
ALS-L7103	3+2	1085	235
ALS-L7104	2+3	1085	255
ALS-L7105	3+3	1316	255

Flip - up Pivot Mount Solid TEAK step terads


304/316 STAINLESS STEEL FOLDING MARINE LADDER WITH TEAK TREADS
304/316不锈钢带柚木踏板折叠梯



Code	Step	A mm	B mm
ALS-L7201	2+1	600	200
ALS-L7202	2+2	879	235
ALS-L7203	3+2	1085	235
ALS-L7204	2+3	1085	255
ALS-L7205	3+3	1316	255


Flip - up Pivot Mount Solid TEAK step terads

304/316 STAINLESS STEEL BOARDING LADDER FOR INFLATABLE BOATS
304/316不锈钢充气船登梯




Code	Step	A mm	B mm	C mm
ALS-L8212SA3	3	874	323	255
ALS-L8212SA4	4	1154	323	255

304/316 STAINLESS STEEL TELESCOPIC BOAT LADDER
304/316不锈钢伸缩船梯



Code	Step	A mm	B mm
ALS-L7326SA	3	678	232

304/316 STAINLESS STEEL FOLDING BOARDING LADDER
304/316不锈钢扶手折叠登船梯



Code	Step	A mm	B mm
ALS-L88030	2+1	720	255
ALS-L88031	2+2	920	255
ALS-L88032	2+3	1300	255
ALS-L88033	3+3	1500	255


Folding Pivot Mount Standoffs

304/316 STAINLESS STEEL TELESCOPIC BOARDING LADDER WITH HANDRAIL
304/316不锈钢扶手登船梯



Code	Step	A mm	B mm
ALS-L8903	3	889	255
ALS-L8904	4	1150	255

304/316 STAINLESS STEEL SCOPIC DIVE LADDER 304/316不锈钢伸缩式潜水梯



Code	Step	A mm (Extended -- Stowed)	B mm (Width)	C mm (Centrum)
ALS-L8303	3	870 -- 404	340	70
ALS-L8304	4	458.2 -- 1150	340	70

Deck Mount Flip - up Hinge


304/316 STAINLESS STEEL SCOPIC DIVE LADDER 304/316不锈钢伸缩式潜水梯



Code	Step	A mm (Extended -- Stowed)	B mm (Width)	C mm (Centrum)
ALS-L8403	3	870 -- 404	340	70
ALS-L8404	4	458.2 -- 1150	340	70

Quick Release Robust Design


304/316 STAINLESS STEEL SCOPIC DIVE LADDER 304/316不锈钢伸缩式潜水梯



Code	Step	A mm (Extended -- Stowed)	B mm (Width)	C mm (Centrum)
ALS-L8503	3	870 -- 404	340	70
ALS-L8504	4	458.2 -- 1150	340	70


Quick Release Robust Design

304/316 STAINLESS STEEL SCOPIC MARINE LADDER WITH BOX 304/316不锈钢隐藏厢式梯



Code	Step	A mm	B mm	C mm
ALS-L8603	3	880	337	453

304/316 STAINLESS STEEL SWIM PLATFORM UNDERSIDE LADDER WITH CARRY HANDLE 304/316不锈钢游泳平台底侧梯带提手



Code	Step	A mm (Extended -- Stowed)	B mm (Width)	C mm (Centrum)
ALS-L8335S3	3	1200 -- 433	294	255
ALS-L8335S4	4	1475 -- 475	294	255

304/316 STAINLESS STEEL PONTOON BOAT LADDER 304/316不锈钢浮桥船梯



Code	Step	A mm	B mm	C mm
ALS-L3136SA4	2+2	1130	760	340
ALS-L3136SA5	3+2	1410	1025	340

304/316 STAINLESS STEEL TELESCOPIC BOAT LADDER 304/316不锈钢伸缩船梯



Code	Step	A mm	B mm	C mm
ALS4878SA4	4	889	368	255

304/316 STAINLESS STEEL FOLDING TELESCOPIC BOAT LADDER WITH HANDRAILS 304/316不锈钢折叠伸缩船梯带扶手



Code	Step	Extended	Stowed	Width
ALS-L4158SA	4	1300mm(51.2")	650mm(25.6")	290mm(11.5")

304/316 STAINLESS STEEL TELESCOPING DROP MARINE LADDER
304/316不锈钢伸缩式升降梯/手动梯

Code	Step	Extended	Stowed	Width
ALS-L8603	3	700mm(27.5")	305mm(12")	292mm(11.5")
ALS-L8604	4	925mm(36.4")	315mm(12.5")	279mm(11")

Fits Swim Platforms Flip-up Hinge

304/316 STAINLESS STEEL TELESCOPING UNDER PLATFORM MARINE LADDER
304/316不锈钢伸缩式平台梯

Code	Step	Length	Width	Centrum W
ALS-L8703	3	596mm(23.5")	344mm(13.5")	255mm(10")
ALS-L8704	4	920mm(36.3")	368mm(14.5")	255mm(10")

Fits Swim Platforms Flip-up Hinge

304/316 STAINLESS STEEL BOAT LADDER
304/316不锈钢船梯

Code	Step	Extended	Stowed	Width
ALS-L7103SA	4	1240mm (48.8")	710mm(27.9")	290mm(11.4")

304/316 STAINLESS STEEL TELESCOPIC BOAT LADDER WITH ANTI-SLIP STEPS
304/316不锈钢带防滑台阶的伸缩船梯

Code	Step	Extended	Stowed	Width
ALS-L7331SA1	3	860mm (33.8")	373mm(14.7")	295mm(11.6")
ALS-L7341SA1	4	1135mm (44.7")	405mm(15.9")	295mm(11.6")

304/316 STAINLESS STEEL TEAK PLATFORM WITH 3 STEP LADDERS
304/316不锈钢带3节船梯的柚木平台

Item No.	Width mm	Length mm	Ladder
ALS-TW1001	450	400	Without ladder
ALS-TW1002	450	400	3 steps



Without ladder



3 steps

304/316 STAINLESS STEEL TEAK PLATFORM WITH LADDERS
304/316不锈钢带船梯的柚木平台

Item No.	Width mm	Length mm	Ladder
ALS-TW1003	350	500	2 steps
ALS-TW1004	350	500	3 steps

**304/316 STAINLESS STEEL TEAK PLATFORM WITH LADDERS**
304/316不锈钢带船梯的柚木平台

Item No.	Width mm	Length mm	Ladder
ALS-TW1005	420	660	2 steps
ALS-TW1006	420	660	3 steps

**304/316 STAINLESS STEEL TEAK PLATFORM**
304/316不锈钢柚木平台

Item No.	Width mm	Length mm
ALS-1140SA	380	840

**304/316 STAINLESS STEEL TEAK PLATFORM**
304/316不锈钢柚木平台

Item No.	Width mm	Length mm
ALS-38100	380	1000




304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-1340SA	410	1270

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-1440SA	600	1090

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台




Item No.	Width mm	Length mm
ALS-1540SA	600	1310

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-3140SA	450	500

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-3240SA	450	800

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-3340SA	360	450

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-3440SA	650	950

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-3540SA	450	1780

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-3640SA	500	1900

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-3740SA	600	1750 - 2600

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-7140SA	520+/-50mm	1150

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-7140SAXL	625+/-50mm	1400

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-7840SAN	480	700

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-7340SA	420	685

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-7840SA	520+/-50mm	1150

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-3541SA	300	500

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-4240SAN	330	550

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-7140SALN	520+/-50mm	1150

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-7841SA	420	685

304/316 STAINLESS STEEL TEAK PLATFORM
304/316不锈钢柚木平台



Item No.	Width mm	Length mm
ALS-7840SA1	480	700




HANDRAILS

AISI316 STAINLESS STEEL HANDLE
316不锈钢船用把手



Code	Lmm	Dmm
ALS2401A	143	43

AISI316/304 STAINLESS STEEL OVAL HANDRAIL
316/304不锈钢椭圆形扶手



Code	LengthxHeight	Tube Dia
ALS-RH-1208	8"(200mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-1212	12"(200mm)	1"x3/4"(25.4x18.8mm)

AISI316/304 STAINLESS STEEL OVAL HANDRAIL
316/304不锈钢椭圆形扶手



Code	LengthxHeight	Tube Dia
ALS-RH-1308	8"(200mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-1310	10"(300mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-1312	12"(300mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-1316	16"(300mm)	1"x3/4"(25.4x18.8mm)

AISI316/304 STAINLESS STEEL OVAL HANDRAIL
316/304不锈钢椭圆形扶手



AISI316/304 STAINLESS STEEL ROUND HANDRAIL
316/304不锈钢圆形扶手

Code	LengthxHeight	Tube Dia
ALS-RH-1409	9"	1-5/8" x 2-1/2"
ALS-RH-1412	12"	1-5/8" x 2-1/2"

Code	Length	Tube Dia	Stud
ALS-RH-1512	12"(300mm)	7/8"(22 mm)	1/4"
ALS-RH-1518	18"(450mm)	7/8"(22 mm)	1/4"
ALS-RH-1524	24"(600mm)	7/8"(22 mm)	1/4"



AISI316/304 STAINLESS ROUND HANDRAIL
316/304不锈钢圆形扶手

Code	Length	Tube Dia
ALS-RH-1608	8"(200mm)	7/8"(22 mm)
ALS-RH-1612	12"(300mm)	7/8"(22 mm)
ALS-RH-1616	16"(400mm)	7/8"(22 mm)
ALS-RH-1620	20"(500mm)	7/8"(22 mm)
ALS-RH-1624	24"(600mm)	7/8"(22 mm)
ALS-RH-1632	32"(800mm)	7/8"(22 mm)
ALS-RH-1640	40"(1000mm)	7/8"(22 mm)



AISI316/304 STAINLESS STEEL ROUND HANDRAIL WITH ROUND BASE
316/304不锈钢圆形扶手带圆形底座

Code	Length	Tube Dia
ALS-RH-1708	8"(200mm)	7/8"(22 mm)
ALS-RH-1712	12"(300mm)	7/8"(22 mm)
ALS-RH-1720	20"(500mm)	7/8"(22 mm)
ALS-RH-1732	32"(800mm)	7/8"(22 mm)
ALS-RH-1740	40"(1000mm)	7/8"(22 mm)




AISI316/304 STAINLESS STEEL ROUND GRAB RAIL
316/304不锈钢圆形扶手



Code	Length	Tube Dia	Degree
ALS-RH-1812	12"(300mm)	12"(300mm)	45dr
ALS-RH-1818	18"(450mm)	18"(450mm)	45dr
ALS-RH-1824	24"(600mm)	24"(600mm)	45dr
ALS-RH-1830	30"(750mm)	30"(750mm)	45dr
ALS-RH-1836	36"(900mm)	36"(900mm)	45dr
ALS-RH-1912	12"(300mm)	12"(300mm)	90dr
ALS-RH-1918	18"(450mm)	18"(450mm)	90dr
ALS-RH-1924	24"(600mm)	24"(600mm)	90dr
ALS-RH-1930	30"(750mm)	30"(750mm)	90dr
ALS-RH-1936	36"(900mm)	36"(900mm)	90dr

AISI316/304 STAINLESS STEEL OVAL HANDRAIL ROUND BASE SCREWED
316/304不锈钢椭圆形扶手带圆底座



Code	Length	Base Size	Tube Dia
ALS-RH-2009	9"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2012	12"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2016	16"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2018	18"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2024	24"	2-1/4"(57mm)	1"x3/4"(25.4x18.8mm)

AISI316/304 STAINLESS STEEL OVAL HANDRAIL WITH BASE
316/304不锈钢圆形扶手带底座



Code	Length	Base Size	Tube Dia
ALS-RH-2109	9"	55x32.4mm	1"(25.4mm)
ALS-RH-2112	12"	55x32.4mm	1"(25.4mm)
ALS-RH-2116	16"	55x32.4mm	1"(25.4mm)
ALS-RH-2118	18"	55x32.4mm	1"(25.4mm)
ALS-RH-2124	24"	55x32.4mm	1"(25.4mm)

AISI316/304 STAINLESS STEEL OVAL HANDRAIL
316/304不锈钢椭圆形扶手



Code	Length	Base Size	Tube Dia
ALS-RH-2212	12"	2.48"x1.26"(63x32mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2216	16"	2.48"x1.26"(63x32mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2218	18"	2.48"x1.26"(63x32mm)	1"x3/4"(25.4x18.8mm)

AISI316/304 STAINLESS STEEL S/S HEAVY DUTY OVAL HANDRAIL
316/304不锈钢S/S重型椭圆形扶手



Code	Length	Tube Dia
ALS-RH-2385	8-5/8"	1"x3/4"(25.4x18.8mm)
ALS-RH-2312	12"	1"x3/4"(25.4x18.8mm)
ALS-RH-2316	16"	1"x3/4"(25.4x18.8mm)
ALS-RH-2318	18"	1"x3/4"(25.4x18.8mm)
ALS-RH-2324	24"	1"x3/4"(25.4x18.8mm)

AISI316/304 STAINLESS STEEL HEAVY DUTY OVAL HANDRAIL
316/304不锈钢重型椭圆形扶手



Code	Length	Tube Dia
ALS-RH-2485	8-5/8"	1"3x4"(25.4x18.8mm)
ALS-RH-2412	12"	1"3x4"(25.4x18.8mm)
ALS-RH-2416	16"	1"3x4"(25.4x18.8mm)
ALS-RH-2418	18"	1"3x4"(25.4x18.8mm)
ALS-RH-2424	24"	1"3x4"(25.4x18.8mm)

AISI316/304 STAINLESS STEEL ROUND HANDRAIL WITH FINGER GRIP
316/304不锈钢圆形手柄带手指夹



Code	Length	Tube Dia
ALS-RH-2510	10-1/4"(250mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2514	14"(350mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2518	18"(450mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2520	20"(500mm)	1"x3/4"(25.4x18.8mm)
ALS-RH-2525	25-3/4"(655mm)	1"x3/4"(25.4x18.8mm)

316/304 STAINLESS STEEL CASTED OVAL HANDRAIL HEAVY
316/304不锈钢重型铸造椭圆形把手



Code	Length	Tube Dia	Stud
ALS-RH-2612	12"	13x13mm	M6
ALS-RH-2618	18"	13x13mm	M6
ALS-RH-2624	24"	13x13mm	M6
ALS-RH-2718	18"	20x40mm	M6
ALS-RH-2724	24"	20x40mm	M6
ALS-RH-2730	30"	20x40mm	M6
ALS-RH-2736	36"	20x40mm	M6
ALS-RH-2748	48"	20x40mm	M6
ALS-RH-2760	60"	20x40mm	M6


AISI316/304 STAINLESS STEEL HANDRAIL
316/304不锈钢扶手



Code	LengthxHeight	Diameter
ALS-RH-2825	270x130mm	25mm
ALS-RH-2925	270x130mm	25mm




LARGE EYE CRANE HOOK
大眼货钩




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6101-0.2	0.2T	18	92	18	7	200	0.091
ALS6101-0.3	0.3T	19	102	17	7.5	300	0.127
ALS6101-0.5	0.5T	28	119	17	9.5	500	0.210

SWIVEL EYE CRANE HOOK
圈式旋转货钩




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6102-150	3/16"	15.8	17.6	11	90	150	0.082
ALS6102-350	1/4"	22	23.9	16.9	114	350	0.155
ALS6102-650	5/16"	27	26.7	20.5	138	650	0.237
ALS6102-1000	3/8"	28	32.8	23.5	158	1000	0.436
ALS6102-1500	1/2"	36	37.8	31	190	1500	0.711

SWIBEL JAW CRANE HOOK
叉式旋转货钩




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6103-150	3/16"	9.5	17.6	11	90	150	0.090
ALS6103-350	1/4"	12.5	24	16.9	114	350	0.167
ALS6103-650	5/16"	15	26	20.5	138	650	0.259
ALS6103-1000	3/8"	17.5	32.8	23	158	1000	0.456
ALS6103-1500	1/2"	36	37.8	31	190	1500	0.748

S320 CRANE HOOK
S320 货钩




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6104-0.5	0.5T	16.5	90	16	8	500	0.111
ALS6104-0.75	0.75T	18.5	101.5	18.5	9	750	0.204
ALS6104-1	1.0T	23	114.5	21	11	1000	0.286
ALS6104-1.5	1.5T	28	129.5	21.5	12	1500	0.418
ALS6104-2	2.0T	32	153	26	15	2000	0.656
ALS6104-3	3.0T	38	182	31.5	17.5	3000	1.257

CRANE HOOK WITH LATCH
羊角滑钩



Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WT(kg)
ALS6105-0.5	1/4"	99	22	14.5	11	10	0.218
ALS6105-0.7	5/16"	113.5	25	18.5	12.5	12	0.328
ALS6105-0.9	3/8"	129.5	28	22	14.5	14	0.468
ALS6105-1.5	1/2"	155.5	33.5	27	16	16	0.778

QUICK RELEASE HOOK
释放钩




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WT(kg)
ALS6109-4	4"	100	20	10	9	4.5	23	0.090

OVAL SWIVEL SNAP HOOK 椭圆环单头钩




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6201-1	3/8"×65	11.5	3.5	9	65	30	0.022
ALS6201-2	1/2"×72	13.5	4	9.5	72	50	0.029
ALS6201-3	5/8"×82	17.5	4.5	10	82	100	0.042
ALS6201-4	3/4"×91	21.5	5	11.5	91	120	0.048
ALS6201-5	1"×100	26.5	5.5	12	100	150	0.062
ALS6201-6	1-1/4"×126	34	6	14	126	180	0.099

ROUND RING SWIVEL SNAP HOOK 圆环单头钩




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6202-1	1/2"×63	14.5	3.5	9	63	30	0.022
ALS6202-2	5/8"×71	17.5	4	9.5	71	50	0.029
ALS6202-3	3/4"×81	22	4.5	10	81	100	0.042
ALS6202-4	1"×90	26	5	11	90	120	0.048
ALS6202-5	1-1/8"×97	29	5.5	12	97	150	0.061
ALS6202-6	1-1/4"×119	34.5	6	14	119	180	0.095

SQUARE RING SWIVEL SNAP HOOK 方环单头钩




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6203-1	5/8"×59	17.5	3.5	9	59	30	0.022
ALS6203-2	3/4"×66	23.5	4	9.5	66	50	0.029
ALS6203-3	1"×73	25.5	4.5	10	73	100	0.042
ALS6203-4	1-1/8"×80	31.5	5	11	80	120	0.049
ALS6203-5	1-1/4"×85	36.5	5.5	12	85	150	0.061
ALS6203-6	1-1/2"×105	42.5	6	14	105	180	0.099

DOUBLE END SNAP HOOK 双头钩



Code	Size	Amm	Bmm	WLL(kg)	WT(kg)
ALS6204-76	76mm	76	8.5	40	0.035
ALS6204-90	90mm	90	10	50	0.060
ALS6204-100	100mm	100	10	90	0.068
ALS6204-115	115mm	115	12	110	0.091

EGG SHAPE SPRING HOOK 蛋形钩




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WLL(kg)	WT(kg)
ALS6205-40	40	40	19	2	5.8	8.2	8.8	80	0.012
ALS6205-50	50	50	24	2.2	8.3	11.9	11.5	100	0.023
ALS6205-70	70	70	33	2.6	9.8	14.5	15.5	300	0.054
ALS6205-100	100	100	49	3.5	15.6	21.4	22.7	500	0.138

SWIVEL SNAP HOOK 万向钩




Code	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
ALS6206-0	69	7.5	16.0	50	0.030
ALS6206-1	88	9.5	19.5	70	0.063
ALS6206-2	101	14.0	21.0	120	0.092
ALS6206-3	118	16.5	27.0	150	0.135

FIXED EYE SNAP HOOK 固定弹簧钩



Code	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6207-0	55	12	7	3.8	50	0.017
ALS6207-1	72	16	12	4.8	70	0.042
ALS6207-2	83	19	12	5.3	120	0.059
ALS6207-3	101	22	16	6.5	150	0.089

SQUARE SPRING SNAP HOOK 简易方环万向钩




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6208-1	1"×65	66	27	4.2	9	12	60	0.028

BULL SWIVEL SNAP HOOK
牛头钩


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6209-1	1"×100	100	17.5	155	27	7	300	0.152

QUICK LINK
快速连接环


Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6210-3.5	3.5mm	29	10	5	3.5	80	0.008
ALS6210-4	4mm	32	11.5	5.5	3.8	250	0.013
ALS6210-5	5mm	39	13	6.5	6.5	325	0.021
ALS6210-6	6mm	46	14.5	7.5	7.5	400	0.033
ALS6210-7	7mm	51	16.5	8.5	8.5	600	0.054
ALS6210-8	8mm	59	17.5	10.5	10.5	700	0.076
ALS6210-9	9mm	64	18	11.5	11.5	1000	0.104
ALS6210-10	10mm	70	20.5	12.5	12.5	1150	0.136
ALS6210-11	11mm	78	23	14	14	1200	0.216
ALS6210-12	12mm	83	24	14.5	14.5	1250	0.242
ALS6210-14	14mm	97	26.5	17	17	1400	0.352

CARABINER HOOK
登山扣


Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6211-4	4X40	40	6.5	6	3.8	40	0.008
ALS6211-5	5X50	50	8	7	4.8	50	0.016
ALS6211-6	6X60	60	9	8	5.8	70	0.026
ALS6211-7	7X70	70	10.5	8	6.8	100	0.042
ALS6211-8	8X80	80	12	9	7.8	125	0.065
ALS6211-9	9X90	90	13	10	8.8	140	0.093
ALS6211-10	10X100	100	15	12	9.8	200	0.125
ALS6211-11	11X120	120	18	16	10.8	250	0.178
ALS6211-12	12X140	140	20	19	11.8	300	0.248
ALS6211-13	13X160	160	22	25	12.8	350	0.352
ALS6211-14	14X180	180	22	35	13.8	450	0.505

CARABINER HOOK WITH LOCK NUT
带螺母登山扣

Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6212-4	4X40	40	6.5	6	3.8	40	0.009
ALS6212-5	5X50	50	8	7	4.8	50	0.018
ALS6212-6	6X60	60	9	8	5.8	70	0.029
ALS6212-7	7X70	70	10.5	8	6.8	100	0.047
ALS6212-8	8X80	80	12	9	7.8	125	0.068
ALS6212-9	9X90	90	13	10	8.8	140	0.098
ALS6212-10	10X100	100	15	12	9.8	200	0.135
ALS6212-11	11X120	120	18	16	10.8	250	0.189
ALS6212-12	12X140	140	20	19	11.8	300	0.269
ALS6212-13	13X160	160	22	25	12.8	350	0.365
ALS6212-14	14X180	180	22	35	13.8	450	0.515

CARABINER HOOK WITH EYELET
带圈登山扣

Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6213-4	4X40	40	5	6	3.8	40	0.009
ALS6213-5	5X50	50	6.5	7	4.8	50	0.018
ALS6213-6	6X60	60	7.5	8	5.8	70	0.029
ALS6213-7	7X70	70	9	8	6.8	100	0.047
ALS6213-8	8X80	80	10	9	7.8	125	0.068
ALS6213-9	9X90	90	11	10	8.8	140	0.096
ALS6213-10	10X100	100	13	12	9.8	200	0.135
ALS6213-11	11X120	120	15	16	10.8	250	0.189
ALS6213-12	12X140	140	18	19	11.8	300	0.269
ALS6213-13	13X160	160	20	25	12.8	350	0.365
ALS6213-14	14X180	182	22	35	13.8	450	0.515

SIMPLE SPRING SNAP HOOK
简易弹簧钩

Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WLL(kg)	WT(kg)
ALS6215-6	6X60	60	32	14	5.8	2.6	9	70	0.028
ALS6215-8	8X80	80	45	18	7.8	3	12	125	0.068
ALS6215-10	10X100	100	57	23	9.8	4	15	200	0.137
ALS6215-12	12X120	120	68	28	11.8	4.4	18	300	0.299
ALS6215-14	14X140	140	79	32	13.8	4.4	21	450	0.357
ALS6215-16	16X160	160	91	37	15.8	5	24	800	0.532
ALS6215-18	18X180	180	102	47	17.8	5	27	1000	0.742
ALS6215-20	20X200	200	120	59	19.8	5	29	1200	1.011

TRIGGER SWIVEL SNAP HOOK
剪刀钩


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6216-12	1/2"×65	65	15.5	10.5	4.2	7	90	0.018

QUICK KEY SNAP HOOK
快挂钩


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WT(kg)
ALS6217-35	35mm	35	14.5	7	6.5	1.6	0.008

WIRE EYE STRAP
棒材骆驼背


Code	Amm	Bmm	Cmm	Dmm	Emm	Fmm
ALS6218-4	4	40	11	1.7	7	32
ALS6218-5	5	50	13	2.0	9	44
ALS6218-6	6	58	16	2.5	10	44
ALS6218-8	8	63	17	3.6	13	47
ALS6218-10	10	77	22	4.6	16.5	51

DIAMOND EYE PLATE
菱形门扣

Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WT(kg)
ALS6301-5	5mm	36	60	21	2.5	14	5	0.029
ALS6301-6	6mm	40	65	26	2.5	16	6	0.038
ALS6301-8	8mm	50	80	32	3	20	8	0.069
ALS6301-10	10mm	60	100	38	3	26	10	0.120

SQUARE EYE PLATE
方形门扣


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WT(kg)
ALS6302-5	5mm	30	35	21	2.5	14	5	0.029
ALS6302-6	6mm	35	40	26	2.5	16	6	0.035
ALS6302-8	8mm	40	50	32	3	20	8	0.068

ROUND EYE PLATE
圆形门扣


Code	Size	Amm	Cmm	Dmm	Emm	Fmm	WT(kg)
ALS6303-5	5mm	33	21	2.5	14	5	0.019
ALS6303-6	6mm	40	26	2.5	16	6	0.038
ALS6303-8	8mm	50	32	3	20	8	0.068

OVAL EYE PLATE
椭圆形门扣


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WT(kg)
ALS6304-5	5mm	15	45	21	2.5	14	5	0.017
ALS6304-6	6mm	20	60	26	2.5	16	6	0.033
ALS6304-8	8mm	25	80	32	3	20	8	0.064

DIAMOND EYE PLATE WITH RING
带圆环菱形门扣

Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	L mm	WT(kg)
ALS6305-5	5mm	36	60	21	2.5	14	5	30	0.046
ALS6305-6	6mm	40	65	26	2.5	16	6	35	0.067
ALS6305-8	8mm	50	80	32	3	20	8	45	0.135
ALS6305-10	10mm	60	100	38	3	26	10	50	0.236

SQUARE EYE PLATE WITH RING
带圆环方形门扣

Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	L mm	WT(kg)
ALS6306-5	5mm	30	35	21	2.5	14	5	30	0.038
ALS6306-6	6mm	35	40	26	2.5	16	6	35	0.064
ALS6306-8	8mm	40	50	32	3	20	8	45	0.134

ROUND EYE PLATE WITH RING
带圆环圆形门扣

Code	Size	Amm	Cmm	Dmm	Emm	Fmm	L mm	WT(kg)
ALS6307-5	5mm	33	21	2.5	14	5	30	0.036
ALS6307-6	6mm	40	26	2.5	16	6	35	0.068
ALS6307-8	8mm	50	32	3	20	8	45	0.135

OBLONG EYE PLATE WITH RING
带圆环椭圆形门扣


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	L mm	WT(kg)
ALS6308-5	5mm	15	45	21	2.5	14	5	30	0.034
ALS6308-6	6mm	20	60	26	2.5	16	6	35	0.062
ALS6308-8	8mm	25	80	32	3	20	8	45	0.131

FIXED EYE SNAP SHACKLE 固定弹簧卸扣




Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
ALS6401-35	35mm	12.5	7.5	35	100	0.013
ALS6401-52	52mm	17	11	52	450	0.043
ALS6401-69	69mm	21.5	15.5	69	650	0.085
ALS6401-96	96mm	26	19	96	950	0.209

SWIVEL EYE SNAP SHACKLE 圈式旋转弹簧卸扣




Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
ALS6402-70	70mm	16	12.5	70	450	0.057
ALS6402-87	87mm	20	16.5	87	650	0.111
ALS6402-128	128mm	28	23.5	128	950	0.297

SWIVEL JAW SNAP SHACKLE 叉式旋转弹簧卸扣



Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
ALS6403-70	70mm	15.5	10	70	450	0.063
ALS6403-87	87mm	20	13	87	650	0.145
ALS6403-128	128mm	28	20	120	950	0.339

ROUND SWIVEL SNAP SHACKLE 圆环旋转弹簧卸扣



Code	Size	Amm	Bmm	WLL(kg)	WT(kg)
ALS6404-20	20x65	14	21	270	0.041
ALS6404-25	25x76	15	26	340	0.071

PELICAN SHACKLE 枪式弹簧卸扣




Code	Size	Amm	Bmm	Cmm	WT(kg)
ALS6405-6	M6	77.5	14	11	0.068
ALS6405-8	M8	104.5	16	13.5	0.131
ALS6405-10	M10	126	19	15.5	0.216

KEY PIN SHACKLE 钥匙销卸扣




Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
ALS6406-5	5mm	13	40	5	100	0.029
ALS6406-6	6mm	15	42	6	150	0.051
ALS6406-8	8mm	21.5	61	8	250	0.111

KEY PIN SHACKLE WITH BAR 带档钥匙销卸扣



Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6407-5	5mm	13	12.5	40	5	100	0.035
ALS6407-6	6mm	15	15	42	6	150	0.062
ALS6407-8	8mm	21.5	21.5	61	8	250	0.122

JIS TYPE D SHACKLE 日式D形卸扣




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6408-4	4mm	4	8	14	4	24	60	0.008
ALS6408-5	5mm	5	10	17.5	5	30	80	0.016
ALS6408-6	6mm	6	12	21	6	35	100	0.025
ALS6408-8	8mm	8	16	28	8	43.5	200	0.054
ALS6408-10	10mm	10	20	35	10	56	320	0.109
ALS6408-12	12mm	12	24	45.5	12	66	520	0.185
ALS6408-14	14mm	14	28	49	14	75.5	700	0.290
ALS6408-16	16mm	16	32	56	16	88	800	0.433
ALS6408-18	18mm	18	36	63	18	99.5	950	0.638
ALS6408-20	20mm	20	40	70	20	109	1100	0.850
ALS6408-22	22mm	22	44	77	22	120	1500	1.160
ALS6408-24	24mm	24	50	84	24	135	2100	1.537
ALS6408-28	28mm	28	56	98	28	148	3000	2.360
ALS6408-32	32mm	32	64	112	32	168	5000	3.400
ALS6408-38	38mm	38	76	133	38	148	8000	6.100


EU TYPE D SHACKLE 欧式D形卸扣




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6409-4	4mm	4	8	16	4	60	0.008
ALS6409-5	5mm	5	10	20	5	80	0.016
ALS6409-6	6mm	6	12	24	6	100	0.025
ALS6409-8	8mm	8	16	32	8	200	0.059
ALS6409-10	10mm	10	20	40	10	320	0.115
ALS6409-12	12mm	12	24	48	12	520	0.198
ALS6409-14	14mm	14	28	56	14	700	0.306
ALS6409-16	16mm	16	32	64	16	800	0.461
ALS6409-18	18mm	18	36	72	18	950	0.672
ALS6409-20	20mm	20	40	80	20	1100	0.875
ALS6409-22	22mm	22	44	90	22	1500	1.257
ALS6409-25	25mm	25	50	100	24	2100	1.655
ALS6409-28	28mm	28	56	112	28	3000	2.496

EU TYPE BOW SHACKLE
欧式弓形卸扣

Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	WLL(kg)	WT(kg)
ALS6410-4	4mm	4	12	8	16	4	24	60	0.008
ALS6410-5	5mm	5	17	10	20	5	30	80	0.016
ALS6410-6	6mm	6	20	12	24	6	35	100	0.026
ALS6410-8	8mm	8	27	16	32	8	44.5	200	0.061
ALS6410-10	10mm	10	33	20	40	10	56	320	0.117
ALS6410-12	12mm	12	39	24	48	12	66	520	0.208
ALS6410-14	14mm	14	46.5	28	56	14	75.5	700	0.317
ALS6410-16	16mm	16	52.5	32	64	16	85.5	800	0.480
ALS6410-18	18mm	18	62	36	72	18	97	950	0.696
ALS6410-20	20mm	20	65	40	80	20	110	1100	0.933
ALS6410-22	22mm	22	76	44	90	22	119	1500	1.223
ALS6410-25	25mm	25	79.5	50	100	24	136	2100	1.693
ALS6410-28	28mm	28	89	56	112	28	148	3000	2.660

LONG D SHACKLE
长D卸扣


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6411-4	4mm	4	8	30	4	24	70	0.015
ALS6411-5	5mm	5	10	37.5	5	30	140	0.018
ALS6411-6	6mm	6	12	45	6	35	230	0.031
ALS6411-8	8mm	8	16	60	8	43.5	340	0.077
ALS6411-10	10mm	10	20	75	10	56	700	0.157
ALS6411-12	12mm	12	24	90	12	66	1200	0.251

US BOW SHACKLE
美式弓形卸扣

Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6414-4	3/16"*6	4.8	9.5	22	6	350	0.02
ALS6414-6	1/4"*8	6.2	11.5	28.5	7.8	500	0.038
ALS6414-8	5/16"*10	8	13	30.5	9	750	0.073
ALS6414-10	3/8"*12	9.3	16.5	36.5	11	1000	0.138
ALS6414-11	7/16"*14	11	19	42.5	12.5	1500	0.19
ALS6414-12	1/2"*16	12.5	20	47.5	15.5	2000	0.31
ALS6414-16	5/8"*20	15.8	26.5	60	19	3250	0.62
ALS6414-20	3/4"*22	19	31.5	71	22	4750	0.97
ALS6414-22	7/8"*24	22	36.5	84	25	6500	1.37
ALS6414-25	1"*28	25.2	42.6	95	28	8500	2.08

US TYPE D SHACKLE
美式D形卸扣


Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6413-5	3/16"*6	4.8	9.5	19.0	6.0	350.0	0.018
ALS6413-6	1/4"*8	6.2	11.5	22.0	7.8	500.0	0.036
ALS6413-8	5/16"*10	8.0	13.0	26.0	9.0	750.0	0.070
ALS6413-10	3/8"*12	9.3	16.5	31.5	11.0	1000.0	0.133
ALS6413-11	7/16"*14	11.0	19.0	36.5	12.5	1500.0	0.174
ALS6413-12	1/2"*16	12.5	20.0	41.0	15.5	2000.0	0.285
ALS6413-16	5/8"*20	15.8	26.5	50.5	19.0	3250.0	0.570
ALS6413-20	3/4"*22	19.0	31.5	60.0	22.0	4750.0	0.870
ALS6413-22	7/8"*24	22.0	36.5	71.0	25.0	6500.0	1.240
ALS6413-25	1"*28	25.2	42.6	81.0	28.0	8500.0	1.900

TWISTED SHACKLE
扭体卸扣


Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6412-4	4mm	4	4	8	22	90	0.015
ALS6412-5	5mm	5	5	10	27.5	120	0.018
ALS6412-6	6mm	6	6	12	33	175	0.031
ALS6412-8	8mm	8	8	16	44	300	0.077
ALS6412-10	10mm	10	10	20	55	580	0.157
ALS6412-12	12mm	12	12	24	66	700	0.254

EYE&EYE END SWIVEL
圈圈旋转环


Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6501-4	4mm	48	11.8	9.8	3.8	80	0.020
ALS6501-5	5mm	60	13.8	14.5	4.8	100	0.034
ALS6501-6	6mm	68	15.8	16.8	5.5	150	0.048
ALS6501-8	8mm	88	20	21	7.4	300	0.111
ALS6501-10	10mm	107	23	26	9.3	500	0.202
ALS6501-12	12mm	122	25	27	11.2	1000	0.325
ALS6501-14	14mm	145	31.8	33.2	12	1200	0.518
ALS6501-16	16mm	175	38	44	15	1500	0.810
ALS6501-20	20mm	203	44	47.8	18.8	2100	1.480

EYE&JAW END SWIVEL
圈叉旋转环


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	WLL(kg)	WT(kg)
ALS6502-4	4mm	50	11.8	9.8	3.8	8	10.5	3.8	80	0.022
ALS6502-5	5mm	60	13.8	14.5	4.8	10	11	4.8	100	0.038
ALS6502-6	6mm	66.5	15.8	16.8	5.5	12	11.5	5.8	150	0.056
ALS6502-8	8mm	88	20	21	7.4	16	17	7.8	300	0.129
ALS6502-10	10mm	106	23	26	9.3	20	19	9.8	500	0.238
ALS6502-12	12mm	124	25	27	11.2	24	22	11.8	1000	0.372
ALS6502-14	14mm	145	31.8	33.2	12	28	26	13.8	1500	0.600
ALS6502-16	16mm	179	38	44	15	32	38	15.8	1500	0.940
ALS6502-20	20mm	203	44	47.8	18.8	40	38	19.8	2100	1.710

JAW&JAW END SWIVEL
叉叉旋转环


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6503-4	4mm	51	8	10.5	3.8	3.8	80	0.025
ALS6503-5	5mm	60	10	11	4.8	4.8	100	0.041
ALS6503-6	6mm	65.5	12	11.5	5.8	5.5	150	0.062
ALS6503-8	8mm	88.5	16	17	7.8	7.4	300	0.144
ALS6503-10	10mm	106.5	20	19	9.8	9.3	500	0.281
ALS6503-12	12mm	124	24	22	11.8	11.2	1000	0.438
ALS6503-14	14mm	443	28	26	13.8	13	1500	0.671
ALS6503-16	16mm	182	32	38	15.8	15	1500	1.071
ALS6503-20	20mm	205	40	38	19.8	18.8	2100	1.828

DIN580 EYE SCREW
DIN580 吊环螺丝


Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6701-6	M6	16	16	6	11	39	70	0.020
ALS6701-8	M8	19.5	19.5	7.6	14	49	140	0.045
ALS6701-10	M10	24.5	24.5	9.4	17	59.5	230	0.086
ALS6701-12	M12	29	29	11.5	22	73	340	0.148
ALS6701-16	M16	35	34	13.6	26.5	86.5	700	0.255
ALS6701-20	M20	40	38.5	15.3	29.5	96.5	1200	0.378
ALS6701-24	M24	50	50	20	37.5	127	1800	0.780

DIN582 EYE NUT
DIN582吊环螺母


Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6702-6	M6	16	16	6	28	70	0.020
ALS6702-8	M8	19.5	20	8	35	140	0.043
ALS6702-10	M10	24.5	24.5	9.4	42.5	230	0.076
ALS6702-12	M12	29	29	11.5	51.5	340	0.130
ALS6702-16	M16	35	35	13.6	61.5	700	0.210
ALS6702-20	M20	40	39	15.3	70.5	1200	0.310
ALS6702-24	M24	50	49	19.3	88	1800	0.700

JIS1168 EYE SCREW
JIS1168 日式吊环螺丝

Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WLL(kg)	WT(kg)
ALS6703-3	M3	7	7	3	9	23	20	0.003
ALS6703-4	M4	10	10	4	11	29	30	0.007
ALS6703-5	M5	13	11.5	5	11.5	35	40	0.013
ALS6703-6	M6	16.5	12	5	14	41	50	0.015
ALS6703-8	M8	20	15	5.7	15	47	80	0.026
ALS6703-10	M10	25	19	7	18	58	150	0.052
ALS6703-12	M12	30	22.5	9	21	69	220	0.094
ALS6703-16	M16	36	28	11	27	87	450	0.179
ALS6703-20	M20	40	32	15	31	101	630	0.334
ALS6703-24	M24	50	41	18	36	122	950	0.638

JIS1169 EYE NUT
JIS1169 日式吊环螺母

Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6704-4	M4	10	10	4	21	30	0.007
ALS6704-5	M5	13	12	5	26.5	40	0.011
ALS6704-6	M6	16.5	12	5	31	50	0.015
ALS6704-8	M8	20	15	5.7	39	80	0.025
ALS6704-10	M10	25	19	7	47.5	150	0.050
ALS6704-12	M12	30	22.5	9	57.5	220	0.093
ALS6704-16	M16	36	28	11	68	450	0.164
ALS6704-20	M20	40	32	15	78	630	0.291
ALS6704-24	M24	50	41	18	102	950	0.573

HX LONG EYE BOLT
HX长吊环螺栓

Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6705-6	M6X60	85	60	55	13	80	0.025
ALS6705-8	M8X80	111	80	75	15	150	0.058
ALS6705-10	M10X100	137	100	85	17	250	0.120

EUROPEAN OPEN BODY TURNBUCKLE (HOOK&EYE)
欧式开体花兰 (钩圈型)

Code	Size	Amm	Bmm	Cmm	WLL(kg)	WT(kg)
ALS6801-4	M4	58	8	7	25	0.022
ALS6801-5	M5	70	9	8	40	0.035
ALS6801-6	M6	90	10	9	100	0.063
ALS6801-8	M8	120	14	13	200	0.135
ALS6801-10	M10	150	16	15	300	0.242
ALS6801-12	M12	200	18	15	500	0.467
ALS6801-16	M16	250	21	20	800	0.984
ALS6801-20	M20	300	25	22	1200	1.989

EUROPEAN OPEN BODY TURNBUCKLE (HOOK&HOOK)
欧式开体花兰 (钩钩型)

Code	Size	Amm	Cmm	WLL(kg)	WT(kg)
ALS6802-4	M4	58	7	25	0.022
ALS6802-5	M5	70	8	40	0.035
ALS6802-6	M6	90	9	100	0.063
ALS6802-8	M8	120	13	200	0.135
ALS6802-10	M10	150	15	300	0.242
ALS6802-12	M12	200	15	500	0.467
ALS6802-16	M16	250	20	800	0.984
ALS6802-20	M20	300	22	1200	1.989

EUROPEAN OPEN BODY TURNBUCKLE (EYE&EYE)
欧式开体花兰 (圈圈型)

Code	Size	Amm	Bmm	WLL(kg)	WT(kg)
ALS6803-4	M4	58	8	25	0.022
ALS6803-5	M5	70	9	40	0.035
ALS6803-6	M6	90	10	100	0.063
ALS6803-8	M8	120	14	200	0.135
ALS6803-10	M10	150	16	300	0.242
ALS6803-12	M12	200	18	500	0.467
ALS6803-16	M16	250	21	800	0.984
ALS6803-20	M20	300	25	1200	1.989



EUROPEAN TYPE CLOSED BODY TURNBUCKLE(JAW&JAW) 欧式封闭花兰（叉叉型）




Code	Size	Amm	Bmm	Cmm	Dmm	WLL(kg)	WT(kg)
ALS6804-5	M5	7.5	7.5	5	10	250	0.052
ALS6804-6	M6	8	8	6	10	350	0.083
ALS6804-8	M8	11	11	8	11.5	700	0.154
ALS6804-10	M10	12	12	9	14	1000	0.279
ALS6804-12	M12	15	15	12	21	1500	0.475
ALS6804-14	M14	15	15	14	21	1600	0.633
ALS6804-16	M16	17.5	17.5	16	26	2300	1.090
ALS6804-20	M20	19.5	19.5	19	29	3000	1.784

CAM BUKLE 织带扣




Code	Size	Amm	Bmm	Cmm	WT(kg)
ALS7001-25	25mm	50.5	25.5	14.3	0.068
ALS7001-38	38mm	50.5	38.5	14.3	0.089

CAM BUKLE PLATE 织带压板




Code	Size	Amm	Bmm	Cmm	WT(kg)
ALS7002-25	25mm	65.8	25.5	5.8	0.045

EUROPEAN THIMBLE 欧式套环




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	WT(kg)
ALS7201-2	2mm	2	0.8	7	12	17	0.001
ALS7201-2.5	2.5mm	2.5	0.8	8	13	20	0.002
ALS7201-3	3mm	3	0.8	10	15	22	0.002
ALS7201-4	4mm	4	1	11	17	24	0.004
ALS7201-5	5mm	5	1	13	20	30	0.005
ALS7201-6	6mm	6	1	15	23	35	0.007
ALS7201-7	7mm	7	1	15	25	40	0.011
ALS7201-8	8mm	8	1.2	18	28	44	0.017
ALS7201-10	10mm	10	1.2	23	35	57	0.038
ALS7201-12	12mm	12	1.5	27	40	65	0.048
ALS7201-14	14mm	14	2	34	50	72	0.068
ALS7201-16	16mm	16	2	38	58	76	0.083
ALS7201-18	18mm	18	2	40	62	87	0.104
ALS7201-20	20mm	20	2	45	71	100	0.133
ALS7201-22	22mm	22	2	52	80	110	0.160
ALS7201-24	24mm	24	2	56	90	120	0.270

PIPE THIMBLE 管式套环




Code	Size	Amm	Bmm	Cmm	Dmm	WT(kg)
ALS7202-6	6mm	6.5	16	43	1.5	0.021
ALS7202-8	8mm	8.5	17	48	1.5	0.027
ALS7202-10	10mm	10.5	20	60	1.9	0.061
ALS7202-12	12mm	12.5	22	70	1.9	0.083
ALS7202-15	15mm	15.5	25	82	2.1	0.138

DIN741 WIRE ROPE CLIP DIN741 卡头




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Mmm	WT(kg)
ALS7301-2	2	17	9.5	9.5	7	21	M3	0.008
ALS7301-3	3	21	10	10	9	21	M4	0.011
ALS7301-4	4	21	10	10	9	23.5	M4	0.012
ALS7301-5	5	23	10	10	10	26	M5	0.016
ALS7301-6	6	25	11.5	11.5	13	29	M5	0.021
ALS7301-8	8	29	13	14	15.5	33	M6	0.034
ALS7301-10	10	33	15	16.5	19.5	43	M8	0.065
ALS7301-12	12	40	18	18	23	50	M10	0.093
ALS7301-16	16	49	24.5	25	28	65	M12	0.220
ALS7301-20	20	53	27.5	30	32	77	M12	0.281

US MALLEABLE CLIP 美式玛钢型卡头




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Mmm	WT(kg)
ALS7302-2	1/16	17	11	9.5	7.5	18.5	M3	0.015
ALS7302-3	1/8	21.5	13	11.5	11	25	M5	0.015
ALS7302-5	3/16	26.5	15	13	14.5	31	M6	0.030
ALS7302-6	1/4	31.5	18	15	17	40	M8	0.055
ALS7302-8	5/16	33.5	18	15.5	18.5	43	M8	0.062
ALS7302-10	3/8	40	20	22	22.5	51	M10	0.118
ALS7302-12	1/2	49.5	24.5	22.5	26.5	67	M12	0.198
ALS7302-16	5/8	56.5	26	28	32.5	72	M12	0.251
ALS7302-20	3/4	59.5	30.5	33.5	34	84	M14	0.368

JIS TYPE WIRE ROPE CLIP 日式卡头




Code	Size	Amm	Bmm	Cmm	Dmm	Emm	Mmm	WT(kg)
ALS7303-2	2	15	12	9	8	20	M3	0.006
ALS7303-3	3	16	14	12	8	21	M3	0.009
ALS7303-4	4	17	15.5	11.5	8	22	M4	0.018
ALS7303-5	5	23	18.5	14	12	28.5	M5	0.024
ALS7303-6	6	27	20.5	17	14.5	33	M6	0.037
ALS7303-8	8	33	27	20	17.5	40	M8	0.083
ALS7303-10	10	43	33.5	23	21	50	M10	0.147
ALS7303-12	12	49.5	37.5	26.5	25.5	64	M12	0.227
ALS7303-16	16	59	45	36.5	32	70	M14	0.407

STAINLESS STEEL U BOLT 不锈钢U形螺栓




Code	D1	L1 mm	L mm	D	A mm	WT(kg)
ALS0430SA	4	30	62	5	30	0.035
ALS0548SA	5	48	78	6	36	0.048
ALS06421SA	6	42	80	8	36	0.072
ALS06422SA	6	42	90	8	36	0.080
ALS0840SA	8	40	80	10	35	0.114
ALS0852SA	8	52	100	10	45	0.133
ALS10351SA	10	35	90	12	50	0.199
ALS10352SA	10	35	110	12	50	0.219
ALS1080SA	10	80	135	12	50	0.243
ALS1265SA	12	65	130	14	60	0.340
ALS1285SA	12	85	150	14	60	0.380

STAINLESS STEEL U BOLT 不锈钢U形螺栓




Code	A mm	B mm	C mm	D mm
ALS2863S1	9.5	75.4	127.0	35.8
ALS2864S1	9.5	54.0	101.6	35.8
ALS2866S1	9.5	66.7	114.3	35.8
ALS2865S1	12.7	73.0	120.6	46.0
ALS2867S1	12.7	54.0	109.5	46.0
ALS2868S1	12.7	85.7	133.3	46.0
ALS2869S1	12.7	104.8	160.3	46.0
ALS2871S1	15.8	139.7	203.2	48.2
ALS2872S1	15.8	88.9	155.6	48.2

STAINLESS STEEL U BOLT BOW EYE 不锈钢U形栓带耳朵



Code	D	L1 mm	L mm	A mm	WT(kg)
ALS0430S2	M4	64	30	30	0.021
ALS0548S2	M5	80	40	35	0.033
ALS06421S2	M6	80	40	35	0.046
ALS06422S2	M6	90	40	35	0.049
ALS0840S2	M8	60	25	35	0.034
ALS0852S2	M8	80	40	35	0.077
ALS10351S2	M8	90	50	35	0.0835
ALS10352S2	M8	100	50	35	0.088
ALS1080S2	M10	90	40	50	0.098
ALS1265S2	M10	130	55	50	0.196
ALS1285S2	M12	150	65	60	0.295



SHOP PORTHOLE RV PORTHOLE



PORTHOLE

BLACK PLASTIC ROUND BOAT PORTHOLE
黑色塑料圆船舷窗

Code	Size mm	Color
ALSPP1-01	215*147	Black
ALSPP1-02	265*197	Black




WHITE PLASTIC ROUND BOAT PORTHOLE
白色塑料圆船舷窗

Code	Size mm	Color
ALSPP2-01	215*147	White
ALSPP2-02	265*197	White






PLASTIC OVAL DECK PORTHOLE
塑料椭圆形甲板舷窗



Code	Shape	Color
ALSPP1-03	Oval shape porthole	White
ALSPP1-03	Oval shape porthole	Black


PLASTIC RECTANGLE DECK PORTHOLE
塑料矩形甲板舷窗




Code	Shape	Color
ALSPP1-04	Rectangular shape porthole	White
ALSPP2-04	Rectangular shape porthole	Black



316L STAINLESS STEEL PORTHOLE
316L不锈钢舷窗




Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S): 适合玻璃钢船/木船/各类房车		Super Thin Model: for Aluminium/Steel boat 超级薄款型:适合铝合金船/玻璃钢船/壁厚较薄的房车		Suitable Hull Thickness(mm) 适合壁厚	
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Super Thin (ST) 超级薄款型	Standard 标准型	Super Think 超级厚款
ALS-Eye-S-S ALS-Eye-S-ST	150X345	105X300	6~16	26~36	
ALS-Eye-M-S ALS-Eye-M-ST	200X460	148X408	6~16	26~36	
ALS-Eye-B-S ALS-Eye-B-ST	250X575	203X526	6~16	26~36	




Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S): 适合玻璃钢船/木船/各类房车		Super Thin Model: for Aluminium/Steel boat 超级薄款型:适合铝合金船/玻璃钢船/壁厚较薄的房车		Suitable Hull Thickness(mm) 适合壁厚	
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Super Thin (ST) 超级薄款型	Standard 标准型	Super Think 超级厚款
ALS-Oval-S-S ALS-Oval-S-ST	150X345	101X297	6~16	26~36	
ALS-Oval-M-S ALS-Oval-M-ST	200X400	150X350	6~16	26~36	38~48
ALS-Oval-B-S ALS-Oval-B-ST	250X560	202X511	6~16	26~36	

316L STAINLESS STEEL PORTHOLE 316L不锈钢舷窗




Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S): 适合玻璃钢船/木船/各类房车		Super Thin Model: for Aluminium/Steel boat 超级薄款型:适合铝合金船/玻璃钢船/壁厚较薄的房车		Suitable Hull Thickness(mm) 适合壁厚	
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Super Thin (ST) 超级薄款型	Standard 标准型	Super Think 超级厚款
ALS-ROUND-S-S ALS-ROUND-S-ST	D200	D161	6~16	22-32	
ALS-ROUND-M-S ALS-ROUND-M-ST	D250	D205	6~16	28-38	
ALS-ROUND-B-S ALS-ROUND-B-ST	D300	D260	6~16	22-32	



Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S): 适合玻璃钢船/木船/各类房车		Super Thin Model: for Aluminium/Steel boat 超级薄款型:适合铝合金船/玻璃钢船/壁厚较薄的房车		Suitable Hull Thickness(mm) 适合壁厚	
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Super Thin (ST) 超级薄款型	Standard 标准型	Super Think 超级厚款
ALS-Rectangular-S-S ALS-Rectangular-S-ST	150x345	102x296	6~16	26~36	
ALS-Rectangular-M-S ALS-Rectangular-M-ST	200x460	152x411	6~16	26~36	
ALS-Rectangular-B-S ALS-Rectangular-B-ST	250x575	202x526	6~16	26~36	


ALUMINIUM ALLOY HATCH 铝合金天窗




Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S): 适合玻璃钢船/木船/各类房车		Super Thin Model: for Aluminium/Steel boat 超级薄款型:适合铝合金船/玻璃钢船/壁厚较薄的房车		Suitable Hull Thickness(mm) 适合壁厚	
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Standard 标准型	Super Thin (ST) 超级薄款型	
ALS325x325	325x325	260x260xR45	33~55	3~23	
ALS375x375	375x375	310x310xR45	33~55	3~23	
ALS425x425	425x425	360x360xR45	33~55	3~23	
ALS475x475	475x475	410x410xR45	33~55	3~23	
ALS525x525	525x525	460x460xR45	33~55	3~23	
ALS575x575	575x575	510x510xR45	33~55	3~23	
ALS625x625	625x625	560x560xR45	33~55	3~23	
ALS675x675	675x675	610x610xR45	33~55	3~23	
ALS725x725	725x725	660x660xR45	33~55	3~23	




Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S): 适合玻璃钢船/木船/各类房车		Super Thin Model: for Aluminium/Steel boat 超级薄款型:适合铝合金船/玻璃钢船/壁厚较薄的房车		Suitable Hull Thickness(mm) 适合壁厚	
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Standard 标准型	Super Thin (ST) 超级薄款型	
ALS-D425	D425	D360			
ALS-D475	D475	D410			
ALS-D525	D525	D460			
ALS-D575	D575	D510			
ALS-D625	D625	D560			
ALS-D675	D675	D610			

ALUMINIUM ALLOY HATCH
铝合金天窗

Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S): 适合玻璃钢船/木船/各类房车		Super Thin Model: for Aluminium/Steel boat 超级薄款型:适合铝合金船/玻璃钢船/壁厚较薄的房车		Suitable Hull Thickness(mm) 适合壁厚	
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Standard 标准型	Super Thin (ST) 超级薄款型	
ALS-S	650x540	580x470x45			
ALS-M	578x640	513x575x45			
ALS-B	577x695	508x625x45			



Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S): 适合玻璃钢船/木船/各类房车		Super Thin Model: for Aluminium/Steel boat 超级薄款型:适合铝合金船/玻璃钢船/壁厚较薄的房车		Suitable Hull Thickness(mm) 适合壁厚	
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Standard 标准型	Super Thin (ST) 超级薄款型	
ALS425x525	425x525	360x460xR45	33~55	3~23	
ALS425x575	425x575	360x510xR45	33~55	3~23	
ALS425x625	425x625	360x560xR45	33~55	3~23	
ALS425x675	425x675	360x610xR45	33~55	3~23	
ALS475x575	475x575	410x510xR45	33~55	3~23	
ALS475x625	475x625	410x560xR45	33~55	3~23	
ALS475x675	475x675	410x610xR45	33~55	3~23	
ALS525x625	525x625	460x560xR45	33~55	3~23	
ALS525x675	525x675	460c610xR45	33~55	3~23	
ALS575x675	575x675	510x610xR45	33~55	3~23	
ALS575x725	575x725	510x660xR45	33~55	3~23	
ALS625x725	625x725	560x660xR45	33~55	3~23	

ALUMINIUM ALLOY HATCH
铝合金天窗

Standard Model (S) :for FRP/GRP/WOOD boat 标准型(S): 适合玻璃钢船/木船/各类房车		Super Thin Model: for Aluminium/Steel boat 超级薄款型:适合铝合金船/玻璃钢船/壁厚较薄的房车		Suitable Hull Thickness(mm) 适合壁厚	
Item Code 产品名称	Overall Size(mm) 总体尺寸	Cut-out Size(mm) 开口尺寸	Standard 标准型	Super Thin (ST) 超级薄款型	
ALS-FH350x350	350x350	300x300xR75	33~55	3~23	
ALS-FH400x400	400x400	350x350xR75	33~55	3~23	
ALS-FH450x450	450x450	400x400xR75	33~55	3~23	
ALS-FH500x500	500x500	450x450xR75	33~55	3~23	
ALS-FH550x550	550x550	500x500xR75	33~55	3~23	



INFORMATION FOR PROSPECTIVE AGENTS

We are accepting agent applications from reputable individuals and businesses, who are able to refer qualified and genuine clients to us. If you are interested in working with ALASTIN as one of our registered agent/representative. Kindly send the following information by email to: andyzhang@alastin-marine.com

- Your name.
- If applicable, the Name of your Business and the Name of Business/Company Owners.
- Your Resume/CV (Detailed information about you).
- If applicable, your Business/Company Profile.
- Your Contact Address or Business Address.
- Phone number(s).
- Email address.
- Your Website and Social Media details/URL (if any).
- Information about your Primary Market(s) (i.e. cities where most of your clients will come from).
- Your Promotion and Marketing Tactics/Strategy.
- How did you hear about us? (e.g. family/friend, Facebook, Google search, Flyer, etc.).
- Optional: Any Additional Relevant Information.

Kindly note that to become an agent of ALASTIN, you must complete a 3-Step Screening Process. This is to ensure that we only work with trustworthy, professional, and reliable individuals/businesses. By providing the above information, you have completed Step 1. If selected, we will notify you by email on the next steps (i.e. steps 2 & 3).

Thank you in advance for your interest in working with ALASTIN!



Design and development




Marine grade raw materials



Mold manufacturing



Wax Pattern



Laser Cutting



Casting Pouring



Machining



Spectrometer Detection



Mirror Polishing



Welding



CNC Machine



Warehouse